HEADACHE RELIEF- acetaminophen, aspirin and caffeine tablet, film coated NASH-FINCH COMPANY

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Our Family 44-159B

Active ingredients (in each tablet)

Acetaminophen 250 mg Aspirin 250 mg (NSAID)* Caffeine 65 mg

*nonsteroidal anti-inflammatory drug

Purpose

Pain reliever Pain reliever Pain reliever aid

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - a cold
 - arthritis
 - muscular aches
 - sinusitis
 - toothache
 - premenstrual and menstrual cramps

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with naussea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction, which may include:

- hives
- facial swelling
- shock
- asthma (wheezing)

Liver warning: This product contains acetaminophen. Severe lliver damage may occur if you take:

- more than 8 tablets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:

- are age 60 or older
- hae had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs [aspiring, ibuprofen, naproxen or others]
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

Caffeine warning: The recommended dose of this product contains about as much caffeine as a cup of coffee. Limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionaly, rapid heartbeat.

Do not use

- if you ever had an allergic reaction to aspirin or any other pain reliever/fever reducer
- with any other drug containing acetaminophen (prescription or non prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if

- you have liver disease
- stomach bleeding warning appies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis or kidney disease
- you have asthma
- you are taking a diuretic

Ask a doctor or pharmacist before use if you are

- taking a prescription drug for diabetes, gout, or arthritis
- taking any other drug or are under a doctor's care for any serious condition

Stop use and ask a doctor if

- you experience any of the following signs of stomach bleeding:
 - feel faint
 - have bloody or black stools
 - vomit blood
 - have stomach pain that does not get better
- an allergic reaction occurs. Seek medical help right away.
- any new symptoms appear
- ringing in the ears or loss of hearing occurs
- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts for more than 3 days
- painful area is red or swollen

If pregnant or breast-feeding,

ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs

or symptoms.

Directions

- do not use more than directed
- drink a full glass of water with each dose
- adults and children 12 years and over
 - take 2 tablets every 6 hours
 - do not take more than 8 tablets in 24 hours
- children under 12 years: do not use unless directed by a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, crospovidone, hypromellose, microcrystalline cellulose, povidone, propylene glycol, sodium lauryl sulfate, sodium starch glycolate, stearic acid, titanium dioxide

Principal Display Panel

Pain Reliever Pain Reliever Aid

Compare to the Active Ingredients of Excedrin® Extra Strength†

Our Family®

Quality Care Since 1904

Headache Reliever

Acetaminophen, Aspirin (NSAID), Caffeine

Extra Strength

100 TABLETS

†This product is not manufactured or distributed by Novartis Consumer Health, Inc, owner of the registered trademark Excedrin® Extra Strength.

50844 REV0713E15912

DISTRIBUTED BY:

NASH FINCH COMPANY © 2004, 1996

NFC BRANDS

7600 FRANCE AVE S, MPLS, MN 55435

www.ourfamilyfoods.com NF16388

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING



Our Family 44-159B

HEADACHE RELIEF

acetaminophen, aspirin and caffeine tablet, film coated

Product Information			
Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:70253-159
Route of Administration	ORAL	DEA Schedule	

Active Ingredient/Active Moiety				
Ingredient Name Basis of Strength Strength				
ACETAMINO PHEN (ACETAMINO PHEN)	ACETAMINOPHEN	250 mg		
ASPIRIN (ASPIRIN)	ASPIRIN	250 mg		
CAFFEINE (CAFFEINE)	CAFFEINE	65 mg		

Inactive Ingredients	
Ingredient Name	Strength
CROSPOVIDONE	
HYPROMELLOSES	
CELLULOSE, MICRO CRYSTALLINE	
PROPYLENE GLYCOL	
SODIUM LAURYL SULFATE	
SODIUM STARCH GLYCOLATE TYPE A POTATO	
STEARIC ACID	
TITANIUM DIO XIDE	

Product Characteristics				
Color	WHITE	Score	no score	
Shape	ROUND	Size	13mm	
Flavor		Imprint Code	44;159	
Contains				

F	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:70253-159-12	1 in 1 CARTON			
1		100 in 1 BOTTLE, PLASTIC			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC MONOGRAPH NOT FINAL	part343	11/17/1992		

Labeler - NASH-FINCH COMPANY (006962294)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(70253-159)

Establishment			
Name	Address	ID/FEI	Business Operations

LNK International, Inc. 832867894 MANUFACTURE(70253-159)

Revised: 11/2013 NASH-FINCH COMPANY