

MONISTAT 3 COMBINATION PACK- miconazole nitrate
Insight Pharmaceuticals

MONISTAT®3
COMBINATION PACK

Miconazole Nitrate Vaginal Suppositories (200 mg) and Miconazole Nitrate Vaginal Cream (2%)
Vaginal Antifungal

DRUG FACTS

<i>Active ingredients</i>	<i>Purpose</i>
Miconazole nitrate (200 mg in each suppository)	Vaginal antifungal
Miconazole nitrate 2% (external cream)	Vaginal antifungal

Uses

- treats vaginal yeast infections
- relieves external itching and irritation due to a vaginal yeast infection

Warnings

For vaginal use only

Do not use if you have never had a vaginal yeast infection diagnosed by a doctor

Ask a doctor before use if you have

- **vaginal itching and discomfort for the first time**
- **lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge. You may have a more serious condition.**
- vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system.
- been exposed to the human immunodeficiency virus (HIV) that causes AIDS

Ask a doctor or pharmacist before use if you are taking the prescription blood thinning medicine warfarin, because bleeding or bruising may occur

When using this product

- do not use tampons, douches, spermicides or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted diseases (STDs).
- do not have vaginal intercourse
- mild increase in vaginal burning, itching or irritation may occur
- if you do not get complete relief ask a doctor before using another product.

Stop use and ask a doctor if

- symptoms do not get better in 3 days
- symptoms last more than 7 days
- you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or foul- **smelling vaginal discharge**

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- before using this product read the enclosed consumer information leaflet for complete directions and information
- adults and children 12 years of age and over:
- **suppositories:** insert 1 suppository into the vagina at bedtime for 3 nights in a row. Throw away applicator after use.
- **external cream:** squeeze a small amount of cream onto your fingertip. Apply the cream onto the itchy, irritated skin outside the vagina. Use 2 times daily for up to 7 days, as needed.
- children under 12 years of age: ask a doctor

Other information

- do not use if printed suppository blister is torn, open or incompletely sealed
- do not use if seal over tube opening has been punctured or embossed design  is not visible
- do not purchase if carton is open
- store at 20°-25°C (68°-77°F)

Inactive ingredients

suppository: hydrogenated vegetable oil base

external cream: benzoic acid, cetyl alcohol, isopropyl myristate, polysorbate 60, potassium hydroxide, propylene glycol, purified water, stearyl alcohol

**Questions? If you have any questions or comments, please call 1-877-666-4782
Visit our website @ www.monistat.com**

PRINCIPAL DISPLAY PANEL - Kit Carton

3 DAY TREATMENT • SOFT INSERTS

MONISTAT® 3

Miconazole Nitrate Vaginal Suppositories (200 mg) and Miconazole Nitrate Cream (2%)
(Miconazole Nitrate 200 mg per suppository plus 2% external vulvar cream)

VAGINAL ANTIFUNGAL

CURES MOST VAGINAL YEAST INFECTIONS

and relieves associated external itching and irritation

CLINICALLY PROVEN



MULTI-SYMPTOM RELIEF

COMBINATION PACK

Net Wt. 3 Suppositories • 0.32 oz. (9g) tube

**DUAL
ACTION
SYSTEM**

**CURES THE INFECTION
RELIEVES THE SYMPTOMS**



CURE

1

3 vaginal
suppositories

ITCH RELIEF

2

soothing
itch relief cream

MONISTAT[®] 3

Miconazole Nitrate Vaginal Suppositories (200 mg) and Miconazole Nitrate Cream (2%)
(Miconazole Nitrate 200 mg per suppository plus 2% external vulvar cream)

VAGINAL ANTIFUNGAL

COMBINATION PACK

3 DAY TREATMENT • SOFT INSERTS

MONISTAT[®] 3

Miconazole Nitrate Vaginal Suppositories (200 mg) and Miconazole Nitrate Cream (2%)
(Miconazole Nitrate 200 mg per suppository plus 2% external vulvar cream)


VAGINAL ANTIFUNGAL

CURES MOST VAGINAL YEAST INFECTIONS
and relieves associated external itching and irritation

COMBINATION PACK



Net Wt. 3 Suppositories • 0.32 oz. (9g) tube



MONISTAT³ COMBINATION PACK

Miconazole Nitrate Vaginal Suppositories (200 mg) and Miconazole Nitrate Cream (2%)
VAGINAL ANTIFUNGAL

Drug Facts

Active ingredients *Purpose*
 Miconazole nitrate (200 mg in each suppository).....Vaginal antifungal
 Miconazole nitrate 2% (external cream).....Vaginal antifungal

Uses

- treats vaginal yeast infections
- relieves external itching and irritation due to a vaginal yeast infection

Warnings
For vaginal use only

Do not use if you have never had a vaginal yeast infection diagnosed by a doctor

Ask a doctor before use if you have

- vaginal itching and discomfort for the first time
- lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge. You may have a more serious condition.
- vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system.
- been exposed to the human immunodeficiency virus (HIV) that causes AIDS

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- before using this product, read the enclosed consumer information leaflet for complete directions and information
- adults and children 12 years of age and over:
 - **suppositories:** insert 1 suppository into the vagina at bedtime for 3 nights in a row. Throw away applicator after use.
 - **external cream:** squeeze a small amount of cream onto your fingertip. Apply the cream onto the itchy, irritated skin outside the vagina (vulva). Use 2 times daily for up to 7 days, as needed.
- children under 12 years of age: ask a doctor

Other information

- do not use if printed suppository blister is torn, open or incompletely sealed
- do not use if seal over tube opening has been punctured

Ask a doctor or pharmacist before use if you are taking the prescription blood thinning medicine warfarin, because bleeding or bruising may occur

When using this product

- do not use tampons, douches, spermicides or other vaginal products, Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted diseases (STDs).
- do not have vaginal intercourse
- mild increase in vaginal burning, itching or irritation may occur
- if you do not get complete relief ask a doctor before using another product

Stop use and ask a doctor if

- symptoms do not get better in 3 days
- symptoms last more than 7 days
- you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge

VISIT OUR WEBSITE AT WWW.MONISTAT.COM

- do not purchase if carton is open
- store at 20°-25°C (68°-77°F)

Inactive ingredients

Suppository: hydrogenated vegetable oil base
External cream: benzoic acid, cetyl alcohol, isopropyl myristate, polysorbate 60, potassium hydroxide, propylene glycol, purified water, stearyl alcohol

Questions? call toll-free
877-666-4782 or
215-273-8755 (collect)





SCAN FOR MORE INFORMATION



TAMPER-EVIDENT UNIT
DO NOT USE IF PRINTED
SUPPOSITORY BLISTER IS TORN,
OPEN OR INCOMPLETELY SEALED

If you have questions or comments,
call toll-free 877-MONISTAT or
215-273-8755 (collect) or visit our
website at www.monistat.com
Distributed by: INSIGHT Pharmaceuticals, LLC.
Langhorne, PA 19047-1749
© 2012
40-72-170A 280243
Made in Belgium



MONISTAT 3 COMBINATION PACK

miconazole nitrate kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63736-016
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63736-016-03	1 in 1 PACKAGE, COMBINATION		

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BLISTER PACK	3
Part 2	1 TUBE	9 g

Part 1 of 2

MONISTAT 3

miconazole nitrate suppository

Product Information

Route of Administration	VAGINAL
--------------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Miconazole Nitrate (UNII: VW4H1CYW1K) (Miconazole - UNII:7NNO0D7S5M)	Miconazole Nitrate	200 mg

Inactive Ingredients

Ingredient Name	Strength
HYDROGENATED COCONUT OIL (UNII: JY81OXM1OM)	
HYDROGENATED PALM KERNEL OIL (UNII: FM8D1RE2VP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	3 in 1 BLISTER PACK		
---	---------------------	--	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA020670	04/16/1996	

Part 2 of 2

MONISTAT 3

miconazole nitrate cream

Product Information

Route of Administration	VAGINAL
-------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Miconazole Nitrate (UNII: VW4H1CYW1K) (Miconazole - UNII:7NNO0D7S5M)	Miconazole Nitrate	10 mg in 0.5 g

Inactive Ingredients

Ingredient Name	Strength
benzoic acid (UNII: 8SKN0B0MIM)	
cetyl alcohol (UNII: 936JST6JCN)	
isopropyl myristate (UNII: 0RE8K4LNJS)	
polysorbate 60 (UNII: CAL22UVI4M)	
propylene glycol (UNII: 6DC9Q167V3)	
water (UNII: 059QF0KO0R)	
stearyl alcohol (UNII: 2KR89I4H1Y)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		9 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA020670	04/16/1996	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA020670	04/16/1996	

Labeler - Insight Pharmaceuticals (176792315)

Establishment

Name	Address	ID/FEI	Business Operations
Jubilant		246762764	MANUFACTURE(63736-016)

Revised: 8/2012

Insight Pharmaceuticals