# DOK- docusate sodium tablet MAJOR PHARMACEUTICALS

-----

maj 421

### **Active ingredient**

Docusate Sodium 100 mg

### **Purpose**

Stool Softener Laxative

### Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

### Warnings

### Ask a doctor before use if you

- have stomach pain, nausea or vomiting
- have a sudden change in bowel habits that persists over a period of 2 weeks
- are presently taking mineral oil

## Stop use and ask a doctor if

- you need to use a laxative longer than 1 week
- you have rectal bleeding or fail to have a bowel movement. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

# Keep out of reach of children

**Keep out of the reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

### **Directions**

- do not exceed recommended dose
- adults and children 12 years and older: take 1-3 tablets daily, or as directed by a doctor. May be taken as a single daily dose or in divided doses.
- children under 12: consult a doctor

### Other information

- each tablet contains: calcium 50 mg, sodium 10 mg
- store at room temperature 15°C-30°C (59°F-86°F)
- Tamper Evident: Do not use if imprinted seal under cap is missing or broken

### **Inactive ingredients**

cellulose, croscarmellose sodium, dicalcium phosphate, magnesium stearate, silica, sodium benzoate, stearic acid, talc

### PACKAGE LABEL

### **Drug Facts**

Active ingredient (in each tablet) Purpose Docusate Sodium 100 mg.....Stool Softener Laxative

Uses • relieves occasional constipation (irregularity) generally produces bowel movement in 12 to 72 hours

Ask a doctor before use if you • have stomach pain. nausea or vomiting • have a sudden change in bowel habits that persists over a period of 2 weeks

are presently taking mineral oil

### Stop use and ask a doctor if

- · you need to use a laxative longer than 1 week
- you have rectal bleeding or fail to have a bowel movement. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

### MAIOR®

NDC 0904-6750-60



Actual Size Crushable Tablets for Ease of Administration



### **Drug Facts** (continued)

**Directions** • do not exceed recommended dose adults and children 12 years and older: take 1-3 tablets daily, or as directed by a doctor. May be taken as a single daily dose or in divided doses.

• children under 12: consult a doctor

### Other information

- each tablet contains: calcium 50 mg, sodium 10 mg
   store at room temperature 15°C-30°C (59°F-86°F)
- Tamper Evident: Do not use if imprinted seal under cap is missing or broken.

Inactive ingredients: cellulose, croscarmellose sodium, dicalcium phosphate, magnesium stearate, silica, sodium benzoate, stearic acid, talc

### Questions or comments? 1-800-540-3765

Distributed by: MAJOR\* PHARMACEUTICALS Indianapolis, IN 46268 (800) 616-2471 www.majorpharmaceuticals.com

Rev. 10/22 M-99 Re-order No. 700931 REV 421-0922

### **DOK**

docusate sodium tablet

### **Product Information**

**HUMAN OTC DRUG** Item Code (Source) NDC:0904-6750 **Product Type** 

**ORAL Route of Administration** 

### **Active Ingredient/Active Moiety**

**Basis of Strength Ingredient Name** Strength

DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG) DOCUSATE SODIUM 100 mg

### **Inactive Ingredients**

| Ingredient Name  | Strength |
|--|----------|
| STEARIC ACID (UNII: 4ELV7Z65AP)                        |          |
| CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)               |          |
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)          |          |
| ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J) |          |
| MAGNESIUM STEARATE (UNII: 70097M6I30)                  |          |
| SILICON DIOXIDE (UNII: ETI7Z 6XBU4)                    |          |

TALC (UNII: 7SEV7J4R1U)

| Product Characteristics |       |              |          |  |
|-------------------------|-------|--------------|----------|--|
| Color                   | white | Score        | no score |  |
| Shape                   | ROUND | Size         | 11mm     |  |
| Flavor                  |       | Imprint Code | GC422    |  |
| Contains                |       |              |          |  |

| ı | Packaging |                      |  |                         |                       |
|---|-----------|----------------------|--|-------------------------|-----------------------|
|   | #         | Item Code            | Package Description                                | Marketing Start<br>Date | Marketing End<br>Date |
|   | 1         | NDC:0904-6750-<br>60 | 100 in 1 BOTTLE; Type 0: Not a Combination Product | 06/01/2018              |                       |

| Marketing Information |   |                         |                       |
|-----------------------|---|-------------------------|-----------------------|
| Marketing<br>Category | Application Number or Monograph<br>Citation | Marketing Start<br>Date | Marketing End<br>Date |
| OTC Monograph Drug    | M007  | 06/01/2018              |                       |
|                       |   |                         |                       |

# Labeler - MAJOR PHARMACEUTICALS (191427277)

# **Registrant -** Geri-Care Pharmaceuticals, Corp (611196254)

| Establishment    |         |           |                        |
|------------------|---------|-----------|------------------------|
| Name             | Address | ID/FEI    | Business Operations    |
| GCP Laboratories |         | 965480861 | manufacture(0904-6750) |

Revised: 10/2023 MAJOR PHARMACEUTICALS