

# **NEUTROGENA SKIN CLEARING BLEMISH CONCEALER - DEEP 20- salicylic acid liquid**

**Johnson & Johnson Consumer Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

## **Neutrogena Skin Clearing Blemish Concealer-Deep 20**

### ***Drug Facts***

#### **Active ingredient**

Salicylic Acid 0.5%

#### **Purpose**

Acne medication

#### **Use**

For the treatment of acne

#### **Warnings**

**For external use only**

#### **When using this product**

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- Clean the skin thoroughly before applying this product
- Cover the entire affected area with a thin layer one to three times daily
- Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor
- If bothersome dryness or peeling occurs, reduce application to once a day or every other day

#### **Other Information**

Store at room temperature

## Inactive ingredients

Water, cyclopentasiloxane, dimethicone, kaolin, VP/hexadecene copolymer, synthetic wax, cetyl PEG/PPG-10/1 dimethicone, trisiloxane, BIS-PEG/PPG-14/14 dimethicone, cyclohexasiloxane, butylene glycol, silica, phenoxyethanol, boron nitride, polysilicone-11, quaternium-90 bentonite, sodium chloride, magnesium sulfate, methylparaben, farnesol, chamomilla recutita (matricaria) flower extract, propylene carbonate, triethoxycaprylylsilane, propylparaben, aloe barbadensis leaf juice, polymethyl methacrylate, tocopheryl acetate, cocamidopropyl PG-dimonium chloride phosphate, cetyl lactate, C12-15 alkyl lactate, benzalkonium chloride, retinyl palmitate, pantothenic acid, ascorbic acid, titanium dioxide, iron oxides

## Questions?

Call toll-free **800-480-4812** or **215-273-8755** (collect) or visit [www.neutrogena.com](http://www.neutrogena.com)

Dist. by: **JOHNSON & JOHNSON**  
**CONSUMER INC.** Skillman, NJ 08558

## PRINCIPAL DISPLAY PANEL - 1.4 g Vial Blister Pack

**NEW**  
**DEEP**  
**20**

**SkinClearing**  
**blemish concealer**

Don't just  
cover up.  
Clear up!  
with  
MICRO **CLEAR**®  
-----technology-----

Blemish  
treatment  
with  
Salicylic  
Acid

Conceals  
and treats  
blemishes

Natural-  
looking  
coverage  
**Neutrogena**®  
NET WT  
0.05 OZ.

(1.4g)

NEW

DEEP  
20SkinClearing<sup>®</sup>  
blemish concealerDon't just  
cover up.  
Clear up!with  
MICROCLEAR<sup>®</sup>  
— technology —Neutrogena<sup>®</sup>Blemish  
treatment  
with  
Salicylic  
AcidConceals  
and treats  
blemishesNatural-  
looking  
coverageNET WT  
0.05 OZ.  
(1.4g)Neutrogena SkinClearing<sup>®</sup>  
blemish concealer

- Formula with MicroClear<sup>®</sup> technology provides fast acne relief.
- Gentle. Won't clog pores

**Application Tips:** Before use, turn bottom of pen until concealer dispenses (first use may require several turns). Use sponge tip to gently apply concealer. Cover blemish and blend outwards for seamless coverage. Avoid eye area.

**Drug Facts**

Active ingredient	Purpose
Salicylic Acid 0.5%	Acne medication

**Use** For the treatment of acne.**Warnings**

For external use only.

**When using this product** • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. • if eye contact occurs, flush thoroughly with water.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • cleanse skin thoroughly before applying this product • cover the entire affected area with a thin layer one to three times daily • because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day.

**Other information** Store at room temperature.

**Inactive ingredients** Water, Cyclopentasiloxane, Dimethicone, Kaolin, Cyclohexasiloxane, Synthetic Wax, VP/Hexadecene Copolymer, Cetyl PEG/PPG-10/1 Dimethicone, Trisiloxane, Bis-PEG/PPG-14/14 Dimethicone, Butylene Glycol, Boron Nitride, Silica, Phenoxyethanol, Quaternium-90 Bentonite, Polysilicone-11, Sodium Chloride, Magnesium Sulfate, Triethoxycaprylsilane, Farnesol, Methylparaben, Chamomilla Recutita (Matricaria) Flower Extract, Propylene Carbonate, Propylparaben, Polymethyl Methacrylate, Aloe Barbadensis Leaf Extract, C12-15 Alkyl Lactate, Cetyl Lactate, Tocopheryl Acetate, Benzalkonium Chloride, Cocamidopropyl PG-Dimonium Chloride Phosphate, Ascorbic Acid, Retinyl Palmitate, Panthenic Acid, Titanium Dioxide, Iron Oxides

**Questions?** Call toll-free  
800-480-4812 or 215-273-8755  
(collect) or visit [www.neutrogena.com](http://www.neutrogena.com)

Dist. by: JOHNSON & JOHNSON  
CONSUMER INC., Skillman, NJ 08558  
© J&JCI 2017

30037283





## NEUTROGENA SKIN CLEARING BLEMISH CONCEALER - DEEP 20

salicylic acid liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0338
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	5 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>VINYLPYRROLIDONE/HEXADECENE COPOLYMER</b> (UNII: KFR5QEN0N9)	
<b>TRISILOXANE</b> (UNII: 9G1ZW13R0G)	
<b>BIS-PEG/PPG-14/14 DIMETHICONE</b> (UNII: X2I70H0QJE)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>MAGNESIUM SULFATE, UNSPECIFIED FORM</b> (UNII: DE08037SAB)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>FARNESOL</b> (UNII: EB41QIU6JL)	
<b>CHAMOMILE</b> (UNII: FGL3685T2X)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>POLY(METHYL METHACRYLATE; 450000 MW)</b> (UNII: Z47NNT4J11)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>COCAMIDOPROPYL PROPYLENE GLYCOL-DIMONIUM CHLORIDE PHOSPHATE</b> (UNII: H2KVQ74JM4)	
<b>CETYL LACTATE</b> (UNII: A7EVH2RK4O)	
<b>C12-15 ALKYL LACTATE</b> (UNII: GC844VRD7E)	
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	

<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)	
<b>PANTOTHENIC ACID</b> (UNII: 19F5HK2737)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0338-1	1.4 in 1 BLISTER PACK	10/02/2017	
1		1.4 g in 1 VIAL; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333D	10/02/2017	

**Labeler** - Johnson & Johnson Consumer Inc. (118772437)

Revised: 1/2023

Johnson & Johnson Consumer Inc.