CHLORASEPTIC WARMING SORE THROAT- benzocaine lozenge Prestige Brands Holdings, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Chloraseptic Warming Sore Throat Lozenges

Drug Facts

Active ingredient (in each lozenge)

Benzocaine 15 mg

Purpose

Oral Anesthetic/Analgesic

Uses

Temporarily relievesoccasional minor irritation, pain, sore throat and sore mouth

Warnings

Allergy Alert: Do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine or other "caine" anesthetics.

Sore Throat Warning: Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea and vomiting may be serious. Consult a doctor promptly. Do not use more than 2 days or administer to children under 3 years of age unless directed by a doctor.

When using this product

do not exceed recommended dosage.

Stop use and ask a dentist or doctor if

- sore mouth symptoms do not improve in 7 days
- irritation, pain or redness persists or worsens
- swelling, rash or fever develops

If pregnant or breast-feeding,

ask a doctor before use.

Keep out of reach of children.

In case of overdose or accidental poisoning, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- Adults and children 3 years of age and over: Take 1 lozenge every 2 hours as needed. Allow lozenges to dissolve slowly in the mouth.
- Children under 3 years of age: Consult a doctor or dentist.

Other information

- Store between 59°F and 86°F (15°C 30°C).
- Protect from moisture.
- Check expiration date before using.
- Contains FD&C yellow no. 5 (tartrazine) as a color additive.

Inactive ingredients

corn syrup, FD&C yellow no. 5, flavor, glycerin, honey, propylene glycol, soy lecithin, sucrose, water

Questions?

1-800-552-7932 Chloraseptic.com

Drug Facts

Active Ingredients

(in each lozenge)

Benzocaine 15 mg

Purpose

Oral Anesthetic/Analgesic

Uses

Temporarily relieves:

• occasional minor irritation, pain, sore throat and sore mouth

Warnings

Allergy Alert: Do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine or other "caine" anesthetics.

Sore Throat Warning: Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea and vomiting may be serious. Consult a doctor promptly. Do not use more than 2 days or administer to children under 3 years of age unless directed by a doctor.

When using this product:

do not exceed recommended dosage.

Stop use and ask a dentist or doctor if:

- sore mouth symptoms do not improve in 7 days
- irritation, pain or redness persists or worsens
- swelling, rash or fever develops

If pregnant or breast-feeding,

ask a doctor before use.

Keep out of reach of children.

In case of overdose or accidental poisoning, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- Adults and children 3 years of age and over: Take 1 lozenge every 2 hours as needed. Allow lozenges to dissolve slowly in the mouth.
- Children under 3 years of age: Consult a doctor or dentist.

Other Information

- Store between 59°F and 86°F (15°C 30°C).
- Protect from moisture.
- Check expiration date before using.
- **Tamper Evident:** Do not use if blister package with "Chloraseptic®" name has been disturbed or opened.

Inactive Ingredients

Corn Syrup, Epigallocatechin Gallate (EGCG), FD&C Blue #1, FD&C Yellow #5, Flavor, Honey, Propylene Glycol, Soy Lecithin, Sucrose, Water

Questions?

1-800-552-7932 or **www.chloraseptic.com**

PRINCIPAL DISPLAY PANEL

Chloraseptic ©

warming SORE THROAT FAST ACTING HONEY LEMON 18 lozenges



PRINCIPAL DISPLAY PANEL

SOOTIHNG LIQUID CENTER
Pharmacist #1 Recommended
Chloraseptic warming SORE THROAT
Benzocaine Oral Anesthetic | Analgesic Lozenges
18 lozenges | Green Tea with real honey





CHLORASEPTIC WARMING SORE THROAT

benzocaine lozenge

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:67172-017

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength

BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5) BENZOCAINE 15 mg

Inactive I	

Ingredient Name	Strength	
CORN SYRUP (UNII: 9G5L16BK6N)		
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)		
GLYCERIN (UNII: PDC6A3C0OX)		

HONEY (UNII: Y9H1V576FH)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics			
Color	yellow	Score	no score
Shape	OVAL	Size	4mm
Flavor	HONEY	Imprint Code	С
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:67172- 017-02	1 in 1 CARTON	01/01/2012	
1		18 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part356	01/01/2012	

CHLORASEPTIC WARMING SORE THROAT

benzocaine lozenge

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67172-018	
Route of Administration	ORAL			

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	15 mg

Inactive Ingredients		
Ingredient Name	Strength	
CORN SYRUP (UNII: 9G5L16BK6N)		
EPIGALLOCATECHIN GALLATE (UNII: BQM438CTEL)		
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)		

FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
HONEY (UNII: Y9H1V576FH)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics			
Color	green	Score	no score
Shape	OVAL	Size	4mm
Flavor	HONEY (Green Tea)	Imprint Code	С
Contains			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:67172- 018-02	1 in 1 CARTON	09/01/2012	
1	18 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information				
Marketing Date	Marketing Start Date	Application Number or Monograph Citation	Marketing Category	
	09/01/2012	part356	OTC monograph not final	
	09/01/2012	part356		

Labeler - Prestige Brands Holdings, Inc. (159655021)

Revised: 7/2022 Prestige Brands Holdings, Inc.