

**MADECASSOL- neomycin sulfate, titrated ext. of centella asiatica ointment**  
**OASIS TRADING**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----

Neomycin Sulfate, Titrated Ext. of Centella Asiatica

■ temporary relief of itching associated with minor skin irritations and rashes due to eczema, insect bites, poison ivy, poison oak, or poison sumac soaps detergents, cosmetics, jewelry, seborrheic dermatitis, psoriasis, external genital and anal itching

Keep out of reach of children

■ Adults and children 2 years of age and older: apply to the affected area no more than 3 to 4 times daily

For external use only.

Do not use in the eyes by putting this product into the rectum by using fingers or any mechanical device or applicator.

Ask a doctor before use if you have a vaginal discharge, rectal bleeding, diaper rash.

When using this product consult a doctor before exceeding recommended dosage.

Stop use and ask a doctor if condition gets worse, condition persists for more than 7 days, condition clears up and occurs again with within a few days. Do not begin to use any other hydrocortisone product unless you have consulted a doctor.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

cetostearyl alcohol, propylene glycol, purified water, sodium lauryl sulfate, white petrolatum

For external use only

# MADECASSOL

<b>Drug Facts</b>	
<b>Active Ingredients (in 1g)</b>	<b>Purpose</b>
Neomycin Sulfate 3.5mg	Anti-itch
Titrated Ext. of Centella Asiatica 10mg	Anti-itch
<b>Uses</b>	
■ temporary relief of itching associated with minor skin irritations and rashes due to eczema, insect bites, poison ivy, poison oak, or poison sumac soaps detergents, cosmetics, jewelry, seborrheic dermatitis, psoriasis, external genital and anal itching	
<b>Warnings</b>	
For external use only. Do not use in the eyes by putting this product into the rectum by using fingers or any mechanical device or applicator. <b>Ask a doctor before use if you have</b> a vaginal discharge, rectal bleeding, diaper rash. <b>When using this product</b> consult a doctor before exceeding recommended dosage. <b>Stop use and ask a doctor if</b> condition gets worse, condition persists for more than 7 days, condition clears up and occurs again with within a few days. Do not begin to use any other hydrocortisone product unless you have consulted a doctor. <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
■ Adults and children 2 years of age and older: apply to the affected area no more than 3 to 4 times daily	
<b>Other Information</b>	
■ Store at room temperature	
<b>Inactive Ingredient</b>	
cetostearyl alcohol, propylene glycol, purified water, sodium lauryl sulfate, white petrolatum	
<b>Questions or comments ?</b>	
Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405 <b>Distributed By: P&amp;K FRONTIER MARKETING CORP.</b> 329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA	
<b>Made in South Korea</b>	

## MADECASSOL

neomycin sulfate, titrated ext. of centella asiatica ointment

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:72689-0017
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
CENTELLA ASIATICA (UNII: 7M867G6T1U) (CENTELLA ASIATICA - UNII:7M867G6T1U)	CENTELLA ASIATICA	10 mg in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128MIS)	
PETROLATUM (UNII: 4T6H12BN9U)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:72689-0017-1	10 g in 1 TUBE; Type 0: Not a Combination Product	11/16/2018	

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved drug other		11/15/2018	

**Labeler** - OASIS TRADING (689991468)**Registrant** - OASIS TRADING (689991468)**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
OASIS TRADING		689991468	manufacture(72689-0017)