HISTIACIL COUGH- dextromethorphan hydrobromide and guaifenesin capsule OPMX LLC

Histiacil Cough

Drug Facts

ACTIVE INGREDIENTS (in each softgel)	PURPOSE
Dextromethorphan HBr 20 mg	Cough suppressant
Guaifenesin 400 mg	Expectorant

Uses

helps loosen phlegm (mucus)

helps thin bronchial secretions to make coughs more productive

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug.

if you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

cough that occurs with too much phlegm (mucus)

cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if

cough lasts for more than 7 days, recurs, or is accompained by fever, rash, or persistent headache. These could be signs of a serious condition

If pregnant or breast-feeding: ask a health professional before use.

Keep out of reach of children

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

Do not take more than directed - See Overdose warning

Do not use for more than 7 days.

Do not take more than 6 doses in 24 hours

	Take 1 softgel every 4
children	hours with a full glass of
12 years of age	water while symptoms
& over	persist
Children	
under 12 years	Do not use
of age	

Other Information

Store at room temperature between 20-25°C (68-77°F)

Avoid excessive heat and humidity

Inactive Ingredients

FD&C yellow #10, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol sorbitan solution, titanium dioxide.

Questions or comments?

Call: (619) 600-5632 (Mon-Fri 9am-5pm EST)

Exclusively distributed by:

OPMX

Chula Vista, CA 91910

PRINCIPAL DISPLAY PANEL - 20 Softgel Blister Pack Box

NDC 69729-000-00

Histiacil NF

Dextromethorphan HBr Guaifenesin

Cough

Expectorant & Cough Supressant

- Controls cough
- Thins & loosens mucus

• Easy to swallow

20 Softgels Box

HSINRAV ON

REV. 01.2022 | TEM # RRX1112

Read & keep outer pakage for complete product information

yurssaudns ybnog y Expectorant

as for children even if you do not notice any signs or symptoms. Control Center right away. Prompt medical attention is critical for adults as well Overdose warming: In case of overdose, get medical help or contact a Polson

> Keep out of reach of children If pregnant or breast-feeding: ask a health professional before use.

persizaent neadache, inese could be signs of a senous condition cough lasts for more than 7 days, recurs, or is accompained by fever, rash, or

Stop use and ask a doctor it:

chronic such as occurs with smoking, asthma, chronic bronchits, or emphysem confly that occurs with too much phiegm (mucus) cough that lasts or is Ask a doctor before use if you have:

if you do not knowif your prescription drug contains an MAOL, ask a doctor or pharmacist before taking this product. Parkinson's disease), or for 2 weeks after stopping the MAOI drug. (certain drugs for depression, psychiatric, or emotional conditions, or

If you are now taking a prescription monoamine oxidase innibitor (MAUI)

Do not use:

Warnings:

pelbs thin bronchial secretions to make coughs more productive pelps loosen phiegm (mucus)

:sesn

Expectorant. Guaifenesin 400 mg. ncongn suppressant PURPOSE ACTIVE INGREDIENTS (in each softgel)

Dextromethorphan HBr 20 mg. Drug Facts





Histiacine Expectorante & Supresor de la Tos

Call: (619) 600-5632 (Mon-Fri 9am-5pm EST)

propylene glycol, purified water, sorbitol sorbitan solution, titanium dioxide.

Do not use

of water while symptoms persist

Take 1 softgel every 4 hours with a full glass

FD&C yellow #10, gelatin, glycerin, polyethylene glycol, povidone,

Clore at room temperature between 20-25°C (457-86)

Do not take more than directed - See Overdose warning

Questions or comments?

Avoid excessive heat and humidity

Do not take more than 6 doses in 24 hours Do not use for more than 7 days.

Drug Facts (continued)

Inactive Ingredients:

Other Information:

under 12 years of age

12 years of age & over

Directions:

Dextromethorphan HBr Guaifenesin

Histiacil

- Controls cough Controla la tos
 - Adelgaza y expulsa las flemas
 - Easy to swallow Fácil de ingerir

Dextromethorphan HBr Guaifenesin Expectorante Supresor de la Tos Expectorant & Cough Supressant

Thins & loosens mucus

20 Softgels Box



HISTIACIL COUGH

dextromethorphan hydrobromide and guaifenesin capsule

—		
Product	Intorm	2 tion
riouuct		ativii

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69729-108
---------------------	----------------	--------------------	---------------

Route of Administration ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg	

Inactive Ingredients	
Ingredient Name	Strength
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics			
Color	yellow	Score	no score
Shape	OVAL	Size	20mm
Flavor		Imprint Code	781
Contains			

Packaging			
# Item Cod	ode Package Description	Marketing Start Date	Marketing End Date
1 NDC:69729- 108-20	2 in 1 BOX	03/01/2022	
1	10 in 1 BLISTER PACK; Type 0: Not a Combination Product		
	Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/01/2022	

Labeler - OPMX LLC (029918743)

Registrant - Strive Pharmaceuticals Inc. (474844049)

Revised: 4/2024 OPMX LLC