
### OXYGEN- oxygen gas Integrated HomeCare Services

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

#### Oxygen

#### **Principal for Oxygen Product**



Do not handle until all safety precautions have been read and understood. Keep and store away from do thing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

### FIRST AID:

# IF ON SKIN: <u>Thaw frosted parts with lukewarm water. Do not rub affected</u> area. Get immediate medical advice/attention.

#### DO NOT REMOVE THIS PRODUCT LABEL.

Warning: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

Supplied Home Healthcare Equipment 2014

Representative Labeling pursuant to 21 CFR 207.3 (10)
Company name and contact information are printed in this area

OXYGEN,
REFRIGERATED
LIQUID USP
UN 1073
CONTENTS \_\_\_\_\_LITERS
CAS NO: 7782-44-7

DANGER:

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS
REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR
INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON
IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use. FIRST AID:

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL.

Warning: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

# OXYGEN, COMPRESSED USP UN 1072 DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE:

MAY EXPLODE IF HEATED.

Do not handle until all safety precautions have been read and understood Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 °C (125 °F). Read and follow the Safety Data Sheet (SDS) before use.

DO NOT REMOVE THIS PRODUCT LABEL.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction, shooted Home Healthcare Equipment 2014

Contents Size 113 Liters □ M4 165 Liters □ M6 255 Liters □ C 425 Liters □ D 680 Liters DE 7080 Liters □ H Liters ☐ Other

CAS NO: 7782-44-7

Representative Labeling pursuant to 21 CFR 207.3 (10) Company name and contact information are printed in this box

**OXYGEN** 

COMPRESSED

USP

**UN 1072** 

DANGER:

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 °c (125 °F). Read and follow the Safety Data Sheet (SDS) before use.

CAS NO: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency

and resuscitation. For all other medical applications, Rx only.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen

content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.



Representative Labeling pursuant to 21 CFR 207.3 (10)

#### **OXYGEN**

oxygen gas

Product Type HUMAN PRESCRIPTION DRUG Item Code (Source) NDC:72755-123

Route of Administration RESPIRATORY (INHALATION)

## **Active Ingredient/Active Moiety**

Ingredient Name Basis of Strength Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)
OXYGEN (UNII: S88TT14065) OXYGEN 99 L in 100 L

		ng

Ш	r ackaging				
	# Item Code	Package Description	Marketing Start Date	Marketing End Date	
	NDC:72755-123- 01	180 L in 1 CYLINDER; Type 0: Not a Combination Product	12/20/1995		
	NDC:72755-123-	248 L in 1 CYLINDER; Type 0: Not a Combination	12/20/1005		

4	02	Product	17/70/1333	
3	NDC:72755-123- 04	682 L in 1 CYLINDER; Type 0: Not a Combination Product	12/20/1995	
4	NDC:72755-123- 05	425 L in 1 CYLINDER; Type 0: Not a Combination Product	12/20/1995	
5	NDC:72755-123- 06	38 L in 1 DEWAR; Type 0: Not a Combination Product	12/29/2022	

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	12/20/1995			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

# **Labeler -** Integrated HomeCare Services (361444797)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
Integrated HomeCare Services		361444797	manufacture(72755-123)	

Revised: 11/2023 Integrated HomeCare Services