

VALIANT PRE/POST- lactic acid and dodecylbenzene sulfonic acid solution **ABS Global Inc.**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

Warning

Causes eye irritation.

Wash skin thoroughly after handling.

Do not mix with bleach or other chlorinated products – will cause chlorine gas.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

DIRECTIONS FOR USE

Mix Directions: Add 3.5 ounces of Valiant Catalyst (US) to one gallon of Valiant Pre/Post (US) or mix (27.3 mL Valiant Catalyst (US) to 1 liter Valiant Pre/Post (US)) and mix. Inverting the container approximately 5-7 times will adequately mix the two solutions. This mixed solution will remain stable for 7 days. After 7 days, discard solution and mix a new solution.

IMPORTANT: Do not add mixed Valiant Pre/Post (US) ready-to-use to any other teat dip or other products. If transferred from this container to any other, make sure the other container is thoroughly pre-cleaned and bears the proper container labeling for Valiant Pre/Post (US). Use of a complete cow-care program including both pre and post dipping may aid in reducing the spread of organisms which may cause mastitis.

DIRECTIONS FOR TEAT DIPPING

Pre-Milking: Fill teat dip cup with Valiant Pre/Post (US). Before each cow is milked, dip the teats as far as possible into the teat dip cup containing Valiant Pre/Post (US). Wipe teats dry after dipping, using single-service towels to avoid contamination of milk. Udder and teats which are heavily soiled should be washed before using a pre-milking teat dip. Teats should be dried with a single-service towel and dipped in Valiant Pre/Post (US), wiping teats dry before milking.

Post-Milking: Immediately after milking, use Valiant Pre/Post (US) at full strength. Submerge teats 2/3 their length in Valiant Pre/Post (US). If product in dip cup becomes visibly dirty, discard contents and replenish with product. Do not reuse or return unused product to the original container.

Do not turn cows into freezing weather until Valiant Pre/Post (US) is completely dry.

NOTE: Valiant Pre/Post (US) is not intended to cure or help in the healing of chapped or irritated teats. In case of irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

Principal display panel and representative container

Valiant

Quality milk system

ABS

Pre/Post (US)

Sanitizing Pre/Post Teat Dip

Base - For use exclusively with Valiant Catalyst (US)

An aid in reducing the spread of organisms which may cause mastitis.

ACTIVE INGREDIENTS:

Lactic Acid.....2.3%

Linear Dodecyl Benzene Sulfonic Acid.....1.6%

INERT INGREDIENTS:..... 96.1%

(contains lanolin and propylene glycol)

TOTAL:.....100.0%

6300466

18.9 L (5 US GAL)

Distributed by:

ABS Global, Inc. · P.O. Box 459

DeForest, Wisconsin USA 53532

www.absglobal.com

Manufactured by:

Ecolab Inc. • 1 Ecolab Place •

St. Paul MN 55102 USA ·

tel: 1 800 392 3392

© 2018 Ecolab USA Inc · All rights reserved

Made in U.S.A.

www.ecolab.com

703828/5301/1118

Pre/Post (US)

Valiant™
quality milk
system



Sanitizing Pre/Post Teat Dip

Base – For use exclusively with Valiant Catalyst (US)
An aid in reducing the spread of organisms which may cause mastitis.

ACTIVE INGREDIENTS:

Lactic Acid.....	2.3%
Linear Dodecyl Benzene Sulfonic Acid.....	1.6%
INERT INGREDIENTS:	96.1%
(contains lanolin and propylene glycol)	
TOTAL:	100.0%

Base exclusiva para sellar pezones

Base – Para usarse exclusivamente con Valiant Catalyst (US)
Una ayuda para reducir la diseminación de organismos que pueden causar mastitis.

INGREDIENTES ACTIVOS:

Ácido láctico	2.3%
Ácido lineal dodecilbensensulfónico	1.6%
INGREDIENTES INERTES	96.1%
(contiene lanolina y glicol propileno)	
TOTAL:	100.0%

6300466
18.9 L (5 US GAL)



**KEEP OUT OF REACH OF CHILDREN
NOT FOR HUMAN USE**

Warning

Causes eye irritation.

Wash skin thoroughly after handling.
Do not mix with bleach or other chlorinated products – will cause chlorine gas.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

DIRECTIONS FOR USE

Mix Directions: Add 3.5 ounces of Valiant Catalyst (US) to one gallon of Valiant Pre/Post (US) or mix (27.3 mL Valiant Catalyst (US) to 1 liter Valiant Pre/Post (US) and mix. Inverting the container approximately 5–7 times will adequately mix the two solutions. This mixed solution will remain stable for 7 days. After 7 days, discard solution and mix a new solution.

IMPORTANT: Do not add mixed Valiant Pre/Post (US) ready-to-use to any other teat dip or other products. If transferred from this container to any other, make sure the other container is thoroughly pre-cleaned and bears the proper container labelling for Valiant Pre/Post (US). Use of a complete cow-care program including both pre and post dipping may aid in reducing the spread of organisms which may cause mastitis.

DIRECTIONS FOR TEAT DIPPING

Pre-Milking: Fill teat dip cup with Valiant Pre/Post (US). Before each cow is milked, dip the teats as far as possible into the teat dip cup containing Valiant Pre/Post (US). Wipe teats dry after dipping, using single-service towels to avoid contamination of milk. Udder and teats which are heavily soiled should be washed before using a pre-milking teat dip. Teats should be dried with a single-service towel and dipped in Valiant Pre/Post (US), wiping teats dry before milking.

Post-Milking: Immediately after milking, use Valiant Pre/Post (US) at full strength. Submerge teats 2/3 their length in Valiant Pre/Post (US). If product in dip cup becomes visibly dirty, discard contents and replenish with product. Do not reuse or return unused product to the original container. Do not turn cows into freezing weather until Valiant Pre/Post (US) is completely dry.

NOTE: Valiant Pre/Post (US) is not intended to cure or help in the healing of chapped or irritated teats. In case of irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

**MANTÉNGASE FUERA DEL ALCANCE DE
LOS NIÑOS**

NO ES PARA USO HUMANO

Atención

Provoca irritación ocular.

Lavarse la piel cuidadosamente después de la manipulación. No mezclar con lejía u otros productos clorados – puede liberar cloro gaseoso.

EN CASO DE CONTACTO CON LOS OJOS: Enjuagar con agua cuidadosamente durante varios minutos. Quitar las lentes de contacto cuando estén presentes y pueda hacerse con facilidad. Prosiguir con el lavado. Si la irritación ocular persiste, consultar a un médico.

LEA LA FICHA DE DATOS DE SEGURIDAD ANTES DE USAR EL PRODUCTO

INFORMACIÓN DE EMERGENCIA SOBRE SALUD:
1 800 328 0026. Si está fuera de los Estados Unidos y Canadá, llame a cobro revertido al 1 651 222 5352 (número en los EE.UU.).

INSTRUCCIONES DE USO

Mezcla: Agregue 105 mL (3.5 onzas) de Valiant Catalyst (US) a 3.8 litros (1 gal) de Valiant Pre/Post (US) o 27.3 mL Valiant Catalyst (US) a 1 litro Valiant Pre/Post (US) y mezcle. Para mezclar correctamente las dos soluciones, invierta el recipiente de 5 a 7 veces. Esta solución mezclada permanecerá estable por 7 días. Después de 7 días, tire la solución y mezcle otra nueva.

IMPORTANTE: No agregue Valiant Pre/Post (US) mezclado y listo para usar a ningún otro sellador de pezones o a otros productos. Si lo transfiere de este recipiente a otro, verifique que el otro esté minuciosamente limpio y que tenga la etiqueta de Valiant Pre/Post (US).

El uso de un programa completo para el cuidado de vacas, incluyendo el pre y post sellado, puede reducir la diseminación de organismos que pueden causar mastitis.

INSTRUCCIONES PARA EL SELLADO

Pre ordeño: Llene la copa de sellado con Valiant Pre/Post (US). Antes de ordeñar cada vaca, sumerja los pezones hasta donde sea posible en la copa de sellado conteniendo Valiant Pre/Post (US). Luego, seque los pezones usando toallas desechables para evitar la contaminación de la leche. Cuando las ubres y los pezones están demastados sucios, se deben lavar antes de usar el sellador de pezones preordeño. Los pezones se deben secar con una toalla desechable y sellarse en Valiant Pre/Post (US), y luego secarlos antes de la ordeña.

Post ordeño: Inmediatamente después de la ordeña, use Valiant Pre/Post (US) sin diluir. Sumerja el pezón 2/3 partes de su tamaño en sellador Valiant Pre/Post (US). Déjelo secar al aire. No lo limpie. Siempre use Valiant Pre/Post (US) fresco, sin diluir. Si el producto en la copa de sellado se ve sucio, tire el contenido y vuelva a llenar con producto. No vuelva a usar el producto residual ni lo devuelva al recipiente original. No saque las vacas a la intemperie helada hasta que Valiant Pre/Post (US) se haya secado completamente.

NOTA: Valiant Pre/Post (US) no intenta curar o ayudar a cicatrizar pezones irritados o agrietados. En caso de irritación o agrietamiento, consulte a su médico veterinario.

Distributed by:
ABS Global, Inc. • P.O. Box 459
DeForest, Wisconsin USA 53532
www.absglobal.com

Manufactured by:
Ecolab Inc. • 1 Ecolab Place
St. Paul MN 55102 USA -
tel: 1 800 392 3392
© 2018 Ecolab USA Inc - All rights reserved
Made in U.S.A.
www.ecolab.com - 703828/5301/1118

VALIANT PRE/POST

lactic acid and dodecylbenzene sulfonic acid solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:59282-102
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LACTIC ACID (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)	LACTIC ACID	23 mg in 1 mL
DODECYLBENZENESULFONIC ACID (UNII: 60NSK897G9) (DODECYLBENZENESULFONIC ACID - UNII:60NSK897G9)	DODECYLBENZENESULFONIC ACID	16 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PEG-75 LANOLIN (UNII: 09179OX7TB)	

WATER (UNII: 059QF0KO0R)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59282-102-16	18900 mL in 1 PAIL		
2	NDC:59282-102-17	56780 mL in 1 DRUM		
3	NDC:59282-102-21	208200 mL in 1 DRUM		
4	NDC:59282-102-44	1150000 mL in 1 PACKAGE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/09/1998	

Labeler - ABS Global Inc. (835053570)

Revised: 8/2023

ABS Global Inc.