## NITROGEN OXYGEN MIX- nitrogen oxygen mix gas NexAir, LLC

-----

#### Nitrogen Oxygen Mix Label

COMPRESSED GAS, N.O.S. (NITROGEN, OXYGEN) UN1956 % OXYGEN USP % NITROGEN NF MIXTURE NON-FLAMMABLE GAS 2

CAS: OXYGEN (7782-44-7) (7727-37-9)


Rx only CONTAINS LESS THAN 19.5%

WARNING: Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXYDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when Protect from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet (SDS) before use. FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable bor breathing. Get medical advice/attention.

NET CONTENTS Contains Cubic Feet at 70 degrees F and PSIG DO NOT REMOVE THIS PRODUCT LABEL nexAir

Distributed by nexAir, LLC . www.nexAir.com 1385 Corporate Ave. . Memphis, TN 38132 . 888-639-2474



#### **CONTAINS LESS THAN 19.5% OXYGEN**

WARNING: Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures, and is familiar with the indications, effects, dosages, methods and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

WARNING: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. vDo not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 °C (125 °F). Read and follow the Safety Data Sheet (SDS) before use. FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

**NET CONTENTS** 

Contains

Cubic Feet at 70°F and

PSIG

DO NOT REMOVE THIS PRODUCT LABEL.



Distributed by nexAir, LLC • www.nexAir.com 1385 Corporate Ave. • Memphis, TN 38132 • 888-639-2474

COMPRESSED GAS, N.O.S. (NITROGEN, OXYGEN) UN1956 % OXYGEN USP % NITROGEN NF MIXTURE NON-FLAMMABLE GAS 2 CAS: OXYGEN (7782-44-7) (7727-37-9)

Rx only CONTAINS BETWEEN 19.5% and 23.5% OXYGEN

WARNING: Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.


DANGER: MAY CAUSE OR INTENSIFY FIRE: OXYDIZER CONTAINS GAS LINDER

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXYDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when Protect from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet (SDS) before use. NET CONTENTS Contains Cubic Feet at 70 degrees F and PSIG

DO NOT REMOVE THIS PRODUCT LABEL

nexAir

Distributed by nexAir, LLC . www.nexAir.com 1385 Corporate Ave. . Memphis, TN 38132 . 888-639-2474



#### CONTAINS BETWEEN 19.5% AND 23.5% OXYGEN

WARNING: Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures, and is familiar with the indications, effects, dosages, methods and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

WARNING: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 °C (125 °F). Read and follow the Safety Data Sheet (SDS) before use.

**NET CONTENTS** 

Contains

Cubic Feet at 70°F and

**PSIG** 

DO NOT REMOVE THIS PRODUCT LABEL.



Distributed by nexAir, LLC • www.nexAir.com 1385 Corporate Ave. • Memphis, TN 38132 • 888-639-2474

COMPRESSED GAS, N.O.S. (NITROGEN, OXYGEN) UN1956 % OXYGEN USP % NITROGEN NF MIXTURE NON-FLAMMABLE GAS 2 CAS: OXYGEN (7782-44-7) (7727-37-9)

Rx only CONTAINS LESS THAN 19.5%

WARNING: Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXYDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when Protect from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet (SDS) before use. FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable bor breathing. Get medical advice/attention.

NET CONTENTS Contains Cubic Feet at 70 degrees F and PSIG DO NOT REMOVE THIS PRODUCT LABEL nexAir

Distributed by nexAir, LLC . www.nexAir.com 1385 Corporate Ave. . Memphis, TN 38132 . 888-639-2474



#### R<sub>c</sub> Only

**WARNING:** Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures, and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

DANGER: MAY CAUSE OR INTENSIFY FIRE: OXIDIZER. CONTAINS GAS UNDER PRESSURE MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 °C (125 °F). Read and follow the Safety Data Sheet (SDS) before use. CAS: (7782-44-7) (7727-37-9)

#### NET CONTENTS

Contains

Cubic Feet at 70°F and

PSIG

DO NOT REMOVE THIS PRODUCT LABEL.



Distributed by nexAir, LLC • www.nexAir.com 1385 Corporate Ave. • Memphis, TN 38132 • 888-639-2474

#### **NITROGEN OXYGEN MIX**

nitrogen oxygen mix gas

#### **Product Information**

Product Type HUMAN PRESCRIPTION DRUG Item Code (Source) NDC:12213-733

Route of Administration RESPIRATORY (INHALATION)

# Active Ingredient/Active Moiety Ingredient Name Basis of Strength OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065) OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)

Inactive Ingredients		
Ingredient Name	Strength	
NITROGEN (UNII: N762921K75)	790 mL in 1 L	

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:12213- 733-12	5890 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
2	NDC:12213- 733-58	595 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
3	NDC:12213- 733-13	368 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205849	06/01/1996	

### Labeler - NexAir, LLC (927024422)

Establishment			
Name	Address	ID/FEI	Business Operations
NEXAIR, LLC		010263301	manufacture(12213-733)

Establishment			
Name	Address	ID/FEI	Business Operations
NexAir, LLC		927024422	manufacture(12213-733)

Revised: 11/2023 NexAir, LLC