

**GLYCERIN- glycerin suppository**  
**Cardinal Health**

-----  
**Leader Children's Glycerin Suppository**

**Active ingredient (in each suppository)**

Glycerin 1g

**Purpose**

Laxative

**Uses**

- for relief of occasional constipation
- this product generally produces bowel movement in 1/4 to 1 hour

**Warnings**

**For rectal use only**

May cause rectal discomfort or a burning sensation.

**Ask a doctor before using any laxative if child has**

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

**Stop use and consult a doctor if child has**

- rectal bleeding
- no bowel movement within 1 hour using this product

These symptoms may indicate a serious condition.

**Keep out of reach of children**

**If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.**

**Directions - single daily dose**

children 2 to under 6 years - 1 suppository, or as directed by a doctor

children under 2 - ask a doctor

Insert suppository well up into rectum. Suppository need not melt completely to produce laxative action.

## Other information

- Store container tightly closed.
- Keep away from excessive heat.

## Inactive ingredients

purified water, sodium hydroxide, stearic acid

## Questions or comments?

1-800-492-5988

## Label

The product package shown below represents a sample of that currently in use. Additional packaging may also be available.

Children's Glycerin Suppositories, 25 count

Distributed by Cardinal Health, Dublin OH 43017

CH ChildSupp.jpg

**LEADER<sup>2</sup>**

NDC 70000-0429-1

**Children's Glycerin Suppositories**  
Laxative

Ages 2-5 Years  
For Relief of Occasional Constipation  
Rectal Laxative

**COMPARE TO FLEET® PEDIA-LAX® GLYCERIN SUPPOSITORIES active ingredient\***

**25 SUPPOSITORIES**

**TAMPER EVIDENT: DO NOT USE IF PRINTED INNER SEAL IS DAMAGED OR MISSING.**

**Drug Facts**

**Active ingredient (in each suppository)**  
Glycerin 1g

**Purpose**  
Laxative

**Uses**  
■ for relief of occasional constipation  
■ this product generally produces bowel movement in 1/4 to 1 hour

**Warnings**  
For rectal use only  
May cause rectal discomfort or a burning sensation.  
**Ask a doctor before using any laxative if child has**  
■ abdominal pain, nausea or vomiting  
■ a sudden change in bowel habits lasting more than 2 weeks  
■ already used a laxative for more than 1 week  
**Stop use and consult a doctor if child has**  
■ rectal bleeding  
■ no bowel movement within 1 hour of using this product  
These symptoms may indicate a serious condition.  
Keep out of reach of children.  
If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions** Single daily dosage  
children 2 to under 6 years 1 suppository, or as directed by a doctor  
children under 2 years ask a doctor  
Insert suppository well up into rectum. Suppository need not melt completely to produce laxative action.

**Other Information**  
■ Store container tightly closed.  
■ Keep away from excessive heat.

**Inactive ingredients**  
purified water, sodium hydroxide, stearic acid

**Questions or Comments?**  
1-800-492-5988

Dist. by CH, Dublin, OH 43017 ©2018 Cardinal Health  
\*This product is not manufactured or distributed by C.S. Peet Company, Inc., owner of the registered trademark, Fleet® Pedia-Lax® Glycerin Suppositories.  
**100% Money Back Guarantee**  
Return to place of purchase if not satisfied.  
CIN 5478557 REV. 12/18

**NO VARNISH**

0 9629513613 5

## GLYCERIN

glycerin suppository

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70000-0429
<b>Route of Administration</b>	RECTAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0429-1	25 in 1 JAR; Type 0: Not a Combination Product	01/02/2019	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	01/02/2019	

**Labeler** - Cardinal Health (063997360)

**Registrant** - DSC Laboratories, Inc. (097807374)

### Establishment

Name	Address	ID/FEI	Business Operations
DSC Laboratories, Inc.		097807374	manufacture(70000-0429)

Revised: 12/2023

Cardinal Health