GAS RELIEF- simethicone capsule, liquid filled Safeway, Inc.

Drug Facts

Active ingredient (in each softgel)

Simethicone 180 mg

Purpose

Antigas

Uses

• relieves bloating, pressure, or fullness commonly referred to as gas

Warnings

Stop use and ask a doctor if

condition persists

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Directions

- swallow one or two softgels as symptoms occur
- do not exceed two softgels per 24 hours except under the advice and supervision of a physician

Other information

- store between 15-30°C (59-86°F)
- protect from heat and moisture

Inactive ingredients

FD&C yellow #6, gelatin, glycerin, water

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

COMPARE TO Phazyme® Ultra Strength active ingredient*

GAS RELIEF

ULTRA STRENGTH

SIMETHICONE 180 mg

Antiflatulent (Antigas)

Fast relief of:

- Gas
- Pressure
- Bloating
- Discomfort

Softgels

*This product is not manufactured or distributed by Prestige Consumer Healthcare, Inc., distributor of Phazyme® Ultra Strength.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

DISTRIBUTED BY

BETTER LIVING BRANDS LLC

P.O. BOX 99, PLEASANTON, CA 94566-0009

Package Label

*This product is not manufactured or distributed by Prestige Consumer Healthcare, Inc., distributor of Phazyme® Ultra Strength.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSIN

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.







Scan here for more information



SIMETHICONE 180 mg Antiflatulent (Antigas)

Fast relief of:

- · Gas
- PressureBloating
- Discomfort

60 SOFTGELS

Actual Size



SIMETHICONE 180 mg Antiflatulent (Antigas)

Fast relief of:

- Pressure Bloating
- Discomfort

60 SOFTGELS

Actual Size

Drug Facts

Active ingredient (in each softgel) Simethicone 180 mg..

Purpose .Antigas

Use

■ relieves bloating, pressure, or fullness commonly referred to as gas

Stop use and ask a doctor if condition persists.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Directions

■ swallow one or two softgels as symptoms occur ■ do not exceed two softgels per 24 hours except under the advice and supervision of a physician

Other information

- store between 15-30°C (59-86°F)
- protect from heat and moisture

Inactive ingredients FD&C yellow no. 6, gelatin, glycerin, water

Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST



SIGNATURE SELECT Gas Relief

GAS RELIEF

simethicone capsule, liquid filled

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:21130-446(NDC:51013-115) **Route of Administration ORAL**

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength DIMETHICONE (UNII: 92RU3N3Y10) (DIMETHICONE - UNII:92RU3N3Y10) **DIMETHICONE** 180 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	

Product Characteristics				
Color	orange (clear)	Score	no score	
Shape	CAPSULE (oval)	Size	10mm	
Flavor		Imprint Code	PC3	
Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:21130- 446-60	1 in 1 BOX	12/31/2023		
1		60 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M002	12/31/2023		

Labeler - Safeway, Inc. (009137209)

Revised: 3/2024 Safeway, Inc.