

**PR NATAL 430- beta carotene, ascorbic acid, cholecalciferol, .alpha.-tocopherol acetate, dl-, thiamine mononitrate, riboflavin, niacinamide, pyridoxine hydrochloride, folic acid, cyanocobalamin, calcium carbonate, iron protein succinylate, ferrous bisglycinate, magnesium oxide, zinc oxide, cupric oxide tablet**  
**PruGen, Inc Pharmaceuticals**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**PR Natal 430**

**DESCRIPTION:**

PR Natal 430 is a prescription regimen of prenatal multi-vitamin, multi-mineral, and omega-3 fatty acid supplements, supplied as tablets and softgel capsules.

**INDICATIONS:**

PR Natal 430 is a prescription regimen of prenatal multi-vitamin, multi-mineral, and omega-3 fatty acid supplements indicated for use in improving the nutritional status of women throughout pregnancy and in the post-natal period for both lactating and non-lactating mothers. PR Natal 430 is also useful in improving nutritional status prior to conception.

**CONTRAINDICATIONS:**

This product is contraindicated in patients with known hypersensitivity to any of the ingredients including fish or fish oil.

**WARNINGS:**

**PRECAUTIONS:**

Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where Vitamin B12 is deficient. Since daily ingestion of more than 3 grams per day of omega-3 fatty acids (including alpha-linolenic acid (ALA), eicosapentaenoic acid (EPA) and docosahexaenoic acid (DHA)) from fish oils may have potential antithrombotic activities and may increase bleeding times, administration of DHA should be avoided in patients with inherited or acquired bleeding diatheses, including those taking anticoagulants.

Folic acid especially in doses above 1.0 mg daily may obscure pernicious anemia (hematologic remission may occur while neurological manifestations remain progressive). Caution should be exercised to ensure that the prescribed dose of DHA does not exceed 1 gram (1,000 mg) per day.

**WARNING:**

**WARNING:** Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

**DRUG INTERACTIONS:**

Pyridoxine supplements should be avoided in patients receiving levodopa alone, as the actions of levodopa may be antagonized.

**ADVERSE REACTIONS:**

Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

**DOSAGE & ADMINISTRATION**

Before, during and after pregnancy, one tablet and one softgel capsule taken by mouth daily, or as directed by a physician. The tablet and softgel capsule may be taken together or at different times of the day.

**HOW SUPPLIED:**

A 30-day supply of PR Natal 430 (NDC 42546-812-30) is supplied in 2 bottles with child-resistant caps. One bottle contains 30 pink-brown oval tablets imprinted with 'B056' on one side. A second bottle contains 30 translucent golden-colored oval DHA softgel capsules.

**STORAGE:****DISPENSING:**


Store at controlled room temperature 20°-25°C (68°-77°F). Protect from moisture and excessive heat. Note that contact with moisture may produce surface discolorations of the tablet.

Keep in a well-closed, light-resistant container. Supplied in a child-resistant bottle as a safeguard against ingestion by children. **KEEP THIS AND ALL MEDICATIONS OUT OF THE REACH OF CHILDREN.**

**Box Label**

NDC 42546-812-30

PR Natal 430



## PR NATAL 430

beta carotene, ascorbic acid, cholecalciferol, .alpha.-tocopherol acetate, dl-, thiamine mononitrate, riboflavin, niacinamide, pyridoxine hydrochloride, folic acid, cyanocobalamin, calcium carbonate, iron protein succinylate, ferrous bisglycinate, magnesium oxide, zinc oxide, cupric oxide tablet kit

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:42546-812
---------------------	-------------------------	---------------------------	---------------

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:42546-812-30	1 in 1 KIT		

### Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	30
Part 2	1 BOTTLE	30

### Part 1 of 2

### PR NATAL 430

beta carotene, ascorbic acid, cholecalciferol, .alpha.-tocopherol acetate, dl-, thiamine mononitrate, riboflavin, niacinamide, pyridoxine hydrochloride, folic acid, cyanocobalamin, calcium carbonate, iron protein succinylate, ferrous bisglycinate, magnesium oxide, zinc oxide, cupric oxide tablet tablet

## Product Information

**Route of Administration** ORAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BETA CAROTENE</b> (UNII: 01YAE03M7J) (BETA CAROTENE - UNII:01YAE03M7J)	BETA CAROTENE	3000 [iU]
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	120 mg
<b>CHOLECALCIFEROL</b> (UNII: 1C6V77QF41) (CHOLECALCIFEROL - UNII:1C6V77QF41)	CHOLECALCIFEROL	400 [iU]
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8) (.ALPHA.-TOCOPHEROL, DL- - UNII:7QWA1RIO01)	.ALPHA.-TOCOPHEROL, DL-	30 mg
<b>THIAMINE MONONITRATE</b> (UNII: 8K0I04919X) (THIAMINE ION - UNII:4ABT0J945J)	THIAMINE ION	1.8 mg
<b>RIBOFLAVIN</b> (UNII: TLM2976OFR) (RIBOFLAVIN - UNII:TLM2976OFR)	RIBOFLAVIN	4 mg
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4) (NIACINAMIDE - UNII:25X51I8RD4)	NIACINAMIDE	20 mg
<b>PYRIDOXINE HYDROCHLORIDE</b> (UNII: 68Y4CF58BV) (PYRIDOXINE - UNII:KV2JZ1B16Z)	PYRIDOXINE	25 mg
<b>FOLIC ACID</b> (UNII: 935E97BOY8) (FOLIC ACID - UNII:935E97BOY8)	FOLIC ACID	1 mg
<b>CYANOCOBLAMIN</b> (UNII: P6YC3EG204) (CYANOCOBLAMIN - UNII:P6YC3EG204)	CYANOCOBLAMIN	.012 mg
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CATION	200 mg
<b>IRON PROTEIN SUCCINYLATE</b> (UNII: VBJ9L90P4L) (IRON PROTEIN SUCCINYLATE - UNII:VBJ9L90P4L)	IRON PROTEIN SUCCINYLATE	7.25 mg
<b>FERROUS BISGLYCINATE HYDROCHLORIDE</b> (UNII: IW3QLZ8MRC) (IRON - UNII:E1UOL152H7)	IRON	21.75 mg
<b>MAGNESIUM OXIDE</b> (UNII: 3A3U0GI71G) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM CATION	25 mg
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	25 mg
<b>CUPRIC OXIDE</b> (UNII: V1XJQ704R4) (CUPRIC OXIDE - UNII:V1XJQ704R4)	CUPRIC OXIDE	2 mg

## Product Characteristics

<b>Color</b>	pink	<b>Score</b>	no score
<b>Shape</b>	capsule	<b>Size</b>	19mm
<b>Flavor</b>		<b>Imprint Code</b>	B056
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		30 in 1 BOTTLE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/01/2010	

## Part 2 of 2

### PR NATAL 430

omega 3 fatty acids capsule, gelatin coated

#### Product Information

Route of Administration ORAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OMEGA-3 FATTY ACIDS (UNII: 71M78END5S) (OMEGA-3 FATTY ACIDS - UNII:71M78END5S)	OMEGA-3 FATTY ACIDS	430 mg

#### Inactive Ingredients

Ingredient Name	Strength
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	

#### Product Characteristics

Color	brown	Score	no score
Shape	capsule	Size	19mm
Flavor		Imprint Code	none
Contains			

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		30 in 1 BOTTLE		

#### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
dietary supplement		01/01/2010	

#### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/01/2010	

**Registrant** - PruGen, Inc. Pharmaceuticals (929922750)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
National Vitamin Company		102098324	manufacture(42546-812)

Revised: 9/2012

PruGen, Inc Pharmaceuticals