

UP AND UP 5-SYMPTOM DIGESTIVE RELIEF- bismuth subsalicylate tablet
Target Corporation

Up & Up 5-Symptoms Digestive Relief 48 Chewable Tablets

Drug Facts

Active ingredient (in each tablet)

Bismuth subsalicylate 262 mg

Purpose

Anti-diarrheal/Upset stomach reliever

Uses

relieves

- traveler's diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink including
- heartburn
- indigestion
- nausea
- gas
- belching
- fullness

Warnings

Reye's syndrome

Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert:

Contains salicylate. Do not take if you are

- allergic to salicylates (including aspirin)
- taking other salicylate products

Do not use if you have

- bloody or black stool
- an ulcer

- a bleeding problem

Ask a doctor before use if you have

- fever
- mucus in the stool

Ask a doctor before use if you are taking any drug for

- anticoagulation (thinning of the blood)
- diabetes
- gout
- arthritis

When using this product a temporary, but harmless, darkening of the stool and/or tongue may occur.

Stop use and ask a doctor if

- symptoms get worse or last more than 2 days
- ringing in the ears occurs or loss of hearing occurs
- diarrhea lasts more than 2 days

If pregnant or breast feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately. 1-800-222-1222.

Directions

- chew or dissolve tablets in mouth
- **adults and children 12 years and older:** 2 caplets every 1/2 to 1 hour as needed
- do not exceed 8 doses (16 caplets) in 24 hours
- use until diarrhea stops but not more than 2 days
- **children under 12 years:** ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

Other information

- **each tablets contains:** salicylate 102 mg
- avoid excessive heat (over 104°F or 40°C)

Inactive ingredients

Flavor, magnesium stearate, microcrystalline cellulose, red# 27 aluminum lake, sorbitol, sucralose.

PRINCIPAL DISPLAY PANEL

NDC 11673-122-48

Compare to active ingredient in **Pepto-Bismol® Chewable Tablets***

5- symptom digestive relief

Bismuth subsalicylate, 262 mg/antidiarrheal

relief of upset stomach, nausea, heartburn, indigestion, diarrhea

48 TABLETS

K PARAVE

48 CHEWABLE TABLETS

**TAMPER EVIDENT: DO NOT USE IF INDIVIDUAL BLISTER COMPARTMENTS ARE
TORN OR OPEN**

245 05 0378 R01 ID285492

Dist.by Target Corp., Mpls, MN 55403

©2015 Target Brands, Inc.

Shop Target.com

***This product is not manufactured or distributed by Procter & Gamble Inc.,
the distributor of PEPTO-BISMOL®**



UP AND UP 5-SYMPTOM DIGESTIVE RELIEF

bismuth subsalicylate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11673-122
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (BISMUTH CATION - UNII:ZS9CD1I8YE, SALICYLIC ACID - UNII:O414PZ4LPZ)	BISMUTH SUBSALICYLATE	262 mg

Inactive Ingredients

Ingredient Name	Strength
magnesium stearate (UNII: 70097M6I30)	

MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)				
D&C RED NO. 27 (UNII: 2LRS185U6K)				
SORBITOL (UNII: 506T60A25R)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
Product Characteristics				
Color	PINK	Score	no score	
Shape	ROUND	Size	16mm	
Flavor		Imprint Code	RP124	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-122-48	48 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/12/2019	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M008	03/12/2019	

Labeler - Target Corporation (006961700)

Revised: 11/2023

Target Corporation