

**EQUATE LIQUID FOOT- tolnaftate spray**  
**Zhejiang Ludao Cosmetics Co., Ltd.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Equate Antifungal**

**☐Active Ingredient ..... Purpose**

Tolnaftate 1% ..... Antifungal

**☐Uses**

- cures most athlete's foot (tinea pedis) and ring worm (tinea corporis)
- if used daily, can prevent recurrence of athlete's foot
- relieves symptoms of athlete's foot, including itching, burning and cracking

**☐Keep out of reach of children.** ☐If swallowed, get medical help or contact a Poison Control Center immediately. Do not use on children under 2 years of age unless directed by a doctor.

Athlete's Foot

Liquid Spray

Tolnaftate 1%

Cures and Prevents Most Athlete's Foot

Relieves burning and itching

Net Wt 5.3 OZ (150 g)

**☐Warnings**

**For external use only.**

**Flammable.** ☐Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F (49°C).

**☐When using this product**

- avoid eyes & face
- use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

**Stop use and ask a doctor if**

- irritation occurs
- there is no improvement after 4 weeks

**☐Directions**

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toes; wear well-fitted, ventilated shoes and change shoes and socks at least once a day.
- use daily for 4 weeks; if condition persists longer, consult a doctor
- to prevent athlete's foot, apply once or twice daily (morning and night)
- in case of clogging, clean nozzle with a pin

**☐Inactive Ingredients**

alcohol denat. (29% w/w), butylated hydroxytoluene, isobutane, PPG-12buteth-16

☐ **Other information** ☐ store between 68o to 77oF (20o to 25oC)

☐\*This product is not manufactured or distributed by MSF Consumer Care, Inc., owner of the registered trademark Tinactin(R).

|   |                              |
|---|------------------------------|
| <b>Drug Facts</b>   |                              |
| <b>Active ingredient</b><br>Tolnaftate 1%   | <b>Purpose</b><br>Antifungal |
| <b>Uses</b>   |                              |
| <ul style="list-style-type: none"> <li>■ cures most athlete's foot (tinea pedis) and ringworm (tinea corporis)</li> <li>■ if used daily, can prevent recurrence of athlete's foot</li> <li>■ relieves symptoms of athlete's foot, including itching, burning and cracking</li> </ul>  |                              |
| <b>Warnings</b>   |                              |
| For external use only.  |                              |
| <b>Flammable.</b> Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F (49°C).  |                              |
| <b>When using this product</b> ■ avoid contact eyes & face ■ use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.  |                              |
| <b>Stop use and ask a doctor if</b> ■ irritation occurs ■ there is no improvement after 4 weeks   |                              |
| <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center immediately. Do not use on children under 2 years of age unless directed by a doctor.   |                              |
| <b>Directions</b>   |                              |
| ■ wash affected area and dry thoroughly<br>■ shake can well and spray a thin layer over affected area twice daily (morning and night)<br>■ supervise children in the use of this product<br>■ for athlete's foot, pay special attention to spaces between the toes; wear well-fitting, ventilated shoes and change shoes and socks at least once a day.<br>■ use daily for 4 weeks; if condition persists longer, consult a doctor<br>■ to prevent athlete's foot, apply once or twice daily (morning and night)<br>■ this product is not effective on the scalp or nails |                              |
| <b>Other information</b> store between 68° to 77°F (20° to 25°C)  |                              |
| <b>Inactive ingredients</b> alcohol denat. (29% w/w), butylated hydroxytoluene, isobutane, PPG-12buteth-16  |                              |
| <small>*This product is not manufactured or distributed by MSD Consumer Care, Inc., owner of the registered trademark Tinactin®.</small>  |                              |

## Athlete's Foot

### Liquid Spray

Tolnaftate 1%  
Antifungal

Cures and Prevents  
Most Athlete's Foot

• Relieves burning & itching

NET WT 5.3 OZ (150 g)

Compare to Tinactin® Liquid Spray Active Ingredient\*



## EQUATE LIQUID FOOT

tolnaftate spray

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:50942-002 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength     |
|--|-------------------|--------------|
| TOLNAFTATE (UNII: 06KB629 TKV) (TOLNAFTATE - UNII:06KB629 TKV) | TOLNAFTATE        | 1 g in 150 g |

### Inactive Ingredients

| Ingredient Name                             | Strength |
|---|----------|
| ALCOHOL (UNII: 3K9958V90M)                  |          |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K) |          |
| ISOBUTANE (UNII: BXR49TP611)                |          |
| PPG-12-BUTETH-16 (UNII: 58CG7042J1)         |          |

### Packaging

| # | Item Code        | Package Description   | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:50942-002-01 | 150 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product | 07/04/2014           |                    |

### Marketing Information

| Marketing Category  | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part333C                                 | 07/01/2014           |                    |

**Labeler** - Zhejiang Ludao Cosmetics Co., Ltd. (679885595)

### Establishment

| Name                               | Address | ID/FEI    | Business Operations    |
|------------------------------------|---------|-----------|------------------------|
| Zhejiang Ludao Cosmetics Co., Ltd. |         | 679885595 | manufacture(50942-002) |

Revised: 12/2018

Zhejiang Ludao Cosmetics Co., Ltd.