

DOCUSATE SODIUM- docusate sodium capsule, liquid filled

National Vitamin Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Docusate Sodium, USP

Stool Softener

Active ingredient (in each softgel)

Docusate Sodium 100 mg

Purpose

Stool Softener

Uses

- For the relief of occasional constipation.
- Helps to prevent dry, hard stools.
- This product generally produces a bowel movement within 12 to 72 hours.

WARNINGS Do not use:

- If you are currently taking mineral oil, unless directed by a doctor.
- When abdominal pain, nausea, or vomiting are present.
- For longer than one week unless directed by a doctor.

Ask a doctor before use

if you notice a sudden change in bowel habits that persists over a period of two weeks.

Stop use and ask a doctor

if you have rectal bleeding or you fail to have a bowel movement after use.

If you are pregnant or breast-feeding,

ask a healthcare professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

Adults and Children over 12 years of age	Take orally 1 to 2 softgels preferably at bedtime for 2-3 days or until bowel movements are normal, or as directed by a doctor.
Children 6 to 12 years of age	Take orally 1 softgel preferably at bedtime for 2-3 days or until bowel movements are normal, or as directed by a

doctor.

Children under 6 years of age

Do not use this product for children under 6 years of age, unless directed by a doctor.

Other Information

- Each softgel contains 5 mg of Sodium.
- Keep lid tightly closed.
- Store at room temperature between 15°C to 30°C (59°F to 86°F).
- Do not use if printed seal under cap is broken or missing.
- For identification purposes, each softgel will have an imprint that reads NV13.

Inactive ingredients

FD&C Red #40, FD&C Yellow #6, Gelatin, Glycerin, Ink (Edible), Polyethylene Glycol, Propylene Glycol, Purified Water, Sorbitol.

Package/Label Principal Display Panel

NDC 54629-600-01

Life-Line®

DOCUSATE SODIUM, USP

STOOL SOFTENER

100 mg Each

100 Softgels

Manufactured and Distributed by

National Vitamin Company

Casa Grande, AZ 85122

LIFE-LINE®
NDC 54629-600-01
DOCUSATE SODIUM, USP
STOOL SOFTENER
100 mg Each
100 Softgels

Questions Call 1 (800) 692-9862

Manufactured and Distributed by
NATIONAL VITAMIN COMPANY
Casa Grande, AZ 85122

Drug Facts	Purpose Docusate Sodium 100 mg Stool Softener
Active Ingredient (in each softgel) Docusate Sodium 100 mg	
Uses	<ul style="list-style-type: none">• For the relief of occasional constipation.• Helps to prevent dry, hard stools.• This product generally produces a bowel movement within 12 to 72 hours.
WARNINGS Do not use:	<ul style="list-style-type: none">• If you are currently taking mineral oil, unless directed by a doctor.• When abdominal pain, nausea, or vomiting are present.• For longer than one week, unless directed by a doctor.
Ask a doctor before use	If you notice a sudden change in bowel habits that persists over a period of two weeks.
Stop use and ask a doctor	If you have rectal bleeding or you fail to have a bowel movement after use.
If you are pregnant or breast-feeding,	ask a healthcare professional before use.
Keep out of reach of children.	In case of overdose, get medical help or contact a Poison Control Center right away.
Directions	Take orally 1 to 2 softgels preferably at bedtime for 2-3 days or until bowel movements are normal, or as directed by a doctor. Take orally 1 softgel preferably at bedtime for 2-3 days or until bowel movements are normal, or as directed by a doctor.
Adults and Children over 12 years of age	
Children 6 to 12 years of age	
Children under 6 years of age	Do not use this product for children under 6 years of age, unless directed by a doctor.
Other Information	<ul style="list-style-type: none">• Each softgel contains 5 mg of Sodium.• Keep lid tightly closed.• Store at room temperature between 15°C to 30°C (59°F to 86°F).• Do not use if printed seal under cap is broken or missing.• For identification purposes, each softgel will have an imprint that reads NV13.
Inactive Ingredients	FD & C Red #40, FD & C Yellow #6, Gelatin, Glycerin, Ink (Edible), Polyethylene Glycol, Propylene Glycol, Purified Water, Sorbitol.

Stock No. D0600 J11
0 179854 95005 2
LOT EXP. NO. DATE

Bottle Label

DOCUSATE SODIUM

docusate sodium capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:54629-600
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	100 mg

Inactive Ingredients	
Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL 1000 (UNII: U076Q6Q621)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics			
Color	RED	Score	no score
Shape	OVAL	Size	12mm
Flavor		Imprint Code	NV13
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54629-600-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2000	
2	NDC:54629-600-99	1000 in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2000	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	05/01/2000	

Labeler - National Vitamin Company (102098324)

Establishment			
Name	Address	ID/FEI	Business Operations
National Vitamin Company		102098324	MANUFACTURE(54629-600)

Establishment			
Name	Address	ID/FEI	Business Operations

SWISSCAPS Romania srl		565466997	MANUFACTURE(54629-600)
-----------------------	--	-----------	------------------------

Revised: 4/2020

National Vitamin Company