MEGAFRESH- sodium fluoride gel, dentifrice American Amenities, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active Ingredient: Sodium Fluoride (0.243%)

Purpose: Anticavity

Uses: Aids in the prevention of dental cavities

For external use only. Keep out of reach of children

Keep out of reach of children under six years of age

If more than used for brushing is accidentally swallowed, get medical help or contact a poison control center immediately.

Adults and children of two years of age and older: Brush teeth thoroughly, perferrably after each meal or at least twice a day, or as directed by a dentist or a doctor. Instruct children under six years of age in good brushing and rinsing habit (to minimize swollowing). Supervise children as necessary until capable of using without supervision. Children under 2 years of age: consult a dentist or doctor.

Purified Water, Sorbitol, Polyethylene Glycol 1500, Carboxymethylcellulose Sodium, Sodium Lauryl Sulfate, Flavour, Carbomer Homopolymer Type C, Hydrated Silica, Saccharin Sodium, Methylparaben, Propylparaben

Mega Fresh™ gel fluoride toothpaste

Net Wt. 3.0 oz (85g)
Reorder NO.TP-300C



| Drug Facts | |
|---------------------------|------------|
| Active Ingredient | Purpose |
| Sodium Fluoride – 0.243 % | Anticavity |
| (0.15% w/v fluoride ion) | |

Uses

Aids in the prevention of dental cavities.

Warning

Keep out of reach of children under 6 years of age. If more than used for brushing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Manufactured for American Amerities, Inc. Woodinville, WA 98072

Made in China.

Drug Facts (continued)

Directions

Adults and children 2 years of age and older. Brush teeth thoroughly, preferably after each meal or at least twice a day, or as directed by a dentist or doctor. Instruct children under 6 years of age in good brushing and rinsing habits (to minimize swallowing). Supervise children as necessary until capable of using without supervision. Children under 2 years of age: Consult a dentist or doctor.

Inactive Ingredients

Purified Water, Sorbitol, Polyethylene Glycol 1500, Carboxymethylcellulose Sodium, Sodium Lauryl Sulfate, Flavour, Carborner Homopolymer Type C, Hydrated Silica, Saccharin Sodium, Methylparaben, Propylparaben.

p.Date

MEGAFRESH

sodium fluoride gel, dentifrice

Product Information

| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:54157-104 |
|--------------|----------------|--------------------|---------------|
|--------------|----------------|--------------------|---------------|

Route of Administration DENTAL

| Activo | Ingra | diant | Activo | Moiety |
|--------|-------|-------|--------|---------|
| ACTIVE | HIPTE | | ACHVE | violetv |

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|-----------------|
| SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80 VPU408O) | FLUORIDE ION | 0.15 g in 100 g |

| Inactive Ingredients | | | | |
|--|----------|--|--|--|
| Ingredient Name | Strength | | | |
| WATER (UNII: 059QF0KO0R) | | | | |
| SORBITOL (UNII: 506T60A25R) | | | | |
| POLYETHYLENE GLYCOL 1500 (UNII: 1212Z7S33A) | | | | |
| CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679 OBS 311) | | | | |
| SODIUM LAURYL SULFATE (UNII: 368 GB5141J) | | | | |
| CARBOMER HOMOPOLYMER TYPE C (UNII: 4Q93RCW27E) | | | | |
| HYDRATED SILICA (UNII: Y6O7T4G8P9) | | | | |
| SACCHARIN SODIUM (UNII: SB8ZUX40TY) | | | | |
| METHYLPARABEN (UNII: A218 C7HI9 T) | | | | |
| PROPYLPARABEN (UNII: Z8IX2SC1OH) | | | | |

| Packaging | | | | | | |
|-----------|------------------|---------------------|----------------------|--------------------|--|--|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date | | |
| 1 | NDC:54157-104-01 | 17 g in 1 TUBE | | | | |
| 2 | NDC:54157-104-02 | 24 g in 1 TUBE | | | | |
| 3 | NDC:54157-104-03 | 35 g in 1 TUBE | | | | |
| 4 | NDC:54157-104-04 | 43 g in 1 TUBE | | | | |
| 5 | NDC:54157-104-05 | 50 g in 1 TUBE | | | | |
| 6 | NDC:54157-104-06 | 70 g in 1 TUBE | | | | |
| 7 | NDC:54157-104-07 | 78 g in 1 TUBE | | | | |
| 8 | NDC:54157-104-08 | 90 g in 1 TUBE | | | | |
| 9 | NDC:54157-104-09 | 100 g in 1 TUBE | | | | |
| 10 | NDC:54157-104-10 | 120 g in 1 TUBE | | | | |
| 11 | NDC:54157-104-11 | 130 g in 1 TUBE | | | | |
| 12 | NDC:54157-104-12 | 150 g in 1 TUBE | | | | |
| 13 | NDC:54157-104-13 | 181 g in 1 TUBE | | | | |
| 14 | NDC:54157-104-14 | 200 g in 1 TUBE | | | | |
| 15 | NDC:54157-104-15 | 4.25 g in 1 POUCH | | | | |
| 16 | NDC:54157-104-16 | 3 g in 1 POUCH | | | | |
| 17 | NDC:54157-104-17 | 5 g in 1 POUCH | | | | |
| 18 | NDC:54157-104-18 | 10 g in 1 POUCH | | | | |
| 19 | NDC:54157-104-19 | 71 g in 1 TUBE | | | | |
| 20 | NDC:54157-104-20 | 85 g in 1 TUBE | | | | |

| Marketing Information | | | | | |
|-----------------------|--|----------------------|--------------------|--|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | | |
| OTC monograph final | part355 | 05/11/2014 | | | |
| | | | | | |

Labeler - American Amenities, Inc. (181454026)

Registrant - American Amenities, Inc. (181454026)

Revised: 1/2015 American Amerities, Inc.