

**SENNA LIQUID- sennosides liquid**  
**RUGBY LABORATORIES**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

Per teaspoonful-5mL

Sennosides - 8.8 mg

**Purpose**

Laxative

**Uses**

- relieves occasional constipation (irregularity)
- generally causes bowel movement in 6 to 12 hours

**Warnings**

**Do not use**

- laxative products for longer than 1 week unless directed by a doctor

**Ask a doctor or pharmacist before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel movement that continues over a period of 2 weeks

**Stop use and ask a doctor if**

you have rectal bleeding or failure to have a bowel movement after use of laxative. They may indicate a serious condition.

**If pregnant or breast-feeding** ask a health professional before use

**Keep out of reach of children.** In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) immediately

- shake well before use
- Do not exceed recommended dose

---

Age	Starting Dose	Maximum dosage
Adults and children 12 years and older	2-3 teaspoonfuls once a day preferably at bedtime; increase as needed or as recommended by a doctor	3 teaspoons in the morning and 3 teaspoons at bedtime
Under 12 years of age	ask a doctor	ask a doctor

---

**Inactive ingredients** artificial and natural chocolate flavor, methylparaben, propylene

glycol, propylparaben, purified water, and sucrose.

**Questions or comments?** 1-866-645-2158

<p><b>Drug Facts</b></p> <p><b>Active ingredients (per teaspoonful·5mL)</b>     <b>Purpose</b>  Sennosides.....8.8 mg.....Laxative</p> <p><b>Uses</b>  ■ relieves occasional constipation (irregularity)  ■ generally causes bowel movement in 6 to 12 hours</p> <p><b>Warnings</b>  <b>Do not use</b>  ■ laxative products for longer than 1 week unless directed by a doctor</p> <p><b>Ask a doctor or pharmacist before use if you have</b>  ■ stomach pain ■ nausea ■ vomiting  ■ noticed a sudden change in bowel movement that continues over a period of 2 weeks</p> <p><b>Stop use and ask a doctor if</b>  you have rectal bleeding or failure to have a bowel movement after use of laxative. These may indicate a serious condition. ➡</p> <p>Code #: L-112  Distributed by:  <b>RUGBY® LABORATORIES</b>  17177 N Laurel Park Drive, Suite 233  Livonia, MI 48152  www.rugbylaboratories.com</p> <p>Lot. #  Exp., Date:</p>	 NDC 0536-1266-59	<p><b>Drug Facts (continued)</b></p> <p>If pregnant or breast-feeding ask a health professional before use  Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) immediately</p> <p>■ shake well before use ■ Do not exceed recommended dose</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Age</th> <th>Starting Dose</th> <th>Maximum dosage</th> </tr> </thead> <tbody> <tr> <td>adults and children 12 years and older</td> <td>2-3 teaspoonfuls once a day preferably at bedtime; increase as needed or as recommended by a doctor</td> <td>3 teaspoons in the morning and 3 teaspoons at bedtime</td> </tr> <tr> <td>Under 12 years of age</td> <td>ask a doctor</td> <td>ask a doctor</td> </tr> </tbody> </table> <p><b>Other information</b>     store at room temperature 15°-25°C (59°-77°F) <b>Tamper-Evident</b> Do not use if aluminum foil over bottle opening is torn, broken, or missing.</p> <p><b>Inactive ingredients</b>     Artificial and natural chocolate flavor, methylparaben, propylene glycol, propylparaben, purified water, and sucrose.</p> <p><b>Questions or comments?</b> 1-800-645-2158</p>	Age	Starting Dose	Maximum dosage	adults and children 12 years and older	2-3 teaspoonfuls once a day preferably at bedtime; increase as needed or as recommended by a doctor	3 teaspoons in the morning and 3 teaspoons at bedtime	Under 12 years of age	ask a doctor	ask a doctor
Age	Starting Dose	Maximum dosage									
adults and children 12 years and older	2-3 teaspoonfuls once a day preferably at bedtime; increase as needed or as recommended by a doctor	3 teaspoons in the morning and 3 teaspoons at bedtime									
Under 12 years of age	ask a doctor	ask a doctor									
 <h1 style="margin: 0;">Senna Liquid</h1> <h2 style="margin: 0;">Natural Vegetable Laxative Ingredient</h2> <p style="margin: 10px 0 0 0;">Chocolate Flavor</p> <div style="background-color: #e67e22; color: white; padding: 5px; display: inline-block; font-weight: bold; font-size: 1.2em;">8 FL OZ (237 mL)</div>		<p>Rev. 10/19    R-164    Re-order No. 370819</p>  <p>3 05361 26659 2</p>									

<b>SENNA LIQUID</b>			
sennosides liquid			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0536-1266
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
	SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.8 mg in 5 mL
<b>Inactive Ingredients</b>			
	<b>Ingredient Name</b>		<b>Strength</b>
	METHYLPARABEN (UNII: A2I8C7HI9T)		
	PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
	PROPYLPARABEN (UNII: Z8IX2SC1OH)		
	WATER (UNII: 059QF0K00R)		
	SUCROSE (UNII: C151H8M554)		
<b>Packaging</b>			
	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start     Marketing End</b>

#	Item Code	Package Description	Date	Date
1	NDC:0536-1266-59	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2019	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	05/01/2019	

**Labeler** - RUGBY LABORATORIES (079246066)

Revised: 3/2021

RUGBY LABORATORIES