

LEADER CALAMINE PLUS- zinc oxide lotion lotion
Cardinal Health, 110 dba Leader

LEADER Calamine Plus

- For external use only
- Avoid contact with eyes and mucous membranes
- Ask a doctor before using on children under 2 years of age

Calamine 8%

Pramoxine HCl 1%

- Skin Protectant
- External Analgesic

Adults and children 2 years of age and older: Shake well before using. Cleanse the skin with soap and water and let dry before each use. Apply lotion to the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort.

Children under 2 years of age: Consult a doctor before use.

SH Alcohol 38B 2.5%

Camphor

Diazolidinyl Urea

Fragrances

Glycerin

Hydroxypropyl Methylcellulose

Methylparaben

Polysorbate 80

Propylene Glycol

Propylparaben

Purified water

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately (1-800-222-1222)

Uses:

temporarily relieves pain and itching associated with:

- rashes due to poison ivy, poison oak, or poison sumac
- insect bites
- minor skin irritation
- minor cuts
- dries the oozing and weeping of poison ivy, poison oak and poison sumac

LEADERTM

NDC 70000-0400-1

Calamine Plus

External Analgesic | Skin Protectant

Relieves Itching Due to:
Poison Ivy, Poison Oak,
Insect Bites, Minor Skin Irritations

COMPARE TO CALADRYL[®] LOTION active ingredients*

100% Money Back Guarantee

6 FL OZ (177 mL)

Drug Facts

Active ingredients.....Purpose
Calamine 8%.....Skin protectant
Pramoxine HCl 1%.....External analgesic

Uses ■ temporarily relieves pain and itching associated with:
■ rashes due to poison ivy, poison oak or poison sumac
■ insect bites ■ minor skin irritation ■ minor cuts
■ dries the oozing and weeping of poison ivy, poison oak and poison sumac

Warnings ■ For external use only. Use only as directed.
■ Avoid contact with eyes and mucous membranes.
■ Ask a doctor before using on children under 2 years of age.

Stop use and ask a doctor if condition worsens, does not improve or if symptoms persist for more than 7 days, or clear up and occur again within a few days.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately (1-800-222-1222).

Directions ■ Adults and children 2 years of age and older: Shake well before using. Cleanse the skin with soap and water and let dry before each use. Apply lotion to the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort.
■ Children under 2 years of age: Consult a doctor before use.

Other information ■ Store at room temperature 15-30°C (59-86°F)

Inactive ingredients ■ SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methylcellulose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben, Purified Water.

Questions or Comments? 1-800-662-3435

*This product is not manufactured or distributed by Valeant Pharmaceuticals, owner of the registered trademark Caladryl[®] Lotion.
© 2018 Cardinal Health. All Rights Reserved. CARDINAL HEALTH, the Cardinal Health LOGO, LEADER, and the Leader LOGO are trademarks or registered trademarks of Cardinal Health. All other marks are the property of their respective owners.
DISTRIBUTED BY
CARDINAL HEALTH
DUBLIN, OHIO 43017
www.myleader.com
1-800-200-6315

CIN 5455456 REV. 11/18

100% Money Back Guarantee

Return to place of purchase.

0 96295 13514 5

LEADER CALAMINE PLUS

zinc oxide lotion lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70000-0400
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	80 mg in 1 mL
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
GLYCERIN (UNII: PDC6A3C0OX)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0400-1	177 mL in 1 CONTAINER; Type 0: Not a Combination Product	02/15/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	02/15/2019	

Labeler - Cardinal Health, 110 dba Leader (063997360)

Revised: 12/2023

Cardinal Health, 110 dba Leader