

# **MUCUS RELIEF D- guaifenesin and pseudoephedrine hcl tablet, extended release**

**Rite Aid Corporation**

-----  
**Drug Facts**

## **Active ingredient(s)**

Guaifenesin USP, 1200

mg.....Expectorant

Pseudoephedrine HCl USP, 120 mg.....Nasal

Decongestant

## **Purpose**

Expectorant and Nasal Decongestant

## **Use(s)**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of both mucus and make coughs more productive
- temporarily relieves nasal congestion due to:
  - common cold
  - hay fever
  - upper respiratory allergies
- temporarily restores freer breathing through the nose
- promotes nasal and/or sinus drainage
- temporarily relieves sinus congestion and pressure\_

## **Warnings**

### **Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

### **Ask a doctor before use if**

- heart disease
- high blood pressure

- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

### **When using this product**

- do not use more than directed

### **Stop use and ask doctor if**

- you get nervous, dizzy, or sleepless
- symptoms do not get better within 7 days, come back or occur with a fever, rash, or persistent headache. These could be signs of a serious illness.

### **Pregnancy/Breastfeeding**

ask a health professional before use.

### **Keep out of reach of children**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### **Directions**

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- children under 12 years of age: do not use

### **For 600 mg/60 mg**

■ adults and children 12 years and older: 2 tablets every 12 hours; not more than 4 tablets in 24 hours

### **For 1200 mg/120 mg**

■ adults and children 12 years and older: 1 tablet every 12 hours; not more than 2 tablets in 24 hours

### **Other information**

- tamper evident: do not use if carton is open or if printed seal on blister is broken or missing.

## **Storage**

■ store between 20°-25°C (68°-77°F)

## **Inactive ingredients**

FD & C yellow #6, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, silicon dioxide.

## **Questions**

call **1-888-375-3784**

You may also report side effect to this phone number.

**Keep the carton.**

**It contains important information.**

**See end panel for expiration date.**

Manufactured by:

**Dr. Reddy's Laboratories Limited**

Srikakulam - 532 409 INDIA

## **Principal Display Panel- Carton**

Guaifenesin and Pseudoephedrine HCl ER Tablets 1200 mg/120 mg: 24s



**Active Ingredient/Active Moiety**

| Ingredient Name   | Basis of Strength             | Strength |
|---|-------------------------------|----------|
| <b>Guaifenesin</b> (UNII: 495W7451VQ) (Guaifenesin - UNII:495W7451VQ)                       | Guaifenesin                   | 1200 mg  |
| <b>Pseudoephedrine Hydrochloride</b> (UNII: 6V9V2RYJ8N) (Pseudoephedrine - UNII:7CUC9DDI9F) | Pseudoephedrine Hydrochloride | 120 mg   |

**Inactive Ingredients**

| Ingredient Name                                       | Strength |
|---|----------|
| <b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)       |          |
| <b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)               |          |
| <b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)         |          |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)          |          |
| <b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U) |          |
| <b>POVIDONE</b> (UNII: FZ989GH94E)                    |          |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)             |          |

**Product Characteristics**

|                 |         |                     |          |
|-----------------|---------|---------------------|----------|
| <b>Color</b>    | ORANGE  | <b>Score</b>        | no score |
| <b>Shape</b>    | CAPSULE | <b>Size</b>         | 22mm     |
| <b>Flavor</b>   |         | <b>Imprint Code</b> | RDY;799  |
| <b>Contains</b> |         |                     |          |

**Packaging**

| # | Item Code        | Package Description                                     | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:11822-7399-4 | 4 in 1 CARTON   | 01/15/2020           |                    |
| 1 |                  | 6 in 1 BLISTER PACK; Type 0: Not a Combination Product  |                      |                    |
| 2 | NDC:11822-7399-6 | 2 in 1 CARTON   | 05/31/2020           |                    |
| 2 |                  | 12 in 1 BLISTER PACK; Type 0: Not a Combination Product |                      |                    |

**Marketing Information**

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| ANDA               | ANDA208369                               | 01/15/2020           |                    |

**Labeler** - Rite Aid Corporation (014578892)