

THIAMINE HYDROCHLORIDE- thiamine hydrochloride injection
Covetrus North America

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Thiamine Hydrochloride
500mg/mL Injectable Sterile Solution

Recommended Use:

For use as a supplemental source of thiamine in dogs, cats, and horses.

Each mL Contains:

Thiamine Hydrochloride.....500 mg
Disodium Edetate.....0.01% w/v
Benzyle Alcohol (as preservative).....1.5% v/v
Water for Injection.....q.s.
pH adjusted with Hydrochloric acid or Sodium Hydroxide

Dosage:

For intravenous or intramuscular use as determined by the veterinarian.

Warning:

Anaphylactogenesis to parental thiamine has occurred. Administer slowly and with caution in doses over 0.10 mL (50mg)

Store at controlled temperatures between 15° and 30°C (59° - 86°F).

Reorder #002489

Questions?

(855) 724-346

Covetrus North America

400 Metro Place North

Dublin, OH 43017

covetrus.com

Made in the USA

AH-002489-02

V-0347-04

L6566-0220

ISS: 0220

REV: 0220

Principal Display Panel

THIAMINE HYDROCHLORIDE

500 mg/mL Injectable Sterile Solution

For use in dogs, cats and horses

Caution: Federal law restricts this drug to use by or on the order of a licensed veterinarian

FOR ANIMAL USE ONLY

KEEP OUT OF THE REACH OF CHILDREN

100 mL (3.4 fl oz)



NDC: 11 695-1234-5

Thiamine hydrochloride

500 mg/mL injectable sterile solution

For use in dogs, cats, and horses

Caution: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

For animal use only
Keep out of the reach of children

Net contents: 100 mL (3.4 fl oz)



8 40066 50170 3

Recommended use: For use as a supplemental source of thiamine in dogs, cats, and horses.

Each mL contains:
 thiamine hydrochloride 500 mg
 disodium edetate 0.01% w/v
 benzyl alcohol (preservative) 1.6% v/v
 water for injection q.s.
 pH adjusted with hydrochloric acid or sodium hydroxide

Dosage: For intravenous or intramuscular use as determined by the veterinarian.

Warning: Anaphylactogenesis to parenteral thiamine has occurred. Administer slowly and with caution in doses over 0.10 mL (50 mg).
 Store at controlled temperature between 15° and 30°C (59° - 86°F).

Reorder #002489
Questions?
 (855) 724-3461

Distributed by:
 Covetrus North America
 400 Metro Place North
 Dublin, OH 43017
 covetrus.com

Made in the USA
 AH-002489-02
 V-0347-04
 L6566-0220
 ISS: 0220
 REV: 0220

Lot No. _____ Exp. Date _____



NDC: 11 695-1234-5

Thiamine hydrochloride

500 mg/mL injectable sterile solution

For use in dogs, cats, and horses

Caution: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

For animal use only
Keep out of the reach of children

Net contents: 100 mL (3.4 fl oz)



8 40066 50170 3

Recommended use: For use as a supplemental source of thiamine in dogs, cats, and horses.

Each mL contains:
 thiamine hydrochloride 500 mg
 disodium edetate 0.01% w/v
 benzyl alcohol (preservative) 1.6% v/v
 water for injection q.s.
 pH adjusted with hydrochloric acid or sodium hydroxide

Dosage: For intravenous or intramuscular use as determined by the veterinarian.

Warning: Anaphylactogenesis to parenteral thiamine has occurred. Administer slowly and with caution in doses over 0.10 mL (50 mg).
 Store at controlled temperature between 15° and 30°C (59° - 86°F).

Reorder #002489
Questions?
 (855) 724-3461

Distributed by:
 Covetrus North America
 400 Metro Place North
 Dublin, OH 43017
 covetrus.com

Made in the USA
 AH-002489-02
 V-0347-04
 L6566-0220
 ISS: 0220
 REV: 0220

Lot No. _____ Exp. Date _____



NDC: 11 695-1234-5

Thiamine hydrochloride

500 mg/mL injectable sterile solution

For use in dogs, cats, and horses

Caution: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

For animal use only
Keep out of the reach of children

Net contents: 100 mL (3.4 fl oz)



8 40066 50170 3

Recommended use: For use as a supplemental source of thiamine in dogs, cats, and horses.

Each mL contains:
 thiamine hydrochloride 500 mg
 disodium edetate 0.01% w/v
 benzyl alcohol (preservative) 1.6% v/v
 water for injection q.s.
 pH adjusted with hydrochloric acid or sodium hydroxide

Dosage: For intravenous or intramuscular use as determined by the veterinarian.

Warning: Anaphylactogenesis to parenteral thiamine has occurred. Administer slowly and with caution in doses over 0.10 mL (50 mg).
 Store at controlled temperature between 15° and 30°C (59° - 86°F).

Reorder #002489
Questions?
 (855) 724-3461

Distributed by:
 Covetrus North America
 400 Metro Place North
 Dublin, OH 43017
 covetrus.com

Made in the USA
 AH-002489-02
 V-0347-04
 L6566-0220
 ISS: 0220
 REV: 0220

Lot No. _____ Exp. Date _____

THIAMINE HYDROCHLORIDE

thiamine hydrochloride injection

Product Information

Product Type	PRESCRIPTION ANIMAL DRUG	Item Code (Source)	NDC:11695-1234
Route of Administration	INTRAVENOUS, INTRAMUSCULAR		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
THIAMINE HYDROCHLORIDE (UNII: M572600E5P) (THIAMINE ION - UNII:4ABT0J945J)	THIAMINE HYDROCHLORIDE	500 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
EDETATE DISODIUM (UNII: 7FLD91C86K)	.1 mg in 1 mL
BENZYL ALCOHOL (UNII: LKG8494WBH)	.015 mL in 1 mL
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11695-1234-5	100 mL in 1 VIAL, MULTI-DOSE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		06/01/2000	

Labeler - Covetrus North America (603750329)

Registrant - Sparhawk Laboratories, Inc. (147979082)

Establishment

Name	Address	ID/FEI	Business Operations
Sparhawk Laboratories, Inc.		147979082	analysis, manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Jiangxi Tianxin Pharmaceutical Co., Ltd.		527410270	api manufacture

