## MINOXIDIL 5% (FOR MEN)- minoxidil aerosol, foam Kroger Company

-----

## Minoxidil 5% (For Men)

## **Active ingredient**

Minoxidil 5% w/w (without propellant)

#### Purpose

Hair regrowth treatment for men

## Use

to regrow hair on the top of the scalp (vertex only, see pictures on side of this carton)

## Warnings

#### For external use only.

#### For use by men only.

**Extremely Flammable:** Avoid fire, flame, or smoking during and immediately following application.

# Do not use if

- you are a woman
- your amount of hair loss is different than that shown on side of this carton or your hair loss is on the front of the scalp. 5% minoxidil topical foam is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

# Ask a doctor before use if you have heart disease

#### When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage.

For some men, you may need to use this product for at least 4 months before you see results.

• the amount of hair regrowth is different for each person. This product will not work for all men.

# Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

# May be harmful if used when pregnant or breast-feeding.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

# Directions

- apply half a capful 2 times a day to the scalp in the hair loss area
- massage into scalp with fingers, then wash hands well
- see enclosed leaflet for complete directions on how to use
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth or hair loss will begin again

# Other information

- hair growth has been shown in a clinical study of men (mostly white) aged 18-49 years who used it for 4 months
- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed leaflet
- keep the carton. It contains important information.
- store at controlled room temperature 20° to 25°C (68° to 77°F)
- contents under pressure. Do not puncture or incinerate container.
- do not expose to heat or store at temperatures above 120°F (49°C).

# Inactive ingredients

butylated hydroxytoluene, cetyl alcohol, citric acid anhydrous, dehydrated alcohol, isobutane, lactic acid, n-butane, polysorbate 60, propane, purified water, stearyl alcohol

# Questions?

• Call **1-800-632-6900** 

DISTRIBUTED BY THE KROGER CO. CINCINNATI, OH 45202

# **PRINCIPAL DISPLAY PANEL - 60 g Can Carton**

COMPARE TO

THE ACTIVE INGREDIENT IN MEN'S ROGAINE<sup>®</sup>\*

NDC 59450-210-01 Kroger® \*SEE SIDE PANEL

#1 DERMATOLOGIST RECOMMENDED ACTIVE INGREDIENT<sup>†</sup>

EASY-TO-USE FOAM

Minoxidil Topical Aerosol, 5% (For Men)

Hair Regrowth Treatment

CLINICALLY PROVEN TO HELP REGROW HAIR REACTIVATES HAIR FOLLICLES TO STIMULATE REGROWTH

UNSCENTED

NOT FOR USE BY WOMEN

ONE MONTH SUPPLY

One 60 g (2.11 oz) Can





MINOXIDIL	-	R MEN)					
minoxidil aerosol, f	oam						
Product Inform	ation						
Product Type		HUMAN OTC DRUG	Item Cod	le (Source)	NDC	:59450-210	)
Route of Administ	tration	TOPICAL					
Active Ingredie	nt/Active	Moietv					
Active Ingredient/Active Moiety Ingredient Name				Basis of Stren	ath	Stren	ath
Minoxidil (UNII: 5965	-	oxidil - UNII:5965120SH1)		Minoxidil	gen	50 mg in	-
		,				<b>J</b>	5
Institut Ingrad	ionto						
Inactive Ingred	ients	Ingradiant Nama				Strongt	h
alcohol (UNII: 3K9958	3V90M)	Ingredient Name				Strengt	"
anhydrous citric ac		7D3PSL)					
butane (UNII: 6LV4FC	· ·	,					
butylated hydroxyte		1P9D0Z171K)					
cetyl alcohol (UNII: 9							
isobutane (UNII: BXR	49TP611)						
lactic acid, unspeci	fied form (UI	NII: 33X04XA5AT)					
polysorbate 60 (UNI	I: CAL22UVI4M	1)					
propane (UNII: T75W	9911L6)						
stearyl alcohol (UNI		)					
water (UNII: 059QF0k	(O0R)						
Product Charac	toristics						
Color		te to off-white)		Score			
Shape				Size			
Flavor				Imprint Code			
Contains				•			
Packaging							
# Item Code	Pac	kage Description	Ma	arketing Start Date	Ма	rketing E Date	Ind
<b>1</b> NDC:59450-210-	L in 1 CARTON		10/18	/2022		Date	
1 6	50 g in 1 CAN; Product	Type 0: Not a Combination	n				

NDC 50450 210

<b>2</b> 03	3 in 1 CARTON	10/18/2022						
2	60 g in 1 CAN; Type 0: Not a Combination Product							
Marketing Information								
Marketing	Information							
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date					
Marketing	Application Number or Monograph	-	-					

Labeler - Kroger Company (006999528)

Revised: 10/2022

Kroger Company