

**MEDICHOICE TRIPLE ANTIBIOTIC- bacitracin ointment
Owens & Minor Inc.**

MediChoice Triple Antibiotic

Drug Facts

Active Ingredient

Bacitracin 400 units

Neomycin Sulfate 5 mg (Equivalent to 3.5 mg. Neomycin)

Polymyxin B Sulfate 5000 units

Purpose

first aid antibiotic

Uses

First aid to help prevent infection in: • minor cuts • scrapes • burns

Warnings

• for external use only

Do not use:

• in the eyes or over large areas of the body. In case of deep puncture wounds, animal bites, or serious burns, consult a doctor. • Do not use if you are allergic to any of the ingredients. • Do not use longer than 1 week unless directed by a doctor

Stop use and ask a doctor:

• if the condition persists or gets worse, or if a rash or other allergic reaction develops.

KEEP OUT OF REACH OF CHILDREN.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions:

• clean the affected area • apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily • may be covered with a sterile bandage

Other Information:

- Tamper Evident. Do not use if packet is torn, cut or opened.
- Avoid excessive heat and humidity
- Store at a controlled room temperature 15° to 30°C (59° to 86°F)

Inactive Ingredients:

white petrolatum.

Product Labels

NDC# 39892-0830-1

MEDI CHOICE

Triple Antibiotic
First Aid Antibiotic
0.9 g (1/32 oz.)

Reorder: OINT209 **MADE IN USA**

Drug Facts	
Active ingredients	Purpose
(in each gram)	
Bacitracin Zinc (400 units Bacitracin)	
Neomycin sulfate (3.5 mg Neomycin)	
Polymyxin B Sulfate	First aid
(Polymyxin B 5000 units)...	antibiotic

Uses first aid to help prevent infection in minor cuts, scrapes and burns
--

Warnings For external use only ▶
--

Drug Facts (continued)
Do not use ■ internally ■ in eyes ■ over large areas of the body or on puncture wounds, animal bites or serious burns ■ for more than 1 week unless directed by a doctor ■ if you are allergic to any of the ingredients
Stop use and ask a doctor if ■ a rash or allergic reaction develops ■ condition worsens or persists
Keep out of reach of children If ingested, contact a Poison Control Center right away.
Directions ■ clean affected area ■ apply a small amount 1 to 3 times daily ■ may cover with a sterile bandage
Inactive ingredient petrolatum

Distributed by Owens & Minor
9120 Lockwood Boulevard
Mechanicsville, VA 23116

Triple Antibiotic First Aid

MEDICHOICE®

NDC# 39892-0830-1

NDC# 39892-0830-1

MEDICHOICE®

Triple Antibiotic First Aid Antibiotic

Reorder: OINT209



144 Packets/Box
0.9 gram packets

Drug Facts

Active Ingredient (In Each Gram)	Purpose
Bacitracin 400 units	first aid antibiotic
Neomycin Sulfate 5 mg (Equivalent to 3.5 mg. Neomycin)	first aid antibiotic
Polymyxin B Sulfate 5000 units	first aid antibiotic

Uses: First aid to help prevent infection in: • minor cuts • scrapes • burns

Warnings:
• For external use only

Do not use:
• in the eyes or apply over large areas of the body. In case of deep puncture wounds, animal bites, or serious burns, consult a doctor. • Do not use if you are allergic to any of the ingredients. • Do not use longer than 1 week unless directed by a doctor.

Stop use and consult a doctor:
• if the condition persists or gets worse, or if a rash or other allergic reaction develops.

KEEP OUT OF REACH OF CHILDREN. If swallowed, get medical help or contact a Poison Control Center right away.

Directions:
• Clean the affected area
• apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily • may be covered with a sterile bandage

Other Information:
• Tamper Evident. Do not use if packet is torn, cut or opened.
• Avoid excessive heat and humidity
• Store at a controlled room temperature 15° to 30°C (59° to 86°F)

Inactive Ingredients: white petrolatum.

Distributed by Owens & Minor
9120 Lockwood Boulevard • Mechanicsville, VA 23116



3 08 85432 13333 0



MEDICHOICE TRIPLE ANTIBIOTIC

bacitracin ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:39892-0830
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN (UNII: 58H6RWO52I) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ.07J96K)	POLYMYXIN B	5000 [iU] in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:39892-0830-1	144 in 1 CARTON	03/27/2015	
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	03/27/2015	

Labeler - Owens & Minor Inc. (847412269)

Registrant - Owens & Minor Inc. (847412269)

Revised: 12/2023

Owens & Minor Inc.