SLEEP AID- diphenhydramine hcl capsule Safeway, Inc.

Drug Facts

Active ingredient (in each softgel)

Diphenhydramine HCL 50 mg

Purpose

Nighttime sleep-aid

Use

for relief of occasional sleeplessness.

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

avoid alcoholic drinks.

Stop use and ask a doctor if

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

 adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor

Other information

• store between 15-30°C (59-86°F)

Inactive ingredients

FD&C blue #1, gelatin, glycerin, polyethylene glycol, purified water, sorbitan, sorbitol, white ink

Questions or comments?

Call 1-877-723-3929 Monday-Friday 9AM-5PM EST

Principal Display Panel

COMPARE TO Unisom® SleepGels® active ingredient†

Sleep-Aid Softgels

DIPHENHYDRAMINE HCL 50 mg

Nighttime Sleep-Aid

- Non habit-forming
- Fall asleep fast
- Sleep soundly
- Wake up refreshed

SOFTGELS

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

†This product is not manufactured or distributed by Chattem, Inc., distributor of Unisom® SleepGels®.

DISTRIBUTED BY:

BETTER LIVING BRANDS LLC

P.O. BOX 99, PLEASANTON, CA 94566-0009

www.betterlivingbrandsLLC.com

Package Label

Drug Facts

Active ingredient (in each softgel)

Diphenhydramine HCl 50 mg.

Purpose

Nighttime sleep-aid

Use For relief of occasional sleeplessness

Warnings

for children under 12 years of age

■ with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have a breathing problem such as emphysema or chronic bronchitis

■ glaucoma trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product, avoid alcoholic drinks.

Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

■ adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor

Other information ■ store between 15-30°C (59-86°F)

Inactive ingredients FD&C blue #1, gelatin, glycerin, polyethylene glycol, purified water, sorbitan, sorbitol, white ink

Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

[†]This product is not manufactured or distributed by Chattem, Inc., distributor of Unisom® SleepGels®.

DISTRIBUTED BY BETTER LIVING BRANDS LLC P.O. BOX 99, PLEASANTON, CA 94566-0009 1-888-723-3929 www.betterlivingbrandsLLC.com

OUR PROMISE 100% **GUARANTEED**





Scan here for more information

Product of China PLD-J633A FC008042

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

One softgel per dose



32 SOFTGELS

 Wake up refreshed * Sleep soundly

sei qeelze llei •

Non habit-forming

COMPARE TO

"slaDqaal2 "mozinU

active ingredient†

biA-qeelS emitthgiN

DIPHENHYDRAMINE HCI 50 mg

slagtto2 biA-qaal2

γισυστιγς



NDC 51130-860-35

SLEEP AID

diphenhydramine hcl capsule

Product Information

Route of Administration ORAL

Active Ingredient/Active Moiety Ingredient Name Basis of Strength DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M) DIPHENHYDRAMINE HYDROCHLORIDE 50 mg

Inactive Ingredients			
Ingredient Name	Strength		
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)			
GELATIN (UNII: 2G86QN327L)			
GLYCERIN (UNII: PDC6A3C0OX)			
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)			
WATER (UNII: 059QF0KO0R)			
SORBITAN (UNII: 6092ICV9RU)			
SORBITOL (UNII: 506T60A25R)			

Product Characteristics						
Color	blue	Score	no score			
Shape	CAPSULE	Size	13mm			
Flavor		Imprint Code	P50			
Contains						

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:21130- 860-32	1 in 1 BOX	11/29/2019				
1		32 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product					
2	NDC:21130- 860-96	96 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/29/2019				

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
OTC Monograph Drug	M010	11/29/2019				

Labeler - Safeway, Inc. (009137209)

Revised: 5/2024 Safeway, Inc.