

HONGO KILLER- tolnaftate aerosol, spray
Efficient Laboratories Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients: **Purpose**
Miconazole Nitrate 2%..... Antifungal

Purpose
Antifungal

Warnings

For external use only

Flammable:Contents under pressure. Do not puncture or incinerate or store at a temperature above 120 degrees F. Use only as directed. intentional misuse by deliberately concentrating and inhaling aerosol products can be harmful or fatal. Do not use near flame or spark or while smoking.

Do not use

- for diaper rash
- on children under 2 years of age

When using this product avoid contact with the eyes

Stop use and ask a doctor if irritation occurs or if there is no improvement within 4 weeks (for athlete's foot or ringworm) or within 2 weeks (for jock itch).

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area and dry thoroughly
- shake can well before use: Hold can about 6 inches from the area to be treated.
- apply a thin layer over the affected area twice daily (morning and night), or as directed by a doctor
- supervise children in the use of this product

Athlete's Foot and Ringworm - use daily for 4 weeks

Jock Itch - use daily for 2 weeks

If condition persists longer, consult a doctor

This product is not effective on the scalp or nails **For athlete's foot:**

- pay special attention to the spaces between the toes
- wear well-fitting, ventilated shoes, and change shoes and socks at least once daily

Uses

Proven clinically effective in the treatment of most:

- athlete's foot (tinea pedis)
- jock itch (tinea cruris)
- ringworm (tinea corporis)

For effective relief of:

- itching
- cracking
- burning
- scaling
- discomfort

Questions or comments?

Please Call 305-805-3456 (M-F 9:00-5:00 pm EST)

Inactive ingredients acetone, ethoxydiglycol, propylene glycol, SD alcohol 40-B (74% w/w), tocopheryl acetate

ANTIFUNGAL



Hongo Killer[®] Ultra

Spray Liquid

Cures Most Athlete's Foot

Cura la mayoría del Pie de Atletista



NET WT. 5.3 OZ. (150g)

MICONAZOLE NITRATE 2%

Drug Facts

Active ingredient Miconazole nitrate 2%.....**Purpose** Antifungal

Uses Proven clinically effective in the treatment of most:
 ■ athlete's foot (tinea pedis) ■ jock itch (tinea cruris)
 ■ ringworm (tinea corporis)
 For effective relief of: ■ itching ■ cracking ■ burning
 ■ scaling ■ discomfort

Warnings. For external use only.

Do not use ■ for diaper rash ■ on children under 2 years of age

When using this product avoid contact with the eyes

Stop use and ask a doctor if irritation occurs or if there is no improvement within 4 weeks (for athlete's foot or ringworm) or within 2 weeks (for jock itch).

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ clean the affected area and dry thoroughly
 ■ shake can well before use; hold can about 6 inches from the area to be treated
 ■ apply a thin layer over the affected area twice daily (morning and night), or as directed by a doctor
 ■ supervise children in the use of this product

athlete's foot and ringworm	use daily for 4 weeks
jock itch	use daily for 2 weeks

If condition persists longer, consult a doctor
 ■ this product is not effective on the scalp or nails
For athlete's foot: ■ pay special attention to the spaces between the toes ■ wear well-fitting, ventilated shoes, and change shoes and socks at least once daily

Other information ■ store at room temperature 68-77 °F (20-25 °C)
Flammable: Contents under pressure. Do not puncture or incinerate or store at a temperature above 120°F (49°C). Use only as directed. Intentional misuse by deliberately concentrating and inhaling aerosol products can be harmful or fatal. Do not use near flame or spark or while smoking.

Inactive ingredients acetone, ethoxydiglycol, propylene glycol, SD alcohol 40-B (74% w/w), tocopheryl acetate.

Questions or comments?
 1-305-805-3456 (M-F 9:00am – 5:00pm EST)

Información General

Ingrediente Activo Nitrato de miconazole 2%.....**Propósito** Antifungal

Usos Clínicamente probado ser efectivo para el tratamiento en la mayoría de:
 ■ pie de atleta (tinea pedis) ■ picor/ ardor entre piernas (tinea cruris)
 ■ tiña (tinea corporis) Para un alivio efectivo de: ■ picor ■ grietas
 ■ quemazón ■ escamas ■ molestia

Advertencias. Para uso externo solamente.

No use ■ para la erupción de pañal ■ en niños menores de 2 años de edad

Evite el contacto con los ojos cuando use este producto

Si surge irritación o la condición no mejora en 4 semanas (para el pie de atleta o tiña) o 2 semanas para picor entre piernas, pare el uso de este producto y consulte con su médico.

Manténgalo fuera del alcance de los niños. En caso de ingerirse accidentalmente busque asistencia médica o llame al Centro de Tratamiento por Envenenamiento inmediatamente.

Instrucciones

■ lave bien el área afectada y séquela bien
 ■ agite bien la lata antes de usarla; sosténgala a 6 pulgadas del área que se tratará
 ■ aplique una capa fina sobre el área afectada 2 veces al día (mañana y noche), o como lo indique el médico
 ■ supervise los niños al usar este producto

Para el pie de atleta o tiña	use diariamente por 4 semanas
Para el picor entre piernas	use diariamente por 2 semanas

Si la condición persiste por más tiempo, consulte a un médico
 ■ este producto no es efectivo en el cuero cabelludo o en las uñas
Para el pie de atleta: ■ ponga especial atención al área entre los dedos.
 ■ use zapatos cómodos y bien ventilados, cambie medias y zapatos diariamente

Información adicional ■ mantenga este producto en temperatura ambiental 68-77 °F (20-25 °C)
Inflamable: Contenido bajo presión. No pinche, incinere, o almacene en una temperatura sobre 120°F (49°C). Utilícelo solamente según lo indicado. El uso incorrecto e intencional de inhalar deliberadamente los productos en aerosol puede ser dañino o fatal. No lo utilice cerca de las llamas, o chispa o mientras fume.

Ingredientes inactivos
 acetato de tocoferol, acetona, ethoxydiglycol, propileno glicol, SD alcohol 40-B (74% p/p)

¿Pregunta o comentarios?
 1-305-805-3456 (L-V 9:00am – 5:00pm EST)



0 00856 00625 6

Distributed By: Efficient Laboratories, Inc.
 Miami, FL 33166 www.efficientlabs.com

Manufactured in the USA

DOT-SP 14842 M5706
 Rev. 06/18
 0072P

HONGO KILLER			
tolnaftate aerosol, spray			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58593-625
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
MICONAZOLE NITRATE (UNII: VW4H1CYW1K) (MICONAZOLE - UNII: 7NNO0D7S5M)		MICONAZOLE NITRATE	0.2 g in 10 g
Inactive Ingredients			
Ingredient Name			Strength
ACETONE (UNII: 1364PS73AF)			
DIETHYLENE GLYCOL MONOETHYL ETHER (UNII: A1A18X02B)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
ALCOHOL (UNII: 3K9958V90M)			

.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58593-625-53	150 g in 1 CANISTER; Type 0: Not a Combination Product	10/01/2004	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333C	10/01/2004	

Labeler - Efficient Laboratories Inc (969044932)

Revised: 12/2021

Efficient Laboratories Inc