ORIGINAL NO DRIP NASAL WALGREENS- oxymetazoline hydrochloride - 0.05% liquid Walgreens

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient

Purpose

Oxymetazoline Hydrochloride - 0.05% Nazal Decongestant

Uses

For the temporary relief of nasal congestion due to the common cold, hay fever or other upper respiratory allergies. Shrinks swollowen membranes so you can breathe more freely

Warnings

Ask doctor before use if person has heart disease, high blood pressure, thyroid disease, diabetes, or if adult has difficulty in urination due to enlargement of the prostate gland unless directed by a doctor.

When using this product

Do not exceed recommended dosage

Do not use this product for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen. This product may cause temporary discomfort such as burning, stinging, sneezing, or an increase in nasal discharge. The use of this container by more than one person may spread infection.

Stop Use and ask doctor if symptoms persist

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

Direction

Adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period. Children under 6 years of age: consult a doctor.

Inactive ingredients

Benzalkonium Chloride
Benzyl Alcohol
Cellulose Gum
Disodium EDTA
Disodium Phosphate
Flavor
Microcrystalline Cellulose
PEG-12
Povidone
Sodium Phosphate



DO NOT USE IF PRINTED SEAL OVER CAP IS TORN OR MISSING

Drug Facts

Active ingredient

 Store between 15"-30" C (59"- 86" F Purpose

Oxymetazoline hydrochloride 0.05%....Nasal decongestant

Uses • for the temporary relief of nasal congestion due to: the common cold, hay fever or other upper respiratory allergies . shrinks swollen membranes so you can breathe more freely

Warnings

Do not use if you have

- heart disease
 high blood pressure
 thyroid disease
- diabetes trouble urinating due to enlarged prostate gland unless directed by a doctor

When using this product

- · do not exceed recommended dosage
- · do not use for more than 3 days. Use only as directed.
- may cause temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge
- the use of this container by more than one person may spread infection
- · frequent or prolonged use may cause nasal congestion to recur or worsen

Stop use and ask a doctor if symptoms persist.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Before using the first time, remove the protective cap from the tip and prime pump by depressing pump firmly several times. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use,

- · adults and children 6 to under 12 years of age (with adult supervision): 1 or 2 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses within any 24-hour period
- children under 6 years of age: consult a doctor

Walgreens Pharmacist Recommended Walgreens Pharmacist Survey This product is not manufactured or distributed by Bayer HealthCare LLC, the distributor of Afrin® No Drip Original Pump Mist.

Inactive ingredients

Other information

Drug Facts (continued)

Benzalkonium Chloride, Benzyl Alcohol, Cellulose Gum, Disodium EDTA, Disodium Phosphate, Flavor, Microcrystalline Cellulose, PEG-12, Povidone, Sodium Phosphate, Water,

IMPORTANT:

KEEP OUTER CARTON FOR FUTURE REFERENCE ON FULL LABELING

Cap Removal Instructions:

To remove cap, squeeze cap at base on opposite sides on the two smooth impressions with fingers. While squeezing, twist cap counterclockwise to remove. Remove clip and press down to use. Refer to directions on top of cap.

To reapply cap, turn cap on pump clockwise until it locks.

Questions or comments? 1-866-483-2846

DISTRIBUTED BY: WALGREEN CO. 200 WILMOT RD., DEERFIELD, IL 60015 100% SATISFACTION GUARANTEED walgreens.com @2017 Walgreen Co.

ORIGINAL NO DRIP NASAL WALGREENS

oxymetazoline hydrochloride - 0.05% liquid

Product Information

Product Type HUMAN OTC DRUG NDC:0363-7005 Item Code (Source)

TOPICAL **Route of Administration**

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
xymetazoline Hydrochloride (UNII: K89MJ0S5VY) (OXYMETAZOLINE -	Oxymetazoline	0.05 g

UNII:8 VLN5B44ZY)

Hydro chlo ride

in 100 mL

Inactive Ingredients	
Ingredient Name	Strength
Benzalkonium Chloride (UNII: F5UM2KM3W7)	
Benzyl Alcohol (UNII: LKG8494WBH)	
EDETATE DISO DIUM ANHYDRO US (UNII: 8 NLQ36 F6 MM)	
SO DIUM PHO SPHATE, DIBASIC, ANHYDRO US (UNII: 22ADO 53M6 F)	
CELLULOSE, MICRO CRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL 600 (UNII: NL4J9F21N9)	
Povidone (UNII: FZ989GH94E)	
Sodium Phosphate (UNII: SE337SVY37)	
water (UNII: 059QF0KO0R)	

l	Packaging			
	# Item Code	Package Description	Marketing Start Date	Marketing End Date
ı	1 NDC:0363-7005-01	1 in 1 CARTON	07/01/2016	
ı	1	15 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	07/01/2016	

Labeler - Walgreens (008965063)

Registrant - Product Quest Mfg. (927768135)

Establishment			
Name	Address	ID/FEI	Business Operations
Product Quest Mfg.		927768135	manufacture(0363-7005), label(0363-7005)

Revised: 1/2018 Walgreens