

**4219 FIRST AID KIT- 4219 first aid kit
Honeywell Safety Products USA, INC**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

0498-4219: First Aid Kit (EW, triple, HC cr, Sting relief- 013061-4454)

Eyewash

Active ingredient

Sterile Water 99%

Eyewash

Purpose

Eyewash

Eyewash

Uses

- for flushing the eye to remove loose foreign material, air pollutants or chlorinated water

Eyewash

Warnings

For external use only Obtain immediate medical treatment for all open wounds in or near eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.

Do not use

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away.

Stop use and ask a doctor if

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away.

Eyewash

Directions

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

Eyewash

Inactive ingredients

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

Eyewash

Questions

1-800-430-5490

Triple

Active ingredient (each gram contains)

Bacitracin zinc 400 units - Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)
Polymyxin B sulfate 5000 units

Triple

Purpose

First aid antibiotic
First aid antibiotic
First aid antibiotic

Triple

Uses

first aid to help prevent infection in

- minor cuts
- scrapes
- burns

Triple

Warnings

For external use only

Allergy alert do not use if you are allergic to any of the ingredients

Do not use

- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- a deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

Keep out of the reach of children

- If swallowed, get medical help or contact a Poison Control Center right away

Triple**Directions**

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Triple**Other information**

store at 15⁰ to 25⁰ C (59⁰ to 77⁰ F) tamper evident sealed packets - do not use if packet is torn or opened

Triple**Inactive ingredient**

petrolatum

Triple**Questions**

1-800-430-5490

Sting Relief**Active ingredient (in each wipe)**

Ethyl alcohol 50.0% Lidocaine HCl 2.0%

Sting Relief**Purpose**

Antiseptic-Topical pain relief

Sting Relief

Uses

- prevent infection in minor scrapes, and temporary relief of itching of insect bites

Sting Relief

Warnings

For external use only

Flammable, keep away from open fire or flame

Do not use

- over large areas of the body
- in eyes
- over raw or blistered areas

Stop use and ask a doctor

- if conditions worsen or persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control Center right away.

Sting Relief

Directions

- adults and children 2 years and older: Apply to cleaned affected area not more than 3 times daily.
- children under 2 years of age: consult a doctor.

Sting Relief

Inactive ingredients

benzalkonium chloride, menthol, and purified water

Questions or Comments?

1-800-430-5490

Hydrocortisone Cream

Active ingredient (in each gram)

Hydrocortisone acetate (equivalent to Hydrocortisone 1%)

Hydrocortisone

Purpose

Anti-itch cream

Hydrocortisone

Uses

- for the temporary relief of itching associated with minor skin irritations and rashes

Hydrocortisone

Warnings

For external use only

Ask a doctor before use if

- you are using any other hydrocortisone product

When using the product

- avoid contact with eyes
- do not begin use of any other hydrocortisone product unless you have consulted a doctor
- do not use for the treatment of diaper rash

Stop use and ask a doctor if

- condition worsens
- condition persists for more than 7 days
- condition clears up and recurs within a few days

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away.

Hydrocortisone

Directions

- **adults and children 2 years and older:**
- clean the affected area
- apply to the area not more than 3 to 4 times daily
- **children under 2 years of age:** consult a doctor

Hydrocortisone

Other information

- store at room temperature (do not freeze)

Hydrocortisone

Inactive ingredients

cetyl alcohol, citric acid, diazolidinyl urea, edetate disodium, glycerin, glyceryl monostearate, methylparaben, mineral oil, polyethylene glycol, propylene glycol, propylparaben ..

**Hydrocortisone
Questions or Comments?**

1-800-430-5490

**4219
013061-4454 Kit Contents**

- 1 FNGRTIP-5 PER, KNCKL BDG-4 PER
- 1 TRIPLE ANTIBIOTIC 10 PER
- 1 TRIANGULAR BDG, NON-STERILE
- 1 BANDAGE COMP, 3" OFFSET, 2 PER
- 1 ADHESIVE BDG,PLSTIC,1"X3"16PER
- 1 ADH BAND, EXTRA LARGE, 6 PER
- 1 1 OZ EYE WASH W/PADS & STRIPS
- 1 HYDROCORTISONE,1.0%,1/32 OZ,10P
- 1 NITRILE GLOVES 2PR BBP
- 1 CPR MICROSHIELD W/2 PR LTX GLV
- 1 BBP PROTECT APPAREL KIT
- LBL STOCK 6-3/8"X4"
- 1 LBL STOCK 3"x1-7/8"
- 1 LABEL RAPID BLANK 24U/50P
- 1 KIT STL 24 UN WHITE 01
- 1 STING RELIEF 10

**Eyewash
*Principal Display Panel***

HoneywellTAMPER-EVIDENT CAP.
TAPA CON SELLO DE SEGURIDAD.
BOUCHON INDICATEUR D'INFRACTION.**eyesaline®****LAVAOJOS
EYESALINE****EYESALINE
EYEWASH****LAVAGE
OCULAIRE
EYESALINE**Solución
Isotónico EstérilSterile
Isotonic SolutionLa Solution
Isotonique Stérile**16 fl. oz. (473 mL)****Drug Facts (for USA only)****Active ingredient** Sterile water 99% **Purpose** Eyewash**Uses**

for flushing the eye to remove loose foreign material, air pollutants, or chlorinated water.

Warnings

For external use only - Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.

Do not use

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away

Stop use and consult a doctor if:

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.**Directions**

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

Inactive ingredients

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

Questions? Call 1-800-430-5490

Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

LABEL #22-00054-0000
REORDER / NUEVO / PEDIDO / REAPROVISIONAMIENTO #22-00054-0000

space for lot code and supplier part number

PEEL / PELAR / PEELER

Datos de medicamento (Para EE.UU. solamente)**Ingrediente Activo** Agua estéril 99%**Propósito** Lavados**Usos**

para el lavado de ojo para quitar las partículas sueltas y extrañas, los contaminantes aéros. o agua de cloruro.

Advertencias

Para uso externo sólo - Obtenga tratamiento médico inmediato para todas las heridas abiertas en o cerca de los ojos. Para evitar la contaminación, no toque la punta del envase con ninguna superficie. No vuelva a usar. Vez abierto, descarte.

No se usa

- si tiene heridas abiertas en o cerca del ojo, obtenga ayuda médica de inmediato.

Deje de usar y consulte a un médico si:

- experimenta dolor de ojo
- cambio de visión
- rojez continuo o irritación del ojo
- la condición empeora o persiste

Manténgase fuera del alcance de los niños.

En caso de ingestión accidental, obtenga atención médica o llame a un Centro de control de envenenamiento inmediatamente.

Instrucciones:

- quite los lentes de contacto antes de usar la solución
- tuerza la tapa para quitar
- enjuague el área afectada según se necesite
- controle el chorro haciendo presión en la botella
- si es necesario, sigue enjuagando con un lavajos o ducha de emergencia

Ingredientes inactivos

cloruro de sodio, fosfato de sodio dibásico, fosfato de sodio monobásico

¿Preguntas? Llame al 1-800-430-5490

Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

Information**Usages**

Pour le rinçage des yeux afin d'enlever un corps étranger, des polluants atmosphériques ou de l'eau chlorée.

Advertissements

Pour usage externe seulement - Obtenir immédiatement des soins médicaux pour toutes les plaies ouvertes dans ou près des yeux. Pour éviter toute contamination, ne pas toucher la pointe du récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jetez-les.

Ne pas utiliser

- si la solución a cambiado de color o si ella es brouillée
- si vous avez des plaies ouvertes aux yeux ou à proximité, consultez immédiatement un médecin

Cessez d'utiliser la solution et consulter un médecin

- vous ressentez une douleur oculaire
- si votre vision change
- rougeur ou irritation persistante des yeux
- condition empire ou persiste

Garder hors de la portée des enfants.

En cas d'ingestion, communiquer immédiatement avec un médecin ou avec un centre antipoison.


Mode d'emploi

- enlever los verres de contact avant l'utilisation
- dévisser le bouchon pour l'enlever
- rincer la zone touchée selon les besoins
- ajuster le débit d'écoulement de la solution en augmentant ou en réduisant la pression exercée sur le contenant
- si nécessaire, continuer de rincer avec unesolution de rinçage oculaire d'urgence ou una douche


Ingrediente eau stérile, chlorure de sodium, phosphate dibasique de sodium, phosphate monobasique de sodium**Des questions?** Faites le 1-800-430-5490

Honeywell Safety Products USA, Inc. Smithfield, RI. 02917


**Triple
Principal Display Panel**



Sting Relief Principal Display Panel



Hydrocortisone Principal Display Panel



**4219 Kit Label
013061-4454**

**46001419 Rev. A
Rapid label BLANK 24U/50P
white printed black**

Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

4219 FIRST AID KIT

4219 first aid kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4219
--------------	----------------	--------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4219-	1 in 1 KIT; Type 0: Not a Combination	10/10/2018	

#	01	Product	OTC/OTC/OTC
---	----	---------	-------------

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	30 mL
Part 2	10 PACKET	9 g
Part 3	10 POUCH	4 mL
Part 4	10 PACKET	9 g
Part 5	10 PACKET	9 g

Part 1 of 5

EYESALINE EMERGENCY EYEWASH

purified water liquid

Product Information

Item Code (Source)	NDC:0498-0100
Route of Administration	OPHTHALMIC

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	12/18/2018	

Part 2 of 5

TRIPLE ANTIBIOTIC

bacitracin zinc, polymyxin b sulfate, neomycin sulfate ointment

Product Information

Item Code (Source)	NDC:0498-0750
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RW052I)	BACITRACIN	400 [iU] in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0750-35	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/19/2018	

Part 3 of 5

STING RELIEF PAD

ethyl alcohol, lidocaine swab

Product Information

Item Code (Source)	NDC:0498-0733
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.5 mL in 1 mL
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
MENTHOL (UNII: L7T10EIP3A)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0733-00	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/23/2017	

Part 4 of 5

HYDROCORTISONE

anti-itch cream ointment

Product Information

Item Code (Source)	NDC:0498-0800
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE ACETATE (UNII: 3X7931PO74) (HYDROCORTISONE - UNII:W4X0X7BPJ)	HYDROCORTISONE ACETATE	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
EDETA DISODIUM (UNII: 7FLD91C86K)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
TROLAMINE (UNII: 9O3K93S3TK)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KOOR)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0800-35	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/06/2013	10/15/2019

Part 5 of 5

HYDROCORTISONE

anti-itch cream

Product Information

Item Code (Source) NDC:0498-0801

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE ACETATE (UNII: 3X7931PO74) (HYDROCORTISONE - UNII:W4X0X7BPJ)	HYDROCORTISONE ACETATE	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
EDETALE DISODIUM (UNII: 7FLD91C86K)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
TROLAMINE (UNII: 9O3K93S3TK)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0801-35	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/15/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

Labeler - Honeywell Safety Products USA, INC (118768815)

Revised: 1/2024

Honeywell Safety Products USA, INC