

**4218 FIRST AID KIT- 4218 first aid**  
**Honeywell Safety Products USA, Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).*

-----  
**0498-4218: First Aid Kit (neomycin, EW, Burn Jel, PVP Wipes, Sting Relief)**  
**010424-4224**

***Active ingredient***

Ammonia 15%

***Purpose***

Respiratory stimulant

***Uses***

to prevent or treat fainting

***Warnings***

**For external use only**

**Do not use**

- if you have asthma or emphysema

**Stop use and ask a doctor if**

- condition persists

**Keep out of reach of children**

If swallowed get medical help or contact a Poison Control Center right away.

***Directions***

- hold inhalant away from face and crush ampoule between thumb and forefinger at position indicated on sleeve.
- hold near nostrils for inhalation of volatile vapor

***Other information***

store at room temperature away from light

***Inactive ingredients***

alcohol USP, FD&C red #40, lavender oil, lemon oil fcc, nutmeg oil, purified water

***Questions or Comments***

**1-800-430-5490**

**Burn Jel*****Active ingredient***

Lidocaine HCl 2.0%

**Burn Jel*****Purpose***

External analgesic

**Burn Jel*****Uses***

- temporarily relieves pain due to minor burns

**Burn Jel*****Warnings***

**For external use only**

**Do not use**

- on large areas of the body, particularly over raw surfaces or blistered areas

**When using this product**

- avoid contact with eyes

**Stop use and ask a doctor if**

- the condition gets worse
- symptoms persist for more than 7 days
- condition clears up and recurs within a few days

**Keep out of reach of children**

- If swallowed, get medical help or contact a Poison Control Center right away.

**Burn JEI*****Directions***

- adults and children 2 years of age and older; apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor

- you may report a serious reaction to this product to 800-430-5490

## **Burn Jel**

### ***Other information***

- store at room temperature - do not use if opened or torn

## **Burn Jel**

### ***Inactive ingredients***

carbopol 940, carbopol 1342, diazolidinyl urea, glycerin, melaleuca alternifolia (tea tree) leaf oil, methylparaben, octoxynol-9, propylene glycol, propylparaben, trolamine, water

## **Burn Jel**

### ***Questions***

1-800-430-5490

## **Sting Relief**

### ***Active ingredient (in each wipe)***

Ethyl alcohol 50.0% Lidocaine HCl 2.0%

## **Sting Relief**

### ***Purpose***

Antiseptic / Topical pain relief

## **Sting Relief**

### ***Uses***

prevent infection in minor scrapes, and temporary relief of itching of insect bites

## **Sting Relief**

### ***Warnings***

### **For external use only**

**Flammable, keep away from open fire or flame**

### **Do not use**

- over large areas of the body
- in eyes
- over raw or blistered areas

### **Stop use and ask a doctor**

- if conditions worsen or persist for more than 7 days or clear up and occur again

within a few days

**Keep out of reach of children.**

- If swallowed, get medical help or contact a Poison Control Center right away.

**Sting Relief**

***Directions***

- adults and children 2 years and older:
- apply to cleaned affected area not more than 3 times daily.
- children under 2 years of age: consult a doctor.

**Sting Relief**

***Inactive ingredient***

benzalkonium chloride, menthol, and purified water

**Sting Relief**

***Questions or Comments?***

1-800-430-5490

**PVP**

***Active ingredient***

Povidone-iodine solution USP, 10% (equivalent to 1% titratable iodine)

**PVP**

***Purpose***

First aid antisepti

**PVP**

***Uses***

- first aid to help prevent the risk of infection in minor cuts, scrapes, and burn

**PVP**

***Warnings***

**For external use only**

**Do not use**

- in the eyes
- over large areas of the body
- on individuals who are allergic or sensitive to iodine

**Ask a doctor before use if you have**

- deep or puncture wounds,
- animal bites
- serious burns

**When using this product**

- do not use longer than one week unless directed by a doctor

**Stop use and ask a doctor if**

- condition persists or gets worse
- irritation and redness develops

**Keep out of reach of children**

- If swallowed, get medical help or contact a Poison Control Center right away

**PVP*****Directions***

Reverse cardboard sleeve, then crush at dot between thumb and forefinger. Allow solution to saturate tip and apply solution to injury.

- clean affected area
- apply to affected area 1 to 3 times daily
- may be covered with a sterile bandage
- discard swab after single use

**PVP*****Other information***

- store at room temperature away from light
- keep from freezing or excessive heat
- do not use if package is torn or open

**PVP*****Inactive ingredients***

citric acid, disodium phosphate, nonoxonyl-9, sodium hydroxide, water

**PVP*****Questions and Comments?***

1-800-430-5490

**Neomycin*****Active ingredient***

Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)

## **Neomycin**

### ***Purpose***

First aid antiseptic

## **Neomycin**

### ***Uses***

First aid antibioticfirst aid to help prevent infection in

- minor cuts
- scrapes
- burns

## **Neomycin**

### ***Warnings***

**For external use only**

#### **Do not use**

- in the eyes
- over large areas of the body

#### **Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

#### **Stop use and ask a doctor if**

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

#### **Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

## **Neomycin**

### ***Directions***

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

## **Neomycin**

### ***Other information***

- store at 15 ° to 25 ° C (59 ° to 77 ° F)

**Neomycin**  
***Inactive ingredient***

petrolatum

**Neomycin**  
***Questions?***

1-800-430-5490

**4218**  
**010424-4224 Kit Contents**

2 KNUCKLE BAND 8 PER  
1 NEOMYCIN ANTIBIOTIC 10 PER  
1 AMMONIA INHALANTS 10 PER  
3 GAUZE BANDAGE, 4" X 6 YD  
1 TOURNIQUET AND FORCEPS 1 EA  
3 TRIANGULAR BDG, NON-STERILE  
1 WIRE SPLINT 1 PER  
1 ADH TAPE, .5" X 2.5 YD, 2 PER  
3 GAUZE COMPRESS, 1728 SQ IN 1  
2 GAUZE COMP, 1 SQ YARD, 1 PER  
3 BANDAGE COMP, 2" OFFSET, 4 PER  
2 BANDAGE COMP, 4" OFFSET, 1 PER  
3 ADHESIVE BDG, PLSTIC, 1" X 3" 16 PER  
1 FINGERTIP BANDAGE, 10 PER  
1 1 OZ EYE WASH W/PADS & STRIPS  
1 BURN JEL 1/8 OZ, 6 PER  
1 PVP IODINE WIPES 10 PER  
1 BIOHAZARD BAG/SCRAPER BBP  
1 CPR MICROSHIELD W/2 PR LTX GLV  
1 SCISSOR BDGE 4" RED PLS HDL  
LBL STOCK 6-3/8" X 4"  
1 LBL STOCK 3" X 1-7/8"  
1 LBL CONTS 8" X 8", CUSTOM ID B

1 KIT STL 36 UN WHT 01 HOR SHELF



1 LABL INSTR 24 & 36 UNIT KITS

1 STING RELIEF 10

### **Principal Display Panel**



796006 Rev. E Unit Carton Printing Plate for "A" size carton.



Principal Display Panel

796353 Rev. E Unit Carton Printing Plate for "B" size cartor

Plate

FRONT SIDE

Rev E  
901850



02-10-20

**Burn Jel®**  
**Lidocaine HCl 2%**  
**External Analgesic**

6 Packets, Net Wt 1/8 oz (3.5 g) each

Distributed by  
Honeywell Safety  
Products USA, Inc.  
Smithfield, RI 02917


PACKAGE NOT CHILD-RESISTANT

ANSI Z398.1-20

15/16"


BACK SIDE

Rev E  
901850




**Drug Facts**  
**Active ingredient**  
Lidocaine HCl 2%  
**Purpose**  
External analgesic  
**Uses**  
temporarily relieves pain due to minor burns  
**Warnings**  
For external use only  
Do not use over large areas of the body, particularly over raw surfaces or blistered areas.  
When using this product avoid contact with eyes  
**Stop use and ask a doctor if**  
• the condition gets worse  
• symptoms persist for more than 7 days  
• condition clears up and recurs within a few days  
**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away  
**Directions**  
• adults and children 2 years of age and older: apply to affected area not more than 3 - 4 times daily  
• children under 2 years of age: ask a doctor  
• you may report a serious adverse reaction to this product to 800-430-5490  
**Other information**  
• store at room temperature 15 - 30°C (59-86°F) • do not use torn or open  
**Inactive ingredient** carbopol 940, carbopol 1342, diazolidinyl urea, glycerin, melaleuca alternifolia (t  
tree) leaf oil, methylparaben, octoxynol-9, propylene glycol, propylparaben, triethylamine, water  
**Questions or comments?** 1-800-430-5490

Sting Relief  
Principal Display Panel





PVP  
Principal Display Panel



Neomycin  
Principal Display Panel

**796041-25 Rev A** Unit Carton Printing Plate for “C” size carton.



**010424-4224**

46001404 Rev. C  
prints 2 colors black and red (pms 485)

# **Refill Information**

**US Poison Control 1-800-222-1222**

46001404 Rev. C

Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

## 4218 FIRST AID KIT

4218 first aid kit

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4218
--------------	----------------	--------------------	---------------

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4218-01	1 in 1 KIT	09/13/2018	

### Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	10 AMPULE	3 mL
Part 2	6 PACKET	21 g
Part 3	10 POUCH	4 mL
Part 4	10 POUCH	3 mL
Part 5	1 BOTTLE	30 mL
Part 6	10 PACKET	9 g

## Part 1 of 6

### AMMONIA INHALENT

ammonia inhalent inhalant

### Product Information

Item Code (Source)	NDC:0498-3334
Route of Administration	RESPIRATORY (INHALATION)

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AMMONIA (UNII: 5138Q19F1X) (AMMONIA - UNII:5138Q19F1X)	AMMONIA	0.045 g in 0.3 mL

### Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:0498-3334-00	0.3 mL in 1 AMPULE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
unapproved drug other			09/18/2018	12/01/2022
Part 2 of 6				
BURN JEL				
gel for bums gel				
Product Information				
Item Code (Source)	NDC:0498-0203			
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z 41A) (LIDOCAINE - UNII:98PI200987)		LIDOCAINE HYDROCHLORIDE ANHYDROUS	2 g in 100 g	
Inactive Ingredients				
Ingredient Name			Strength	
TEA TREE OIL (UNII: VIF565UC2G)				
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)				
METHYLPARABEN (UNII: A2I8C7HI9T)				
EDETATE DISODIUM (UNII: 7FLD91C86K)				
GLYCERIN (UNII: PDC6A3C0OX)				
TROLAMINE (UNII: 9O3K93S3TK)				
CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)				
CARBOMER HOMOPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: HHT01Z NK31)				
PROPYLPARABEN (UNII: Z8IX2SC1OH)				
OCTOXYNOL-9 (UNII: 7JPC6Y25QS)				
DIPROPYLENE GLYCOL (UNII: E107L85C40)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date

<b>1</b>	NDC:0498-0203-00	3.5 g in 1 PACKET; Type 0: Not a Combination Product		
----------	------------------	--	--	--

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/19/2018	

### Part 3 of 6

### STING RELIEF PAD

ethyl alcohol, lidocaine swab

### Product Information

<b>Item Code (Source)</b>	NDC:0498-0733
<b>Route of Administration</b>	TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LIDOCAINE HYDROCHLORIDE</b> (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 mL
<b>ALCOHOL</b> (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.5 mL in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
<b>1</b>	NDC:0498-0733-00	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug		12/22/2017	



other		12/23/2017	
-------	--	------------	--

## Part 4 of 6

### PVP IODINE WIPE

povidone-iodine 10% swab

#### Product Information

**Item Code (Source)** NDC:0498-0121

**Route of Administration** TOPICAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>POVIDONE-IODINE</b> (UNII: 85H0HZ U99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

#### Inactive Ingredients

Ingredient Name	Strength
<b>NONOXYNOL-9</b> (UNII: 48Q180SH9T)	
<b>WATER</b> (UNII: 059QF0KO0R)	

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0121-00	0.3 mL in 1 POUCH; Type 0: Not a Combination Product		

#### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

## Part 5 of 6

### EYESALINE EMERGENCY EYEWASH

purified water liquid

#### Product Information

<b>Item Code (Source)</b>	NDC:0498-0100
<b>Route of Administration</b>	OPHTHALMIC

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>WATER</b> (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
<b>SODIUM PHOSPHATE, DIBASIC</b> (UNII: GR686LBA74)	
<b>SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE</b> (UNII: 593YOG76RN)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	12/18/2018	

Part 6 of 6

NEOMYCIN

antibiotic ointment

Product Information

<b>Item Code (Source)</b>	NDC:0498-0730
<b>Route of Administration</b>	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0730-01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/31/2010	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/13/2018	

**Labeler** - Honeywell Safety Products USA, Inc. (118768815)