

HYDROGEN PEROXIDE- hydrogen peroxide solution

McKesson Medical-Surgical Inc.

Hydrogen Peroxide

Drug Facts

Active Ingredient

Hydrogen Peroxide (stabilized) 3%

Purpose

First Aid Antiseptic/Oral Debriding Agent

Uses

- First aid to help prevent the risk of infection in minor cuts, scrapes and burns
- Aids in the removal of phlegm, mucous, or other secretions associated with occasional sore mouth

Warnings

- For external use only
- Do not use
 - in the eyes or apply over large areas of the body
 - longer than 1 week
- Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns
- Stop use and ask a doctor if
 - the condition persists or gets worse
 - sore mouth symptoms do not improve in 7 days
 - irritation, pain, or redness persists or worsens
 - swelling, rash, or fever develops
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

First aid antiseptic:

- Clean the affected area
- Apply a small amount of

Oral debriding agent (oral rinse):
adults and children 2 years of age
and over:

- Mix with an equal amount of

- | | |
|---|---|
| <ul style="list-style-type: none">• Apply a small amount of product on the area 1 to 3 times daily• May be covered with a sterile bandage• If bandaged, let dry first | <ul style="list-style-type: none">• water• Swish around in the mouth over the affected area for at least 1 minute and then spit out• Use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor |
|---|---|

- Children under 12 years of age should be supervised in the use of this product
- Children under 2 years of age: consult a dentist or doctor

Other Information

Keep tightly closed and at controlled room temperature. Do not shake bottle. Hold away from face when opening.

Inactive Ingredient

purified water

Distributed By McKesson Medical-Surgical Inc.
Richmond, VA 23228

PRINCIPAL DISPLAY PANEL - 3.8 L Bottle Label

NDC 68599-2305-9

McKESSON

Hydrogen

Peroxide 3%

TOPICAL SOLUTION USP

FIRST AID ANTISEPTIC

ORAL DEBRIDING AGENT

For treatment of minor cuts and abrasions.

For use as a gargle or rinse.

1

GALLON

(3.8 L)

TAMPER EVIDENT CAP FOR YOUR PROTECTION.

IF RING-BAND IS DETACHED FROM CAP OR MISSING DO NOT USE.

Distributed By McKesson Medical-Surgical Inc.

Richmond, VA 23233

VPN B0819

Made in USA

MFR # **23-A0013**

Case


NDC 68599-2305-9

MCKESSON

Hydrogen Peroxide 3%

TOPICAL SOLUTION USP | FIRST AID ANTISEPTIC
ORAL DEBRIDING AGENT

For treatment of minor cuts and abrasions.
For use as a gargle or rinse. Tamper evident cap
for your protection. If ring-band is detached from
cap or missing, do not use.



1

GALLON
(3.8 L)

Distributed by McKesson Medical-Surgical Inc.
Richmond, VA 23233
VPN B0819
Made In USA

LOT

EXP

MFR # **23-A0013**

Drug Facts

Active Ingredient

Hydrogen Peroxide (stabilized) 3%

Purpose

First Aid Antiseptic
/Oral Debriding Agent

Uses

First aid to help prevent the risk of infection in minor cuts, scrapes and burns ■ Aids in the removal of phlegm, mucous, or other secretions associated with occasional sore mouth

Warnings

For external use only.

■ Do not use ■ in the eyes or apply over large areas of the body ■ longer than 1 week
■ Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns ■ Stop use and ask a doctor if ■ the condition persists or gets worse ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain, or redness persists or worsens ■ swelling, rash, or fever develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

First aid antiseptic: ■ Clean the affected area ■ Apply a small amount of product on the area 1 to 3 times daily ■ May be covered with a sterile bandage ■ If bandaged, let dry first ■ Oral debriding agent (oral rinse): adults and children 2 years of age and over: ■ Mix with an equal amount of water ■ Swish around in the mouth over the affected area for at least 1 minute and then spit out ■ Use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor

■ Children under 12 years of age should be supervised in the use of this product
■ Children under 2 years of age: consult a dentist or doctor

Other Information

Keep tightly closed and at controlled room temperature. Do not shake bottle. Hold away from face when opening.

Inactive Ingredient

purified water

Questions? Call 1-800-777-4908



NDC 68599-2305-9

23-A0013

McKESSON

Hydrogen Peroxide 3%

TOPICAL SOLUTION USP | FIRST AID ANTISEPTIC | ORAL DEBRIDING AGENT

For treatment of minor cuts and abrasions. For use as a gargle or rinse. Tamper evident cap for your protection. If ring-band is detached from cap or missing, do not use

1 | **4**
 GALLON | BOTTLES
 (3.8 L) | PER CASE

Store in a cool, dark place at a controlled room temperature.

Distributed by McKesson Medical-Surgical Inc.
 Richmond, VA 23233
 PVN B0819
 Made In USA

LOT
 EXP

MFR# 23-A0013



HYDROGEN PEROXIDE

hydrogen peroxide solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68599-2305
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68599-2305-9	3800 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/14/2013	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	11/14/2013	

Labeler - McKesson Medical-Surgical Inc. (023904428)

Establishment

Name	Address	ID/FEI	Business Operations
Hydrox Laboratories		025164302	manufacture(68599-2305)

Revised: 10/2023

McKesson Medical-Surgical Inc.