

**4400 FIRST AID KIT- 4400 first aid kit
4264 FIRST AID KIT- 4264 first aid kit
4266 FIRST AID KIT- 4266 first aid kit
4265 FIRST AID KIT- 4265 first aid kit
4310 FIRST AID KIT- 4310 first aid kit
Honeywell Safety Products USA, INC**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

0498-4264, 4265, 4266, 4310, 4400:First Aid Kit (Neomycin, EW, alcohol wipes, Burn Sray, Antiseptic Spray, Hand Sanitizer, aypanal- FAK100CAB-CLSB, FAK150CAB-CLSB, FAK200CAB-CLSB, SF00004442, FAKREF100-B)

Eyesaline

Active ingredient

Sterile Water 99%

Eyesaline

Purpose

Eyewash

Eyesaline

Uses

- for flushing the eye to remove loose foreign material, air pollutants or chlorinated water

Eyesaline

Warnings

For external use only-

Obtain immediate medical treatment for all open wounds in or near eyes.

To avoid contamination, do not touch tip of container to any surface.

Do not reuse. Once opened, discard.

Do not use

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away.

Stop use and ask a doctor if

- you experience eye pain
- changes in vision

- continued redness or irritation of the eye
- condition worsens or persists

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Eyesaline

Directions

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

Eyesaline

Inactive ingredients

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

Eyesaline

Questions

1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI 02917

Alcohol Wipe

Active ingredient

Isopropyl alcohol 70%

Alcohol Wipe

Purpose

First aid antiseptic

Alcohol Wipe

Uses

- first aid to help prevent infection in minor cuts, scrapes, and burns

Alcohol Wipe

Warnings

For external use only

Do not use

- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burn

When using this product

- do not use longer than one week unless directed by a doctor

Stop use and consult a doctor

- if condition persists or gets worse

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away.

Alcohol Wipe***Directions***

- clean the affected area
- apply wipe to affected area 1 to 3 times daily
- may be covered with a sterile bandage
- discard wipe after single use

Alcohol Wipe***Other information***

store at room temperature 15⁰ to 25⁰ C (59⁰ to 77⁰F)

Alcohol Wipe***Inactive ingredient***

water

Alcohol Wipe***Questions***

1-800-430-5490

Aypanal***Active ingredient***

Acetaminophen 325 mg

Aypanal Purpose

Pain reliever/ fever reducer

Aypanaly

Uses

- temporarily relieves minor aches and pains due to the common cold and headache - temporarily reduces fever

Keep out of reach of children.

Keep out of reach of children.

Aypanal Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg in 24 hours, which is the maximum daily amount
- child takes more than 5 doses in 24 hours, which is the maximum daily amount
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product:

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash
- If a skin rash occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription).
- If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have

- liver disease

Ask a doctor or pharmacist before use if

- you are taking the blood thinning drug warfarin

Stop using and ask a doctor if

- pain gets worse or lasts more than 10 days in adults
- pain gets worse or lasts more than 5 days in children under 12 years

- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

If pregnant or breast-feeding

If pregnant or breast-feeding, ask a health professional before use.

Overdose warning

- In case of accidental overdose, get medical help or contact a Poison Control Center right away.
- Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Aypanal

Directions

do not take more than directed (see overdose warning)

adults and children 12 years of age or older

- take two tablets every 4-6 hours while symptoms last
- do not take more than 12 tablets in 24 hours

children 6 to under 12 years of age

- take 1 tablet every 4-6 hours while symptoms last
- do not take more than 5 tablets in 24 hours

children under 6 years consult a doctor

Aypanal

Other information

- store at room temperature 15⁰ to 30⁰ C (59⁰ - 86⁰ F)
- TAMPER EVIDENT PACKETS- DO NOT USE IF OPEN OR TORN

Aypanal

Inactive ingredients

corn starch, microcrystalline cellulose, povidone, sodium starch glycolate, stearic acid

Aypanal

Questions

1-800-430-5490

Neomycin

Active ingredient

Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)

Neomycin

Purpose

First aid antibiotic

Neomycin

Uses

- first aid to help prevent infection in - minor cuts - scrapes - burns

Do not use

- in the eyes
- over large areas of the body

Neomycin

Warnings

For external use only

Do not use

- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- a rash or other allergic reaction develops
- you need to use longer than 1 week

Stop use and ask a doctor if

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away

Neomycin

Direction

- clean the affected area

- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Neomycin

Other information

store at 15⁰ to 25⁰ C (59⁰ to 77⁰ F)

Neomycin

Inactive ingredient

petrolatum

Neomycin

Questions?

1-800-430-5490

Antiseptic Spray

Active ingredient

Benzalkonium chloride 0.13%

Antiseptic Spray

Purpose

First aid antiseptic

Antiseptic Spray

Uses

- first aid to help prevent infection in minor cuts, scrapes and burns

Antiseptic Spray

Warnings

For external use only

Do not use

- in or near the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites

- serious burns

When using this product

- do not use longer than one week unless directed by a doctor

Stop use and ask a doctor if

- the condition persists or gets worse

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away

Antiseptic Spray

Directions

- clean the affected area
- spray a small amount of this product on the area 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first

Antiseptic Spray

Other information

- shake well
- store at room temperature 15 °-30 ° C (59 ° -86 ° F)

Antiseptic Spray

Inactive ingredients

diazolidinyl urea, edetate disodium, glycerin, hypromellose, methylparaben, octoxynol 9, propylene glycol, propylparaben, trolamine, water

Antiseptic Spray

Questions

1-800-430-5490

Burn Spray

Active ingredient

Benzethonium chloride 0.2% w/w

Benzocaine 10% w/w

Menthol 0.33% w/w

Burn Spray

Purpose

Benzethonium chloride 0.2% w/w

Benzocaine 10% w/w

Menthol 0.33% w/w

Burn Spray

Uses

for the temporary relief of pain and itching and helps protect against infection in:

- minor cuts and scrapes
- burns
- sunburn
- insect bites
- minor skin irritations

Burn Spray

Warnings

For external use only

Flammable

- keep away from fire or flame
- contents under pressure
- do not puncture or incinerate container
- do not expose to temperatures above 120 0 F

Do not use

- in or near the eyes or other mucous membranes
- in case of serious burns
- in case of deep or puncture wounds
- for prolonged period of time
- on large portion of the body

Stop use and ask a doctor if

- condition worsens or symptoms persist for more than 7 days
- condition clears up and recurs within a few days
- redness, swelling, or irritation occurs

Keep out of the reach of children

- If swallowed, get medical help or contact a Poison Control Center right away.

Burn Spray

Directions

- clean the affected area
- shake can well before using
- hold 4 - 6 inches from surface and spray area until wet
- may be covered with a sterile bandage, if bandaged let dry first
- for adult institutional use only

- not intended for use on children

Burn Spray

Other information

- avoid inhaling
- use only as directed
- intentional misuse by deliberately concentrating or inhaling the contents may be harmful or fatal

Burn Spray

Inactive ingredients

dipropylene glycol, isobutane, n-butane, propane

Hans Sanitizer

Active ingredient

Ethyl alcohol 62%

Hand Sanitizer

Purpose

Antiseptic handwash

Hand Sanitizer

Uses

- for hand washing to decrease bacteria on skin
- recommended for repeated use

Hand Sanitizer

Warnings

For external use only

Flammable, keep away from fire or flame

When using this product

- do not use in the eyes
- discontinue use if irritation and redness develops. If condition persists for more than 72 hours consult a doctor.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Hand Sanitizer

Directions

- wet hands thoroughly with product and allow to dry without wiping

Hand Sanitizer***Other information***

store at 15 ° to 25 ° C (59 ° to 77 ° F)

Hand Sanitizer***Inactive ingredients***

acrylates/C10-30 alkyl acrylate crosspolymer, aloe barbadensis leaf juice, dl-alpha tocopheryl acetate, fragrance, PEG-60 almond glycerides, propylene glycol, purified water, triisopropanolamine

Hand Sanitizer***Questions or Comments?***

1-800-275-3433 info@waterjel.com www.waterjel.com

4265

FAK150CAB-CLSB kit contents

1 1X3 PLASTIC 100/BOX
1 FINGERTIP "T" WOVEN 40/BOX
1 SWIFT KNUCKLE 40/BX
3 NEOMYCIN ANTIBIOTIC 10 PER
2 EYE DRESS PKT W/4 ADH STRIPS
1 TOURNIQUET, 1 PER
1 WIRE SPLINT 1 PER
1 ADH BAND, EXTRA LARGE, 6 PER
1 ALCOHOL PREP PADS 10P
1 ADHESIVE TAPE W/P 1/2"X 5 YD
2 O/H PUMP ANTISEPTIC 2 OZ ID F
2 O/H PUMP BURN RELIEF 2 OZ ID G
1 FIRST AID GUIDE ASHI
2 TAPE ADHESIVE 1"X 5 YD PLSTC
20 HAND SANITIZER 0.9G WJ BULK
6 GAUZE CLEAN-WRAP BDGE N/S 2"
6 GAUZE CLEAN-WRAP BDGE N/S 4"

4 BLOODSTOPPER

2 NON-ADHERENT PADS 2"X3" 10'S

1 GZE PADS STERILE 2"X 2" 10'S

1 GZE PADS STERILE 3"X 3" 25'S

3 ELASTIC BANDAGE 3" X 4.5YD

1 CPR FILTERSHIELD 77-100

1 AYPANAL NON-ASP IND 2/ENV 100

1 4OZ BFS EYEWASH TRILINGUAL BOTTLE

1 SCISSOR BDGE 4" RED PLS HDL

1 KIT TWEEZER 3 1/2" SLANTED

1 LBL STOCK 6-3/8"X4"

1 LBL STOCK 4"X2-7/8"

8 PR LRG NITRILE GLVES ZIP BAG

2 WATER-JEL BURN DRESSING 4 X 4

1 KIT STL LARGE FA CABINET

1 LBL CONTENTS ANSI 2015 CL B

1 LBL CAB CVR ANSI 2015 CL B

2 TRI BNDG NON WOVEN 40"X40"X56"

3 COLD PACK UNIT 4"X6" BULK

4266

FAK200CAB-CLSB kit contents

1 1X3 PLASTIC 100/BOX

1 FINGERTIP 'T" WOVEN 40/BOX

1 SWIFT KNUCKLE 40/BX

3 NEOMYCIN ANTIBIOTIC 10 PER

3 EYE DRESS PKT W/4 ADH STRIPS

1 TOURNIQUET, 1 PER

1 WIRE SPLINT 1 PER

1 ADH BAND, EXTRA LARGE, 6 PER

2 ALCOHOL PREP PADS 10P

2 ADHESIVE TAPE W/P 1/2"X 5 YD

2 O/H PUMP ANTISEPTIC 2 OZ ID F

2 O/H PUMP BURN RELIEF 2 OZ ID G

1 FIRST AID GUIDE ASHI

2 TAPE ADHESIVE 1"X 5 YD PLSTC

30 HAND SANITIZER 0.9G WJ BULK

8 GAUZE CLEAN-WRAP BDGE N/S 2"

8 GAUZE CLEAN-WRAP BDGE N/S 4"

4 BLOODSTOPPER

2 NON-ADHERENT PADS 2"X3" 10'S

2 GZE PADS STERILE 2"X 2" 10'S

2 GZE PADS STERILE 3"X 3" 25'S

4 ELASTIC BANDAGE 3" X 4.5YD

1 CPR FILTERSHIELD 77-100

2 AYPANAL NON-ASP IND 2/ENV 100

2 4OZ BFS EYEWASH TRILINGUAL BOTTLE

1 SCISSOR BDGE 4" RED PLS HDL

1 KIT TWEEZER 3 1/2" SLANTED

1 LBL STOCK 6-3/8"X4"

1 LBL STOCK 4"X2-7/8"

8 PR LRG NITRILE GLVES ZIP BAG

3 WATER-JEL BURN DRESSING 4 X 4

1 KIT STL DELUXE FA CABINET

1 POCKET FA CABINET LARGE

1 SHELF LG FA CABINET

1 LBL CONTENTS ANSI 2015 CL B

1 LBL CAB CVR ANSI 2015 CL B

8 CORNER STYROFOAM 3X3X3

3 TRI BNDG NON WOVEN 40"X40"X56"

4 COLD PACK UNIT 4"X6" BULK

4310

SF00004442 Kit Contents

1 1X3 PLASTIC 100/BOX

1 FINGERTIP "T" WOVEN 40/BOX

1 SWIFT KNUCKLE 40/BX
3 NEOMYCIN ANTIBIOTIC 10 PER
2 EYE DRESS PKT W/4 ADH STRIPS
1 TOURNIQUET, 1 PER
1 WIRE SPLINT 1 PER
1 ADH BAND, EXTRA LARGE, 6 PER
1 ALCOHOL PREP PADS 10P
1 O/H PUMP ANTISEPTIC 2 OZ ID F
1 O/H PUMP BURN RELIEF 2 OZ ID G
1 FIRST AID GUIDE ASHI
2 TAPE ADHESIVE 1"X 5 YD PLSTC
10 HAND SANITIZER 0.9G WJ BULK
4 GAUZE CLEAN-WRAP BDGE N/S 2"
4 GAUZE CLEAN-WRAP BDGE N/S 4"
4 BLOODSTOPPER
1 NON-ADHERENT PADS 2"X3" 10'S
1 GZE PADS STERILE 2"X 2" 10'S
1 GZE PADS STERILE 3"X 3" 25'S
1 ELASTIC BANDAGE 3" X 4.5YD
1 CPR FILTERSHIELD 77-100
1 AYPANAL NON-ASP IND 2/ENV 100
1 4OZ BFS EYEWASH TRILINGUAL BOTTLE
1 SCISSOR BDGE 4" RED PLS HDL
1 KIT TWEEZER 3 1/2" SLANTED
1 LBL STOCK 6-3/8"X4"
1 LBL STOCK 4"X2-7/8"
8 PR LRG NITRILE GLVES
2 WATER-JEL BURN DRESSING 4 X 4
1 KIT ST MED FA CABINET-SP SHELF
2 TRI BNDG NON WOVEN 40"X40"X56"
2 COLD PACK UNIT 4"X6" BULK

FAKREF100-B Kit Contents

1 1X3 PLASTIC 100/BOX
1 FINGERTIP "T" WOVEN 40/BOX
1 SWIFT KNUCKLE 40/BX
1 HAND SANITIZER 10/PER
1 NEOMYCIN OINT 0.9 GM , UNTZD 25/BX
2 EYE DRESS PKT W/4 ADH STRIPS
1 TOURNIQUET
1 WIRE SPLINT 1 PER
1 ADH BAND, EXTRA LARGE, 6 PER
1 ALCOHOL PREP PADS 10P
1 O/H PUMP ANTISEPTIC 2 OZ ID F
1 O/H PUMP BURN RELIEF 2 OZ ID G
1 FIRST AID GUIDE ASHI
2 TAPE ADHESIVE 1"X 5 YD PLSTC
4 GAUZE CLEAN-WRAP BDGE N/S 2"
4 GAUZE CLEAN-WRAP BDGE N/S 4"
4 BLOODSTOPPER
1 NON-ADHERENT PADS 2"X3" 10'S
1 GZE PADS STERILE 2"X 2" 10'S
1 GZE PADS STERILE 3"X 3" 25'S
1 ELASTIC BANDAGE 3" X 4.5YD
1 CPR FILTERSHIELD 77-100
1 AYPANAL NON-ASP IND 2/ENV 100
1 4OZ BFS EYEWASH TRILINGUAL BOTTLE
1 SCISSOR BDGE 4" RED PLS HDL
1 KIT TWEEZER 3 1/2" SLANTED
LBL STOCK 6-3/8"X4"
1 LBL STOCK 3"x1-7/8"
2 2 PR LRG NITRILE GLVES ZIP BAG
2 BURN-STOP BURN DRESSING 4 X 4
2 TRI BNDG NON WOVEN 40"X40"X56"
2 COLD PACK UNIT 4"X6" BULK

Eyesaline Principal Display Panel

Honeywell

TAMPER-EVIDENT CAP.
TAPA CON SELLO DE SEGURIDAD.
BOUCHON INDICATEUR D'INFRACTION.

eyesaline®

LAVAOJOS
EYESALINE EYESALINE
EYEWASH EYEWASH

Solución
Isotónico Estéril Sterile
Isotonic Solution La Solution
Isotonique Stérile

16 fl. oz. (473 mL)

NPN: 80057528

64809 45033 7

Barcode

Drug Facts (for USA only)

Active ingredient
Sterile water 99% **Purpose**
Eyewash

Uses
For external use only - Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.

Warnings
For external use only - Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.

Do not use
• if solution changes color or becomes cloudy
• if you have open wounds in or near the eyes, get medical help right away

Stop use and consult a doctor if:
• you experience eye pain • changes in vision
• continued redness or irritation of the eye
• condition worsens or persists

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
• remove contacts before using • twist top to remove
• flush the affected area as needed
• control rate of flow by pressure on the bottle
• If necessary, continue flushing with emergency eyewash or shower

Inactive ingredients
sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

Questions? Call 1-800-430-5490
Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

REORDER / NUEVO PEDIDO / RÉAPPROVISIONNEMENT #22-000454-0000

Space for lot code and supplier part number

PEEL / PELAR / PELEAR

Datos de medicamento (Para EE.UU. solamente)

Ingrediente Activo
Agua estéril 99% **Propósito**
Lavajos

Usos
para el lavado de ojo para quitar las partículas sueltas y extrañas, los contaminantes aéros, o agua de cloruro

Advertencias
Para el uso externo sólo - Obtenga tratamiento médico inmediato para todas las heridas abiertas en o cerca de los ojos. Para evitar la contaminación, no toque la punta del envase con ninguna superficie. No vuelva a usar. Vez abierto, descarte.

No se use • si la solución se enturbia o cambia de color
• si tiene heridas abiertas en o cerca del ojo, obtenga ayuda médica de inmediato

Deje de usar y consulte a un médico si:
• experimenta dolor de ojo • cambio de visión
• rojecor continuo o irritación del ojo
• la condición empeora o persiste

Manténgase fuera del alcance de los niños.
En caso de ingestión accidental, obtenga atención médica o llame a un Centro de control de envenenamiento inmediatamente.

Instrucciones
• quite los lentes de contacto antes de usar la solución
• tuerza la tapa para quitar
• enjuague el área afectada según sea necesario
• controle el chorro haciendo presión en la botella
• si es necesario, sigue enjuagando con un lavajos o ducha de emergencia

Ingredientes inactivos
cloruro de sodio, fosfato de sodio dibásico, fosfato de sodio monobásico

¿Preguntas? Llame al 1-800-430-5490
Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

Information

Usages
Pour le rinçage des yeux afin d'enlever un corps étranger, des polluants atmosphériques ou de l'eau chlorée.

Advertissements
Pour usage externe seulement - Obtenir immédiatement des soins médicaux pour toutes les plaies ouvertes aux yeux ou près des yeux. Pour éviter la contamination, ne pas toucher la pointe du récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jetez-les.

Ne pas utiliser
• si la solution a changé de couleur ou si elle est brûlante
• si vous avez des plaies ouvertes aux yeux ou à proximité, consultez immédiatement un médecin

Cesser d'utiliser la solution et consulter un médecin
• vous ressentez une douleur oculaire • si votre vision change
• rougeur ou irritation persistante des yeux
• condition empire ou persiste

Garder hors de la portée des enfants.
En cas d'ingestion, communiquer immédiatement avec un médecin ou avec un centre antipoison.


Mode d'emploi
• enlever les verres de contact avant l'utilisation • dévisser le bouchon pour l'enlever • rincer la zone touchée selon les besoins • ajuster le débit d'écoulement de la solution en augmentant ou en réduisant la pression exercée sur le contenant
• si nécessaire, continuer de rincer avec une solution de rinçage oculaire d'urgence ou une douche

Ingédients eau stérile, chlorure de sodium, phosphate dibasique de sodium, phosphate monobasique de sodium


Des questions? Faites le 1-800-430-5490
Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

Alcohol Wipe Principal Display Panel

825362T Rev. A
white printed
Pms 072 blue, Pms 186 red,
Pms 7459 blue and black




Aypanal Principal Display Panel



**Neomycin
Principal Display Panel**

796041-25 Rev A Unit Carton Printing Plate for "C" size carton.



Antiseptic Spray

Principal Display Panel

Honeywell	032203
ANTISEPTIC SPRAY	
Benzalkonium chloride	
First Aid Antiseptic	
Net contents 2 fl oz (59 mL)	
ANSI Z308.1-2003	
	
8 21812 01498 2	
Drug Facts	
Active ingredient	
Benzalkonium chloride 0.13% First aid antiseptic	
Uses first aid to help prevent infection in minor cuts, scrapes and burns	
Warnings	
For external use only	
Do not use • in or near the eyes • over large areas of the body	
Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns	
When using this product do not use longer than one week unless directed by a doctor	
Stop use and ask a doctor if condition persists or gets worse	
Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.	
Directions • clean the affected area • spray a small amount of this product on the area 1 to 3 times daily • may be covered with a sterile bandage • if bandaged, let dry first	
Other information • shake well • store at room temperature, 15° to 30°C (59° to 86°F)	
Inactive ingredients diazolidinyl urea, edetate disodium, glycerin, hydromellose, methylparaben, octoxynol 9, propylene glycol, propylparaben, trolamine, water	
Questions or comments? 1-800-430-5490	
Mfg. for: Honeywell Safety Products USA, Inc. Smithfield, RI 02917 032203 Rev. G	

Burn Spray

Principal Display Panel

SHAKE WELL BEFORE USING

Honeywell BURN SPRAY

Water soluble
Benzethonium chloride
Topical antiseptic
Benzocaine
Topical anesthetic
Menthol
Topical anesthetic

Provides antiseptic treatment
and helps relieve the pain of minor burns
and sunburn.

CAUTION: FLAMMABLE
Contents under pressure
Read warning on back panel.

NET WT. 3 OZ (85gm.)

47-0306

Cat. No. 201005

DRUG FACTS

Active ingredients

Benzethonium chloride 0.2% w/w
Benzocaine 10% w/w
Menthol, 33%

Purpose

Topical antiseptic
Topical anesthetic
Topical anesthetic

Uses • for the temporary relief of pain and itching and helps to protect against infection in
• minor cuts and scrapes • burns • sunburn • insect bites • minor skin irritations

Warnings

For external use only

Flammable • keep away from fire or flame • contents under pressure
• do not puncture or incinerate container • do not expose to temperatures above 120°F

Do not use • in or near eyes or other mucus membranes • in case of serious burns
• in case of deep or puncture wounds • for a prolonged period of time
• on large portion of the body

Stop use and ask a doctor if:

• conditions worsens or symptoms persist for more than 7 days
• condition clears up and recurs within a few days
• redness, swelling or irritation occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• clean the affected area • shake can well before using
• hold 4-6 inches from surface and spray area until wet
• may be covered with a sterile bandage. If bandaged, let dry first
• for adult institutional use only • not intended for use on children

Other information • avoid inhaling • use only as directed
• intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal

Inactive ingredients dipropylene glycol, isobutane, n-butane, propane

Questions or comments? 1-800-430-5490

Distributed by
Honeywell Safety
Products USA, Inc.
Smithfield, RI 02917

Honeywell



6 69635 20032 4

Hand sanitizer
Principal Display Panel



INSTANT

Hand Sanitizer

**Antiseptic Gel
With Vitamin E & Aloe**

***Kills 99.9% of Germs
Without Water***

240mL - (8 fl oz)



**4264 Kit Contents
FAK100CAB-CLSB**

- 1 1X3 PLASTIC 100/BOX
- 1 FINGERTIP "T" WOVEN 40/BOX
- 1 SWIFT KNUCKLE 40/BX
- 3 NEOMYCIN ANTIBIOTIC 10 PER
- 2 EYE DRESS PKT W/4 ADH STRIPS
- 1 TOURNIQUET, 1 PER
- 1 WIRE SPLINT 1 PER
- 1 ADH BAND, EXTRA LARGE, 6 PER
- 1 ALCOHOL PREP PADS 10P
- 1 O/H PUMP ANTISEPTIC 2 OZ ID F
- 1 O/H PUMP BURN RELIEF 2 OZ ID G
- 1 FIRST AID GUIDE ASHI
- 2 TAPE ADHESIVE 1"X 5 YD PLSTC
- 10 HAND SANITIZER 0.9G WJ BULK
- 4 GAUZE CLEAN-WRAP BDGE N/S 2"

4 GAUZE CLEAN-WRAP BDGE N/S 4"

4 BLOODSTOPPER

1 NON-ADHERENT PADS 2"X3" 10'S

1 GZE PADS STERILE 2"X 2" 10'S

1 GZE PADS STERILE 3"X 3" 25'S

1 ELASTIC BANDAGE 3" X 4.5YD

1 CPR FILTERSHIELD 77-100

1 4OZ BFS EYEWASH TRILINGUAL BOTTLE

1 SCISSOR BDGE 4" RED PLS HDL

1 KIT TWEEZER 3 1/2" SLANTED

1 LBL STOCK 6-3/8"X4"

1 LBL STOCK 4"X2-7/8"

8 PR LRG NITRILE GLVES ZIP BAG

2 WATER-JEL BURN DRESSING 4 X 4

1 KIT ST MED FA CABINET-SP SHELF

1 LBL CONTENTS ANSI 2015 CL B


1 LBL CAB CVR ANSI 2015 CL B

2 TRI BNDG NON WOVEN 40"X40"X56"

2 COLD PACK UNIT 4"X6" BULK


**4265 Kit Label
FAK150CAB-CLSB**

777028B Rev. A
white printed four color process
blue (pms 072C) and red (pms 186C)



**4266 Kit Label
FAK200CAB-CLSB**

777028B Rev. A
white printed four color process
blue (pms 072C) and red (pms 186C)




4310 Kit Label
SF00004442

First Aid Kit | Class B

For up to 100 people

**ANSI/ISEA Z308.1 2015
CLASS B KIT COMPLIANT**

Meets Federal OSHA Requirements 1920.151 b



**SAFERITE
SOLUTIONS**

WWW.SAFERITESOLUTIONS.COM

(305) 631-2780

Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

**4400 Kit Label
FAKREF100-B**

46001363 Rev.C
Prints 3 colors
Black, Red (PMS 186) and Blue (PMS 072)

Refill Information

US Poison Control 1-800-222-1222



Contact your authorized Honeywell Safety Products Distributor with your refill orders.

Honeywell

www.honeywellsafety.com

USA	CANADA	EUROPE
1-401-943-4400	1-514-351-7233	+31 (0) 118 656400
1-800-430-4110	1-888-212-7233	

46001363 Rev. C

4400 first aid kit kit

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:0498-4400

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4400-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	118 mL
Part 2	10 POUCH	4 mL
Part 3	50 PACKET	100
Part 4	1 BOTTLE, SPRAY	59 mL
Part 5	1 BOTTLE, SPRAY	59 mL
Part 6	25 PACKET	22.5 g
Part 7	10 PACKAGE	9 mL

Part 1 of 7

EYESALINE EMERGENCY EYEWASH

purified water liquid

Product Information

Item Code (Source)

NDC:0498-0100

Route of Administration

OPHTHALMIC

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-02	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	12/18/2018	

Part 2 of 7

ALCOHOL WIPE

isopropyl alcohol swab

Product Information

Item Code (Source)	NDC:0498-0143		
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	0.7 mL in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0143-04	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug		02/18/2018	

other

09/10/2010

Part 3 of 7

AYPANAL NON-ASPIRIN

acetaminophen tablet

Product Information

Item Code (Source)	NDC:0498-2001
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POVIDONE (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	

Product Characteristics

Color	white	Score	2 pieces
Shape	ROUND	Size	10mm
Flavor		Imprint Code	circle;U
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/10/2012	

Part 4 of 7

BURN RELIEF

lidocaine hydrochloride spray

Product Information

Item Code (Source)	NDC:0498-0221
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	24.64 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C00X)	
TROLAMINE (UNII: 9O3K93S3TK)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
OCTOXYNOL-9 (UNII: 7JPC6Y25QS)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
TEA TREE OIL (UNII: VIF565UC2G)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
DIAZOLIDINYLM UREA (UNII: H5RIZ3MPW4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0221-59	59 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 5 of 7

ANTISEPTIC

benzalkonium chloride spray

Product Information

Item Code (Source)	NDC:0498-0402
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
OCTOXYNOL 9 (UNII: 7JPC6Y25QS)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
EDETA TE DISODIUM (UNII: 7FLD91C86K)	
TROLAMINE (UNII: 9O3K93S3TK)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0402-59	59 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 6 of 7

NEOMYCIN

antibiotic ointment

Product Information

Item Code (Source)	NDC:0498-0730
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0730-01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/31/2010	

Part 7 of 7

INSTANT HAND SANITIZER

alcohol liquid

Product Information

Item Code (Source)	NDC:59898-420
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	62 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
CARBOMER COPOLYMER TYPE A (UNII: 71DD5V995L)	
WATER (UNII: 059QF0KOOR)	
TRIISOPROPANOLAMINE (UNII: W9EN9DLM98)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59898-420-36	0.9 mL in 1 PACKAGE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/15/2010	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

4264 FIRST AID KIT

4264 first aid kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4264

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4264-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity

Part 1	1 BOTTLE	118 mL
Part 2	10 POUCH	4 mL
Part 3	50 PACKET	100
Part 4	1 BOTTLE, SPRAY	59 mL
Part 5	1 BOTTLE, SPRAY	59 mL
Part 6	30 PACKET	27 g
Part 7	10 PACKAGE	9 mL

Part 1 of 7

EYESALINE EMERGENCY EYEWASH

purified water liquid

Product Information

Item Code (Source)	NDC:0498-0100
Route of Administration	OPHTHALMIC

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-02	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	12/18/2018	

Part 2 of 7

ALCOHOL WIPE

isopropyl alcohol swab

Product Information

Item Code (Source)	NDC:0498-0143
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	0.7 mL in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KOOR)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0143-04	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 3 of 7

AYPANAL NON-ASPIRIN

acetaminophen tablet

Product Information

Item Code (Source)	NDC:0498-2001
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POVIDONE (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	

Product Characteristics

Color	white	Score	2 pieces
Shape	ROUND	Size	10mm
Flavor		Imprint Code	circle;U
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/10/2012	

Part 4 of 7

BURN RELIEF

lidocaine hydrochloride spray

Product Information

Item Code (Source)	NDC:0498-0221
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	24.64 mg in 1 mL
---	-----------------------------------	------------------

Inactive Ingredients

Ingredient Name	Strength
EDETA TE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C00X)	
TROLAMINE (UNII: 9O3K93S3TK)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
OCTOXYNOL-9 (UNII: 7JPC6Y25QS)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
TEA TREE OIL (UNII: VIF565UC2G)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
DIAZOLIDINYLMUREA (UNII: H5RIZ3MPW4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0221-59	59 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 5 of 7

ANTISEPTIC

benzalkonium chloride spray

Product Information

Item Code (Source)	NDC:0498-0402
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
OCTOXYNOL 9 (UNII: 7JPC6Y25QS)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
EDETA TE DISODIUM (UNII: 7FLD91C86K)	
TROLAMINE (UNII: 9O3K93S3TK)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0402-59	59 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 6 of 7

NEOMYCIN

antibiotic ointment

Product Information

Item Code (Source)	NDC:0498-0730
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name		Strength
PETROLATUM (UNII: 4T6H12BN9U)		

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0730-01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/31/2010	

Part 7 of 7

INSTANT HAND SANITIZER

alcohol liquid

Product Information

Item Code (Source)	NDC:59898-420
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	62 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
CARBOMER COPOLYMER TYPE A (UNII: 71DD5V995L)	
WATER (UNII: 059QF0KOOR)	
TRIISOPROPANOLAMINE (UNII: W9EN9DLM98)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:59898-420-36	0.9 mL in 1 PACKAGE; Type 0: Not a Combination Product		
----------	------------------	--	--	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/15/2010	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

4266 FIRST AID KIT

4266 first aid kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4266
--------------	----------------	--------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4266-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	2 BOTTLE	236 mL
Part 2	20 POUCH	8 mL
Part 3	100 PACKET	200
Part 4	2 BOTTLE, SPRAY	108 mL
Part 5	2 BOTTLE, SPRAY	108 mL
Part 6	30 PACKET	27 g
Part 7	30 PACKAGE	27 mL

Part 1 of 7

EYESALINE EMERGENCY EYEWASH

purified water liquid

Product Information

Item Code (Source)	NDC:0498-0100
Route of Administration	OPHTHALMIC

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-02	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	12/18/2018	

Part 2 of 7

ALCOHOL WIPE

isopropyl alcohol swab

Product Information

Item Code (Source)	NDC:0498-0143
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL -	ISOPROPYL	0.7 mL

UNII:ND2M416302

ALCOHOL

in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0143-04	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 3 of 7**AYPANAL NON-ASPIRIN**

acetaminophen tablet

Product Information

Item Code (Source)	NDC:0498-2001
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: 08232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POVIDONE (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	

Product Characteristics

Color	white	Score	2 pieces
Shape	ROUND	Size	10mm
Flavor		Imprint Code	circle;U
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/10/2012	

Part 4 of 7

BURN RELIEF

lidocaine hydrochloride spray

Product Information

Item Code (Source)	NDC:0498-0221
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	24.64 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
EDETA DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C00X)	
TROLAMINE (UNII: 9O3K93S3TK)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
OCTOXYNOL-9 (UNII: 7JPC6Y25QS)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
TEA TREE OIL (UNII: VIF565UC2G)	

METHYLPARABEN (UNII: A2I8C7HI9T)

DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0221-59	59 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 5 of 7

ANTISEPTIC

benzalkonium chloride spray

Product Information

Item Code (Source)	NDC:0498-0402		
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
OCTOXYNOL 9 (UNII: 7JPC6Y25QS)	
GLYCERIN (UNII: PDC6A3C00X)	
DIABALM (UNII: H5RIZ3MPW4)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
EDETA DISODIUM (UNII: 7FLD91C86K)	
TROLAMINE (UNII: 9O3K93S3TK)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0402-59	59 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 6 of 7

NEOMYCIN

antibiotic ointment

Product Information

Item Code (Source)	NDC:0498-0730
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0730-01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug		02/21/2010	

other		05/01/2010	
-------	--	------------	--

Part 7 of 7

INSTANT HAND SANITIZER

alcohol liquid

Product Information

Item Code (Source)	NDC:59898-420
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	62 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
CARBOMER COPOLYMER TYPE A (UNII: 71DD5V995L)	
WATER (UNII: 059QF0KOOR)	
TRIISOPROPANOLAMINE (UNII: W9EN9DLM98)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59898-420-36	0.9 mL in 1 PACKAGE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/15/2010	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug		10/18/2010	

other

OTC/OTU/OTU

4265 FIRST AID KIT

4265 first aid kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4265
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4265-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	118 mL
Part 2	10 POUCH	4 mL
Part 3	50 PACKET	100
Part 4	2 BOTTLE, SPRAY	108 mL
Part 5	2 BOTTLE, SPRAY	108 mL
Part 6	30 PACKET	27 g
Part 7	20 PACKAGE	18 mL

Part 1 of 7

EYESALINE EMERGENCY EYEWASH

purified water liquid

Product Information

Item Code (Source)	NDC:0498-0100
Route of Administration	OPHTHALMIC

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength

SODIUM CHLORIDE (UNII: 451W47IQ8X)

SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)

SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-02	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	12/18/2018	

Part 2 of 7

ALCOHOL WIPE

isopropyl alcohol swab

Product Information

Item Code (Source)	NDC:0498-0143
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	0.7 mL in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0143-04	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 3 of 7

AYPANAL NON-ASPIRIN

acetaminophen tablet

Product Information

Item Code (Source)	NDC:0498-2001
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: 08232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POVIDONE (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	

Product Characteristics

Color	white	Score	2 pieces
Shape	ROUND	Size	10mm
Flavor		Imprint Code	circle;U
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/10/2012	

Part 4 of 7

BURN RELIEF

lidocaine hydrochloride spray

Product Information

Item Code (Source)	NDC:0498-0221
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	24.64 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
EDETA TE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C00X)	
TROLAMINE (UNII: 9O3K93S3TK)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KOOR)	
OCTOXYNOL-9 (UNII: 7JPC6Y25QS)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
TEA TREE OIL (UNII: VIF565UC2G)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
DIAZOLIDINYLM UREA (UNII: H5RIZ3MPW4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0221-59	59 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

unapproved drug other	09/18/2018	
--------------------------	------------	--

Part 5 of 7

ANTISEPTIC

benzalkonium chloride spray

Product Information

Item Code (Source)	NDC:0498-0402
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
OCTOXYNOL 9 (UNII: 7JPC6Y25QS)	
GLYCERIN (UNII: PDC6A3C00X)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
EDETA TE DISODIUM (UNII: 7FLD91C86K)	
TROLAMINE (UNII: 9O3K93S3TK)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0402-59	59 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 6 of 7

NEOMYCIN

antibiotic ointment

Product Information

Item Code (Source)	NDC:0498-0730
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0730-01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/31/2010	

Part 7 of 7

INSTANT HAND SANITIZER

alcohol liquid

Product Information

Item Code (Source)	NDC:59898-420
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	62 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WP17EW8)	
CARBOMER COPOLYMER TYPE A (UNII: 71DD5V995L)	
WATER (UNII: 059QF0KOOR)	
TRIISOPROPANOLAMINE (UNII: W9EN9DLM98)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59898-420-36	0.9 mL in 1 PACKAGE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/15/2010	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

4310 FIRST AID KIT

4310 first aid kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4310

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4310-	1 in 1 KIT; Type 0: Not a Combination	10/18/2010	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	118 mL
Part 2	10 POUCH	4 mL
Part 3	50 PACKET	100
Part 4	1 BOTTLE, SPRAY	59 mL
Part 5	1 BOTTLE, SPRAY	59 mL
Part 6	30 PACKET	27 g
Part 7	10 PACKAGE	9 mL

Part 1 of 7**EYESALINE EMERGENCY EYEWASH**

purified water liquid

Product Information

Item Code (Source)	NDC:0498-0100
Route of Administration	OPHTHALMIC

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-02	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

Part 2 of 7

ALCOHOL WIPE

isopropyl alcohol swab

Product Information

Item Code (Source)	NDC:0498-0143
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	0.7 mL in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0143-04	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 3 of 7

AYPANAL NON-ASPIRIN

acetaminophen tablet

Product Information

Item Code (Source)	NDC:0498-2001
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: 08232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POVIDONE (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	

Product Characteristics

Color	white	Score	2 pieces
Shape	ROUND	Size	10mm
Flavor		Imprint Code	circle;U
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/10/2012	

Part 4 of 7

BURN RELIEF

lidocaine hydrochloride spray

Product Information

Item Code (Source)	NDC:0498-0221
Route of Administration	TOPICAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98P1200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	24.64 mg in 1 mL	

Inactive Ingredients		
Ingredient Name	Strength	
EDETA TE DISODIUM (UNII: 7FLD91C86K)		
GLYCERIN (UNII: PDC6A3C00X)		
TROLAMINE (UNII: 9O3K93S3TK)		
PROPYLPARABEN (UNII: Z8IX2SC1OH)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
OCTOXYNOL-9 (UNII: 7JPC6Y25QS)		
HYPROMELLOSES (UNII: 3NXW29V3WO)		
TEA TREE OIL (UNII: VIF565UC2G)		
METHYLPARABEN (UNII: A2I8C7HI9T)		
DIAZOLIDINYLM UREA (UNII: H5RIZ3MPW4)		

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0221-59	59 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		09/18/2018		

Part 5 of 7			
ANTISEPTIC			
benzalkonium chloride spray			

Product Information			
Item Code (Source)	NDC:0498-0402		
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
OCTOXYNOL 9 (UNII: 7JPC6Y25QS)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIAZOLIDINYLN UREA (UNII: H5RIZ3MPW4)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
TROLAMINE (UNII: 903K93S3TK)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0402-59	59 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 6 of 7

NEOMYCIN

antibiotic ointment

Product Information

Item Code (Source)	NDC:0498-0730
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0730-01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/31/2010	

Part 7 of 7**INSTANT HAND SANITIZER**

alcohol liquid

Product Information

Item Code (Source)	NDC:59898-420
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	62 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WP17EW8)	
CARBOMER COPOLYMER TYPE A (UNII: 71DD5V995L)	
WATER (UNII: 059QF0KO0R)	
TRIISOPROPANOLAMINE (UNII: W9EN9DLM98)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59898-420-36	0.9 mL in 1 PACKAGE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/15/2010	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

Labeler - Honeywell Safety Products USA, INC (118768815)

Revised: 1/2024

Honeywell Safety Products USA, INC