# SANITAXE ANTIBACTERIAL AMBER HAND- chloroxylenol liquid NINGBO LIYUAN DAILY CHEMICAL PRODUCTS CO., LTD.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

# **Drug Facts Active ingredients**

Chloroxylenol 0.1 percent

### **Purpose**

Antibacterial

#### Uses

for handwashing to eliminate bacterial and germs on the skin.

#### Warnings

For external use only.

**Do not apply around eyes. Do not use** in ears and mouth.

**When using this product,** avoid contact with eyes. In case of contact flush eyes with water.

#### Stop use and ask a doctor if

redness or irritation develops and persists for more than 72 hours.

### Keep out of reach of children.

Children must be supervised in use of this product.

#### Directions

wet hands. Apply palmful to hands. Scrub thoroughly. Rinse.

#### Other information

• store at 20 Degree Celsius (68 to 77 Fahrenheit). May discolor fabrics.

## **Inactive ingredients**

Water (Aqua), Sodium Laureth Sulfate, Cocamidopropyl Betaine, Sodium Lauryl Sulfate, Glycerin, Sodium Chloride, Fragrance, Citric Acid, PEG-150 Distearate, Methylchloroisothiazolinone, Methylisothiazolinone, FD&C Yellow No.5.

#### **Loading Instructions**

- 1. Tear tab off of box and pull out tube. Pull down nozzle until tube extends from bottom of box.
- 2. Place Bag-In-Box into dispenser. Guide nozzle fitment into valve channel and close dispenser. Push

button to prime.

DO NOT OPEN BOX





Place Bag-In-Box into dispenser.
 Guide nozzle fitment into valve channel and close dispenser.
 Push button to prime.





## ANTIBACTERIAL HAND SOAP

Drug Facts	
Active Ingredients	Purpose
Chloroxylenol 0.1%	Antibacterial
Uses for handwashing to eliminate bacter the skin.	ria and germs on
Warnings	
For external use only.	

For external use only.

Do not apply around eyes. Do not use in ears & mouth

When using this product, avoid contact with eyes. In case of
contact flush eyes with water.

Stop use and ask for a doctor if redness or irritation develops

Stop use and ask for a doctor it redness or irritation develops and persists for more than 12 hours.

Keep out of reach of children. Children must be supervised in use of this product.

Directions = wet hands. Apply palmful to hands. Scrub thoroughly. Rinse.

Other Information - store at 20°C(68° to 70°F). May discolor

Other immunation of the fabrics and the fabrics in active ingredients - Water (Aqua), Sodium Laureth Sulfate, Cocamidopropyl Betaine, Sodium Lauryl Sulfate, Glycerin, Sodium Chloride, Fragrance, Cliric Acid, PEG-150 Distearate, Methylchloroisothiazolinone, Methylisothiazolinone, FD&C Yellow



Tear off tab and pull out tube



#### **ANTIBACTERIAL HAND SOAP**

Dru	ıg Facts	
	e Ingredients	Purpose
Chlori	oxylenol 0.1%	Antibacterial
Uses	for handwashing to eliminate ba	acteria and germs on
the sk	dn.	
Warn	ings	

warnings
For external use only.
Do not apply around eyes. Do not use in ears & mouth
When using this product, avoid contact with eyes. In case of
contact flush eyes with water.
Stop use and ask for a doctor if redness or irritation develops

Stop use and salk for a doctor if redness or irritation develops and persists for more than 72 hours.

Keep out of reach of children. Children must be supervised in use of this product.

Directions = wet hands. Apply painful to hands. Scrub throroughly. Rinse.

Other information - store at 20°C(88° to 70°F). May discolor

Office innormation and the factor of the fac

# SANITAXE ANTIBACTERIAL AMBER HAND

chloroxylenol liquid

#### **Product Information**

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76176-118
Route of Administration	TOPICAL		

#### Active Ingredient/Active Moiety

	0	J .		
	Ing	redient Name	Basis of Strength	Strength
CHLORO	XYLENOL (UNII: 0F32U78 V	2Q) (CHLOROXYLENOL - UNII:0F32U78V2Q)	CHLOROXYLENOL	0.1 g in 100 mL

Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)		
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)		
SODIUM LAURETH SULFATE (UNII: BPV390 UAP0)		

SODIUM CHLORIDE (UNII: 451W47IQ8X)	
COCAMIDOPROPYL BETAINE (UNII: 50CF3011KX)	
SODIUM LAURYL SULFATE (UNII: 368 GB5141J)	
GLYCERIN (UNII: PDC6A3C0OX)	
CITRIC ACID ACETATE (UNII: DSO 12WL7AU)	
PEG-150 DISTEARATE (UNII: 6F36Q0I0AC)	
METHYLCHLORO ISO THIAZO LINO NE (UNII: DEL7T5QRPN)	

	Packaging			
ı	# Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
ı	1 NDC:76176-118-01	800 mL in 1 BAG; Type 0: Not a Combination Product	0 1/0 1/20 15	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part333A	0 1/0 1/20 15		

# Labeler - NINGBO LIYUAN DAILY CHEMICAL PRODUCTS CO., LTD. (530766098)

# **Registrant - NINGBO LIYUAN DAILY CHEMICAL PRODUCTS CO., LTD. (530766098)**

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
NINGBO LIYUAN DAILY CHEMICAL PRODUCTS CO., LTD.		530766098	manufacture(76176-118)

Revised: 1/2019 NINGBO LIYUAN DAILY CHEMICAL PRODUCTS CO., LTD.