

**SEVERE SINUS CONGESTION- acetaminophen, guaifenesin, phenylephrine
hcl tablet, film coated
Walgreen Company**

Walgreens 44-615-SM-SSC

Active ingredients (in each caplet)

Acetaminophen 325 mg
Guaifenesin 200 mg
Phenylephrine HCl 5 mg

Purpose

Pain reliever
Expectorant
Nasal decongestant

Uses

- temporarily relieves:
 - nasal congestion
 - headache
 - sinus congestion and pressure
 - minor aches and pains
- temporarily promotes nasal and/or sinus drainage
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- with other drugs containing acetaminophen
- more than 4,000 mg of acetaminophen in 24 hours
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If

you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- thyroid disease
- diabetes
- heart disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- fever gets worse or lasts more than 3 days
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- do not take more than 12 caplets in any 24-hour period
- adults and children 12 years and over: take 2 caplets every 4 hours

- children under 12 years: do not use

Other information

- **each caplet contains:** sodium 3 mg
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, crospovidone, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, talc, titanium dioxide

Questions or comments?

1-800-426-9391

Principal display panel

Walgreens

WALGREENS PHARMACIST RECOMMENDED†

Compare to the active ingredients in
Maximum Strength Mucinex®
SINUS-MAX® Severe Congestion & Pain††

NDC 0363-6150-09

Severe Sinus Congestion

ACETAMINOPHEN 325 mg / PAIN RELIEVER
GUAIFENESIN 200 mg / EXPECTORANT
PHENYLEPHRINE HCl 5 mg / NASAL DECONGESTANT

Maximum Strength

- Relieves headache & sinus congestion
- Thins & loosens mucus
- Ages 12 & over

20
CAPLETS

ACTUAL SIZE

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

†Our pharmacists recommend the Walgreens brand. We invite you to compare to

national brands.

††This product is not manufactured or distributed by RB Health (US) LLC, owner of the registered trademark

Maximum Strength Mucinex® SINUS-MAX® Severe Congestion & Pain.

DISTRIBUTED BY: **WALGREEN CO.**

DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED

walgreens.com

©2021 Walgreen Co.

50844

ORG0623A61509

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.
 *Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.
 †This product is not manufactured or distributed by RB Health (US) LLC, owner of the registered trademark Maximum Strength Mucinex® SINUS-MAX® Severe Congestion & Pain.

No print/No varnish area
 Lot no/Exp date

Drug Facts (continued)
 ■ stored at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F).
 ■ see end flap for expiration date and lot number
 com starch, croscovidone, FD&C yellow #6

Drug Facts (continued)
 aluminum hydroxide, magnesium stearate, methylcellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, talc, titanium dioxide
(Questions or comments? 1-800-426-9391)

Drug Facts (continued)
Warnings
 Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours.
 ■ with other drugs containing acetaminophen
 ■ 3 or more alcoholic drinks every day while using this product
 ■ Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin redness ■ blisters ■ rash
 If a skin reaction occurs, stop use and seek medical help right away.
Do not use
 ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 ■ If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
 ■ If you have ever had an allergic reaction to this product or any of its ingredients
As a doctor before use if you have
 ■ liver disease ■ thyroid disease ■ diabetes
 ■ heart disease ■ high blood pressure
 ■ difficulty in urinating due to enlargement of the prostate gland
 ■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
 ■ cough that occurs with too much phlegm (mucus)

Drug Facts (continued)
Directions
 ■ do not take more than directed
 ■ do not take more than 12 caplets in any 24-hour period
 ■ adults and children 12 years and over: take 2 caplets every 4 hours
 ■ children under 12 years: do not use
Other information
 ■ each caplet contains sodium 3 mg
 ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTERS TORN OR BROKEN

Drug Facts
 KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION
Active ingredients (in each caplet)
 Acetaminophen 325 mg Pain reliever
 Guaifenesin 200 mg Expectoant
 Pseudoephedrine HCl 5 mg Nasal decongestant

Drug Facts (continued)
Uses
 ■ temporarily relieves ■ nasal congestion ■ headache ■ sinus congestion and pressure ■ minor aches and pains
 ■ temporarily promotes nasal and/or sinus drainage
 ■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passages of bothersome mucus and make coughs more productive

W3ORCG1221-F
 REV-0224

DISTRIBUTED BY: WALGREEN CO.
 DEERFIELD, IL 60015
 100% SATISFACTION GUARANTEED
 walgreens.com
 ©2021 Walgreen Co.

ITEM 301213 W00000-0000-0

 1 917 16039 9

85944 REV0923VAG1509

15-2201-615-09-SMHR
 REV0923VAG1509



Severe Sinus Congestion

ACETAMINOPHEN 325 mg / PAIN RELIEVER
 GUAIFENESIN 200 mg / EXPECTORANT
 PHENYLEPHRINE HCl 5 mg / NASAL DECONGESTANT

Maximum Strength

- Relieves headache & sinus congestion
- Thins & loosens mucus
- Ages 12 & over

20 CAPLETS



ACTUAL SIZE

Walgreens 44-615

SEVERE SINUS CONGESTION
 acetaminophen, guaifenesin, phenylephrine hcl tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-6150
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	orange	Score	no score
Shape	OVAL	Size	19mm
Flavor		Imprint Code	44;615
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-6150-09	2 in 1 CARTON	06/30/2013	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/30/2013	

Labeler - Walgreen Company (008965063)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(0363-6150)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(0363-6150) , pack(0363-6150)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(0363-6150)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(0363-6150)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(0363-6150)

Revised: 4/2024

Walgreen Company