

CVS LIDOCAINE MAXIMUM STRENGTH- lidocaine hcl cream
CVS Pharmacy

CVS Lidocaine HCl Cream

Active Ingredient

Lidocaine HCl 4%

Purpose

Topical analgesic

Uses

temporarily relieves pain and itching due to:

- minor burns
- sunburn
- minor cuts
- scrapes
- insect bites
- minor skin irritations

Warnings

For external use only

Do not use in large quantities, particularly over raw surfaces or blistered areas

When using this product

When using this product do not get into eyes

Stop use and ask a doctor if

- condition gets worse
- symptoms last for more than 7 days
- symptoms clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 2 years and over: apply to affected area not more than 3 to 4 times daily
- children under 2 years: ask a doctor

Other information

store between 20 °C and 25 °C (68 °F and 77 °F)

Inactive ingredients

acrylates/C10-30 alkyl acrylate crosspolymer, aloe barbadensis (aloe vera) leaf juice, aminomethyl propanol, C30-45 alkyl cetearyl dimethicone crosspolymer, caprylyl methicone, cetearyl alcohol, ceteth-20 phosphate, dicetyl phosphate, dimethicone, edetate disodium, ethylhexylglycerin, glyceryl monostearate, methylparaben, purified water, SD alcohol 40, steareth-21

Principal display panel

CVS Health.

MAXIMUM STRENGTH
lidocaine concentration
without a prescription†

Lidocaine Cream

**LIDOCAINE HCl 4%
TOPICAL ANALGESIC**

CVS Health.

MAXIMUM STRENGTH
lidocaine concentration
without a prescription†

Lidocaine Cream

**LIDOCAINE HCl 4%
TOPICAL ANALGESIC**

Compare to the active ingredient in Gold Bond® with 4% Lidocaine Pain & Itch Relief Cream**

CVS Health.

MAXIMUM STRENGTH
lidocaine concentration
without a prescription†

Lidocaine Cream

**LIDOCAINE HCl 4%
TOPICAL ANALGESIC**

Drug Facts

Active ingredient	Purpose
Lidocaine HCl 4%	Topical analgesic

Uses

- temporarily relieves pain and itching due to:
 - minor burns ■ sunburn ■ minor cuts
 - scrapes ■ insect bites ■ minor skin irritations

Warnings

For external use only

Do not use in large quantities, particularly over raw surfaces or blistered areas

When using this product do not get into eyes

Stop use and ask a doctor if

- condition gets worse
- symptoms last for more than 7 days
- symptoms clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 2 years and over: apply to affected area not more than 3 to 4 times daily
- children under 2 years: ask a doctor

Other information

store between 20 °C and 25 °C (68 °F and 77 °F)

Inactive ingredients

acrylates/C10-30 alkyl acrylate crosspolymer, aloe barbadensis (aloe vera) leaf juice, aminomethyl propanol, C30-45 alkyl cetearyl dimethicone crosspolymer, caprylyl methicone, cetearyl alcohol, ceteth-20 phosphate, dicetyl phosphate, dimethicone, edetate disodium, ethylhexylglycerin, glyceryl monostearate, methylparaben, purified water, SD alcohol 40, steareth-21

Questions or comments?
call 515-276-1586

21-291-23v3.1

****This product is not manufactured by Chatterm, Inc., distributor of the product Gold Bond® with 4% Lidocaine Pain & Itch Relief Cream.**

†Among over-the-counter topical analgesics.

Distributed by:
CVS Pharmacy, Inc.
One CVS Drive
Woonsocket, RI 02896
© 2022 CVS/pharmacy
CVS.com®
1-800-SHOP CVS
Made in the U.S.A.
V-10551

100% money back guaranteed.
CVS.com/returnpolicy

Package Contains One Bottle

NET WT 1.75 OZ (49 g)

IMPORTANT: Keep this carton for complete Drug Facts information.

RECYCLED PAPER BOX

PLASTIC BOTTLE

#238921

0 50428 35484 1

CVS Health

Multi-Symptom Formula Works On Contact to relieve Pain & Itch From:

Minor Burns & cuts

Minor Skin Irritations

Insect bites

Sunburns

Maximum Strength Lidocaine Cream Lidocaine HCL 4 %- Topical Analgesic

Steroid free, Works on Contact

CVS LIDOCAINE MAXIMUM STRENGTH

lidocaine hcl cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-921
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z 41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
WATER (UNII: 059QF0KO0R)	
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
STEARETH-21 (UNII: 53J3F32P58)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CETETH-20 PHOSPHATE (UNII: 921FTA1500)	
DIHEXADECYL PHOSPHATE (UNII: 2V6E5VN99N)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
CARBOMER INTERPOLYMER TYPE A (55000 CPS) (UNII: 59TL3WG5CO)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-921-49	1 in 1 CARTON	01/15/2018	

1	49 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/15/2018	

Labeler - CVS Pharmacy (062312574)

Revised: 12/2023

CVS Pharmacy