4306 FIRST AID KIT- 4306 first aid Honeywell Safety Products USA, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

0498-4306: First Aid Kit (Neomycin, EW, Burn Jel, BZK wipe- SF00004375)

Burn Jel Active ingredient

Lidocaine HCI 2.0%

Burn Jel Purpose

External analgesic

Burn Jel *Uses*

• temporarily relieves pain due to minor burns

Burn Jel *Warnings*

For external use only

Do not use

• on large areas of the body, particularly over raw surfaces or blistered areas

When using this product

avoid contact with eyes

Stop use and ask a doctor if

- the condition gets worse
- symptoms persist for more than 7 days
- condition clears up and recurs within a few days

Keep out of reach of children

• If swallowed, get medical help or contact a Poison Control Center right away.

Burn JEI Directions

• adults and children 2 years of age and older; apply to affected area not more than 3 to 4 times daily

- children under 2 years of age: ask a doctor
- you may report a serious reaction to this product to 800-430-5490

Burn Jel Other information

• store at room temperature - do not use if opened or torn

Burn Jel Inactive ingredients

carbopol 940, carbopol 1342, diazolidinyl urea, glycerin, melaleuca alternifolia (tea tree) leaf oil, methylparaben, octoxynol-9, propylene glycol, propylparaben, trolamine, water

Burn Jel *Questions*

1-800-430-5490

BZK Wipe Active ingredient

Benzalkonium chloride 0.13% w/v

BZK Wipe Purpose

First aid antiseptic

BzK Wipe *Uses*

Antiseptic cleansing of face, hands, and body without soap and water

BZK Wipe Warnings

For external use only

Do not use

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

Stop use and ask a doctor if

- if irritation, redness or other symptoms develop
- the condition persists or gets worse

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

BZK Wipe Directions

tear open packet and use as a washcloth

BZK Wipe Other information

- store at room temperature 15 0 to 30 0 C (59 0 86 0 F)
- do not reuse towelette

BZK Wipe Inactive ingredient

water

BZK Wipe Questions

1-800-430-5490

Eyewash Active ingredient

Sterile Water 99%

Eyewassh *Purpose*

Eyewash

Eyewash *Uses*

• for flushing the eye to remove loose foreign material, air pollutants or chlorinated water

Eyewash

Warnings

For external use only

- Obtain immediate medical treatment for all open wounds in or near eyes.
- To avoid contamination, do not touch tip of container to any surface.
- Do not reuse.
- Once opened, discard.

Do not use

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away.

Stop use and ask a doctor if

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Eyeash

Directions

- remove contacts before using
- twist top to remove
- flush the affected area as needed.
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

Eyewash Inactive ingredients

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

Eyeash *Questions*

Call 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI 02917

Neomycin Active ingredient

Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)

Neomycin *Purpose*

Neomycin *Uses*

first aid to help prevent infection in

- minor cuts
- scrapes
- burns

Neomycin *Warnings*

For external use only

Do not use

- in the eyes
- over large areas of the body

Ask a doctor before use if you have

deep or puncture wounds animal bites serious burns

Stop use and ask a doctor if

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

Neomycin Directions

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Neomycin Other information

store at 15 to 25 0 C (59 0 to 77 0 F)

Neomycin

Inactive ingredient

petrolatum


Neomycin Questions

1-800-430-5490

4306 SF00004375 Kit Contents


- 1 NEOMYCIN ANTIBIOTIC 10 PER
- 1 GAUZE BANDAGE, 4" X 6 YD
- 1 ADHESIVE TPE 1"X2-1/2 YD 2 PER
- 1 RESCUE BLANKET 1 PER
- 1 GAUZE COMP, 1 SQ YARD, 1 PER
- 2 BUFFERED EYE WASH 1 OZ BTL
- 1 BANDAGE COMBO PACK
- 1 BURN JEL 1/8 OZ, 6 PER
- 2 NITRILE GLOVES 2PR BBP
- 1 ANTIMCRBL ANTSPTC TWLETTS
- 1 FIRST AID GUIDE ASHI
- 1 CPR MICROSHIELD DOUBLE UNIT
- 1 SCISSOR BDGE 4" RED PLS HDL
- 1 SPLINTER FORCEP 4 1/2"
- LBL STOCK 6-3/8"X4"
- 1 LBL STOCK 3"x1-7/8"
- 1 WATER-JEL BURN DRESSING 4 X 4
- 1 KIT STL 16 UN (HORIZONTAL)

Burn Jel *Principal Display Panel*



Principal Display Panel





Eyewash Principal Display Panel



16 fl. oz. (473 mL)



RÉAPPROVISIONNEMENT NUEVO PEDIDO / REORDER #32-004510 Rev. J sodium phosphate dibasic, sodium phosphate monobasic Datos de medicamento (Para EE.UU. solamente)

#32-000454-0000

Purpose

Propósito Ingrediente Activo Agua estéril 99% Usos para el lavado de ojo para quitar las particulas sueltas y extrañas, los contaminantes aeros, o agua de cloruro Advertencias
Para el uso externo sólo - Obtenga tratamiento médico
inmediato para todas las heridas abiertas en o cerca de los ojos.
Para evitar la contaminación, no toque la punta del envase con
inguna superficie. No vuelva a usar. Vez abierto, descarte. No se use • si la solución se enturbia o cambia de color • si tiene heridas abiertas en o cerca del ojo, obtenga ayuda medica de inmediato de inmediato

Deje de usar y consulte a un médico si:

• experimenta dolor de ojo
• cambio de visión
• rojez continuo o inflación del ojo
• la condición empecra o persiste

Manténgase fuera del alcance de los niños.
En caso de ingestión accidental, obtenga atención médica o llame
a un Centro de control de envenenamiento inmediatamente. Instrucciones

- quitese los lentes de contacto antes de usar la solución

- tuerza la tapa para quitar

- en juaque el área afectada según se necesite

- controle el chorro haciendo presión el la botella

- si es necesario, sigue enjuagado con un lavados o ducha de emergencia Ingredientes inactivos cloruro de sodio, fosfato de sodio dibásico, fosfato de sodio monobásico. ¿Preguntas? Llame al 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

Usages Pour le rinçage des yeux afin d'enlever un corps étranger, des polluants atmospheriques où de l'eau chlorée. Advertissements Pour usage externs seulement - Obtenir immédiatement des soins médicaux pour toutes les plaies ouvertes dans ou près des yeux. Pour éviter toute contamination, ne pas toucher la pointe du récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jetez-les. Ne pas utiliser • si la solution a changé de couleur ou si elle est brouillée • si vous avez des plaies ouverles aux yeux ou à proximité, consultez immédiatement un médecin Cesser d'utiliser la solution et consulter un médecin • vous ressentez une douleur oculaire • si votre vision change • rougeur ou infaliation persistante des yeux • condition empire ou persiste Garder hors de la portée des enfants. En cas d'ingestion, communiquer immédiatement avec un médecir ou avec un centre antipoison.

Information


Mode d'emploi

• enlever les verres de contact avant l'utilisation • dévisser le bouchon pour l'enlever • incer la zone touchée selon les besoins • ajuster le debt d'écoulement de la solution en partier le continent de la solution en contenant et inécessaire, continuer de rincer avec une solution de rinçage oculaire d'urgence ou une douche

Ingrédients eau stérile, chlorure de sodium, phosphate dibasique de sodium, phosphate monobasique de sodium

Des questions? Faites le 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

Neomycin Principal Display Panel



Neomycin Firsta aid antibiotic 822568-25 Active ingredient (in each gram)Purpose Use first aid to help prevent infection in minor - cuts scrapes burns Warnings For external use only Allergy alert · do not use if you are allergic to any of the ingredients Do not use • in the eyes • over large areas of the body Ask a doctor before use if you have + deep or puncture wounds - animal bites - serious burns Stop use and ask a doctor if - conditions persists or gets worse - rash or other allergic reaction develops you need to use longer than one week Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions - clean the affected area · apply a small amount of product (equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ay be covered with a sterile bandage Other information store at 15° to 25°C (59° to 77°F) Inactive ingredient petrolatum Questions or comments? 1-800-430-5490



Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

4306 FIRST AID KIT

4306 first aid kit

Prod	uct	Inform	nation

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0498-4306

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4306-01	1 in 1 KIT	09/13/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	6 PACKET	21 g
Part 2	2 BOTTLE	60 mL
Part 3	1 PACKET	1.4 mL
Part 4	10 PACKET	9 g

Part 1 of 4

BURN JEL

gel for burns gel

Product Information

Item Code (Source) NDC:0498-0203

Route of Administration TOPICAL

Active Ingredient/Active Moiety Ingredient Name Basis of Strength LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE UNII:98PI200987) LIDOCAINE HYDROCHLORIDE ANHYDROUS 2 g in 100 g

Inactive Ingredients				
Ingredient Name	Strength			
TEA TREE OIL (UNII: VIF565UC2G)				
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)				
METHYLPARABEN (UNII: A2I8C7HI9T)				
EDETATE DISODIUM (UNII: 7FLD91C86K)				
GLYCERIN (UNII: PDC6A3C0OX)				
TROLAMINE (UNII: 903K93S3TK)				
CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)				
CARBOMER HOMOPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: HHT01ZNK31)				
PROPYLPARABEN (UNII: Z8IX2SC1OH)				
OCTOXYNOL-9 (UNII: 7JPC6Y25QS)				
DIPROPYLENE GLYCOL (UNII: E107L85C40)				

ı	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:0498-0203- 00	3.5 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/19/2018	

Part 2 of 4

EYESALINE EMERGENCY EYEWASH

purified water liquid

Product Information

Item Code (Source) NDC:0498-0100

Route of Administration OPHTHALMIC

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R) WATER 98.6 mL in 100 mL

Inactive Ingredients

Ingredient Name Strength

SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)

SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)

SODIUM CHLORIDE (UNII: 451W47IQ8X)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:0498-0100- 01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date
OTC Monograph Drug	M018	12/18/2018	

Part 3 of 4

ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

D		
Droduct	Intorm	ation.

Item Code (Source)	NDC:0498-0501

Route of Administration TOPICAL

Active Ingredient/Active Moiety Ingredient Name BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y) BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - CHLORIDE in 1 mL

Inactive Ingredients		
	Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)		

l	P	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
	1	NDC:0498-0501- 00	1.4 mL in 1 PACKET; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/22/2017	

Part 4 of 4

NEOMYCIN

antibiotic ointment

Product Information		
Item Code (Source)	NDC:0498-0730	
Route of Administration	TOPICAL	

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:116QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g

Inactive Ingredients				
Ingredient Name	Strength			
PETROLATUM (UNII: 4T6H12BN9U)				

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:0498-0730- 01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/31/2010	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/13/2018	
otrier			

Labeler - Honeywell Safety Products USA, Inc. (118768815)

Revised: 1/2024 Honeywell Safety Products USA, Inc.