

**4298 FIRST AID KIT- 4298 first aid kit**  
**Honeywell Safety Products USA, INC**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).*

-----  
**0498-4298: First Aid Kit (Neomycin, EW, HC cr, BZK wipes, Sting relief-011011-4165N)**

**Eyewash**  
***Active ingredient***

Sterile Water 99%

**Eyewash**  
***Purpose***

Eyewash

***Eyewash***  
***Uses***

- for flushing the eye to remove loose foreign material, air pollutants or chlorinated water

**Eyewash**  
***Warnings***

**For external use only** Obtain immediate medical treatment for all open wounds in or near eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.

**Do not use**

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away.

**Stop use and ask a doctor if**

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

**Keep out of reach of children**

- If swallowed, get medical help or contact a Poison Control Center right away.

**Eyewash**

**Directions**

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

**Eyewash*****Inactive ingredients***

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

**Eyewash*****Questions***

1-800-430-5490

**Sting Relief*****Active ingredient (in each wipe)***

Ethyl alcohol 50.0% Lidocaine HCl 2.0%

**Sting Relief*****Purpose***

Antiseptic-Topical pain relief

**Sting Relief*****Uses***

- prevent infection in minor scrapes, and temporary relief of itching of insect bites

**Sting Relief*****Warnings*****For external use only**

**Flammable, keep away from open fire or flame**

**Do not use**

- over large areas of the body
- in eyes
- over raw or blistered areas

**Stop use and ask a doctor**

- if conditions worsen or persist for more than 7 days or clear up and occur again within a few days

**Keep out of reach of children.**

- If swallowed, get medical help or contact a Poison Control Center right away.

**Sting Relief*****Directions***

- adults and children 2 years and older: Apply to cleaned affected area not more than 3 times daily.
- children under 2 years of age: consult a doctor.

**Sting Relief*****Inactive ingredients***

benzalkonium chloride, menthol, and purified water

***Questions or Comments?***

1-800-430-5490

**Hydrocortisone Cream*****Active ingredient (in each gram)***

Hydrocortisone acetate (equivalent to Hydrocortisone 1%)

**Hydrocortisone*****Purpose***

Anti-itch cream

**Hydrocortisone*****Uses***

- for the temporary relief of itching associated with minor skin irritations and rashes

**Hysrocortisone*****Warnings***

**For external use only**

**Ask a doctor before use if**

- you are using any other hydrocortisone product

**When using the product**

- avoid contact with eyes
- do not begin use of any other hydrocortisone product unless you have consulted a

doctor

- do not use for the treatment of diaper rash

### **Stop use and ask a doctor if**

- condition worsens
- condition persists for more than 7 days
- condition clears up and recurs within a few days

### **Keep out of reach of children**

- If swallowed, get medical help or contact a Poison Control Center right away.

## **Hydrocortisone**

### ***Directions***

- **adults and children 2 years and older:**
- clean the affected area
- apply to the area not more than 3 to 4 times daily
- **children under 2 years of age:** consult a doctor

## **Hydrocortisone**

### ***Other information***

- store at room temperature (do not freeze)

## **Hydrocortisone**

### ***Inactive ingredients***

cetyl alcohol, citric acid, diazolidinyl urea, edetate disodium, glycerin, glyceryl monostearate, methylparaben, mineral oil, polyethylene glycol, propylene glycol, propylparaben ..

## **Hydrocortisone**

### **Questions or Comments?**

1-800-430-5490

## **Neomycin**

### ***Active ingredient***

Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)

## **Neomycin**

### ***Purpose***

First aid antibiotic

## **Neomycin**

### ***Uses***

first aid to help prevent infection in

- minor cuts
- scrapes
- burns

## **Neomycin**

### ***Warnings***

**For external ;use only**

#### **Do not use**

- in the eyes
- over large areas of the body

#### **Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

#### **Stop use and ask a doctor if**

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

#### **Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away

## **Neomycin**

### ***Directions***

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

## **Neomycin**

### ***Other information***

store at 15 ° to 25 ° C (59 ° to 77 ° F)

## **Neomycin**

### ***Inactive ingredient***

petrolatum

**Neomycin**  
**Questions**

1-800-430-5490

**BZK**  
**Active ingredient**

Benzalkonium chloride 0.13% w/v

**BZK**  
**Purpose**

First aid antiseptic

**BZK**  
**Uses**

Antiseptic cleansing of face, hands, and body without soap and water

**BZK**  
**Warnings**

**For external use only**

**Do not use**

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

**Stop use and ask a doctor if**

if irritation, redness or other symptoms develop  
the condition persists or gets worse

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

**BZ**  
**Directions**

- tear open packet and use as a washcloth

## **BZK**

### ***Other information***

- store at room temperature 15 ° to 30 ° C (59 ° - 86 ° F)
- do not reuse towelette

## **BZK**

### ***Inactive ingredient***

water

## **BZK**

### ***Questions***

1-800-430-5490

## **4298**

### **011011-4165N Kit Contents**

1 FNGRTIP-5 PER, KNCKL BDG-4 PER  
1 NEOMYCIN ANTIBIOTIC 10 PER  
3 TRIANGULAR BDG, NON-STERILE  
1 BANDAGE COMP, 3" OFFSET, 2 PER  
2 ADHESIVE BDG, PLSTIC, 1"X3"16PER  
1 ADH BAND, EXTRA LARGE, 6 PER  
1 1 OZ EYE WASH W/PADS & STRIPS  
1 HYDROCORTISON, 1.0%, 1/32 OZ, 10P  
1 BIOHAZARD BAG/SCRAPER BBP  
1 ANTIMCRBL ANTSPCT TWLETTTS 6PER  
4 NITRILE GLOVES BBP  
1 CPR MICROSHIELD W/2 PR LTX GLV  
1 BBP PROTECT APPAREL KIT  
LBL STOCK 6-3/8"X4"  
1 LBL STOCK 3"x1-7/8"  
1 KIT STL 24 UN WHITE 01  
1 LABL FILL 24UN SOUTH CO ID F  
1 STING RELIEF 10

## **Eyewash**

### ***Principal Display Panel***

# Honeywell

TAMPER-EVIDENT CAP.  
TAPA CON SELLO DE SEGURIDAD.  
BOUCHON INDICATEUR D'INFRACTION.

## eyesaline®

LAVAOJOS  
EYESALINE

Solución  
Isotónico Estéril

EYESALINE  
EYEWASH

Sterile  
Isotonic Solution

LAVAGE  
OCULAIRE  
EYESALINE

La Solution  
Isotonique Stérile

16 fl. oz. (473 mL)

NPN: 80057528  
3 64809 45033 7

### Drug Facts (for USA only)

**Active ingredient**  
Sterile water 99%  
**Purpose**  
Eyewash

**Uses**  
for flushing the eye to remove loose foreign material, air pollutants, or chlorinated water.

**Warnings**  
**For external use only** - Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.

**Do not use**  
• if solution changes color or becomes cloudy  
• if you have open wounds in or near the eyes, get medical help right away

**Stop use and consult a doctor if:**  
• you experience eye pain  
• continued redness or irritation of the eye  
• condition worsens or persists

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
• remove contacts before using  
• twist top to remove  
• flush the affected area as needed  
• control rate of flow by pressure on the bottle  
• if necessary, continue flushing with emergency eyewash or shower

**Inactive ingredients**  
sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

**Questions?** Call 1-800-430-5490  
Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

LABEL #32-04510 (Rev. J) RECORDER / NUEVO PEDIDO / RÉAPPROVISIONNEMENT #32-000454-0000

space for lot code and supplier part number

PEEL / PELAR / PELER

### Datos de medicamento (Para EE.UU. solamente)

**Ingrediente Activo**  
Agua estéril 99%  
**Propósito**  
Lavajojos

**Usos**  
para el lavado de ojo para quitar las partículas sueltas y extrañas, los contaminantes aéreos, o agua de cloruro

**Advertencias**  
**Para el uso externo sólo** - Obtenga tratamiento médico inmediato para todas las heridas abiertas en o cerca de los ojos. Para evitar la contaminación, no toque la punta del envase con ninguna superficie. No vuelva a usar. Vez abierto, descarte.

**No se use**  
• si la solución se enturbia o cambia de color  
• si tiene heridas abiertas en o cerca del ojo, obtenga ayuda médica de inmediato

**Deje de usar y consulte a un médico si:**  
• experimenta dolor de ojo  
• cambio de visión  
• rojez continuo o irritación del ojo  
• la condición empeora o persiste

**Manténgase fuera del alcance de los niños.**  
En caso de ingestión accidental, obtenga atención médica o llame a un Centro de control de envenenamiento inmediatamente.

**Instrucciones**  
• quite los lentes de contacto antes de usar la solución  
• tuerza la tapa para quitar  
• enjuague el área afectada según se necesite  
• controle el chorro haciendo presión en la botella  
• si es necesario, sigue enjuagando con un lavajojos o ducha de emergencia

**Ingredientes inactivos**  
cloruro de sodio, fosfato de sodio dibásico, fosfato de sodio monobásico

**¿Preguntas?** Llame al 1-800-430-5490  
Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

### Information

**Usages**  
Pour le rinçage des yeux afin d'enlever un corps étranger, des polluants atmosphériques ou de l'eau chlorée.

**Advertissements**  
**Pour usage externe seulement** - Obtenir immédiatement des soins médicaux pour toutes les plaies ouvertes dans ou près des yeux. Pour éviter toute contamination, ne pas toucher la pointe du récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jetez-les.

**Ne pas utiliser**  
• si la solution a changé de couleur ou si elle est brouillée  
• si vous avez des plaies ouvertes aux yeux ou à proximité, consultez immédiatement un médecin

**Cesser d'utiliser la solution et consulter un médecin**  
• vous ressentez une douleur oculaire  
• si votre vision change  
• rougeur ou irritation persistante des yeux  
• condition empire ou persiste

**Garder hors de la portée des enfants.**  
En cas d'ingestion, communiquer immédiatement avec un médecin ou avec un centre antipoison.


**Mode d'emploi**  
• enlever les verres de contact avant l'utilisation  
• dévisser le bouchon pour l'enlever  
• rincer la zone touchée selon les besoins  
• ajuster le débit d'écoulement de la solution en augmentant ou en réduisant la pression exercée sur le contenant  
• si nécessaire, continuer de rincer avec une solution de rinçage oculaire d'urgence ou une douche

**Ingédients**  
eau stérile, chlorure de sodium, phosphate dibasique de sodium, phosphate monobasique de sodium


**Des questions?** Faites le 1-800-430-5490  
Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

Sting Relief  
Principal Display Panel





## Hydrocortisone Principal Display Panel



## Neomycin Principal Display Panel

822568-25

**Neomycin First  
aid antibiotic**

**020126-25**

**Neomycin**  
**First aid antibiotic**  
**Neomycin sulfate**  
**First aid antibiotic**

Distributed by:  
Honeywell Safety Products  
USA, Inc. Smithfield,  
RI 02917

**25 Packets, Net Wt 1/32 oz (0.9 g) each**

**Neomycin First aid antibiotic**

822568-25

**Drug Facts**

Active ingredient (in each gram)	Purpose
Neomycin sulfate (equivalent to 3.5 mg neomycin)	First aid antibiotic

**Use** first aid to help prevent infection in minor • cuts • scrapes • burns

**Warnings**

**For external use only**

**Allergy alert** • do not use if you are allergic to any of the ingredients

**Do not use** • in the eyes • over large areas of the body

**Ask a doctor before use if you have** • deep or puncture wounds • animal bites • serious burns

**Stop use and ask a doctor if** • conditions persists or gets worse • rash or other allergic reaction develops  
• you need to use longer than one week

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • clean the affected area

• apply a small amount of product (equal to the surface area of the tip of a finger) on the area 1 to 3 times daily  
• may be covered with a sterile bandage

**Other information** store at 15° to 25°C (59° to 77°F)

**Inactive ingredient** petrolatum

**Questions or comments?** 1-800-430-5490

**BZK**  
**Principal Display Panel**

47001083  
Rev B

Antiseptic Towelettes

Honeywell

02-16-35MD

## Antiseptic Towelettes

*Benzalkonium chloride*  
*First aid antiseptic*

*Six-Saturated Towelettes*

Distributed by  
Honeywell Safety  
Products USA, Inc.  
Smithfield, RI 02917

## Antiseptic Towelettes

Honeywell

47001083  
Rev B

### Drug Facts

#### Active Ingredient

Benzalkonium chloride 0.133% w/v

#### Purpose

First aid antiseptic

#### Uses

- antiseptic cleaning of face, hands and body without soap and water.
- air dries in seconds

#### Warnings

##### For external use only

**When using this product** • do not use in the eyes or apply over large areas of the body

**Ask a doctor before use** • in case of deep or puncture wounds, animal bites, or serious burns

#### Stop use and consult a doctor if

- irritation, redness or other symptoms develop
- condition persists or gets worse

**Do not use** • longer than 1 week unless directed by doctor

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- tear open packet, unfold and use as washcloth

#### Other Information

- store at room temperature 15° -30° C (59° -86° F)
- do not reuse towelette

#### Inactive ingredient

water

#### Questions or comments

1-800-430-5490

**4298 Kit Label**  
**011011-4165N**

Cover Size: 9.375"w x 9.375"h

TYPE OF KIT: Plastic / Metal 24 Unit Kit

SCREEN NUMBER: 011011-4165N

LOGO SIZE: 7.94" x 8.05"

PRINTED IN: Red 485 Light Blue 306 Blue 7441 Green 2299 and

# FIRST AID

## CPR

# BLOODBORNE PATHOGENS

# PROTECTION KIT



Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

**Honeywell**

This drawing has been reviewed and approved for the following:  
size, ink color(s), part number, and logo being printed on the product

☐ Needs Changes☐ Approved

(A digital signature or response via email with attached approval are both accepted as an approval to this form.  
Please indicate any changes needed)

Purchaser hereby grants Honeywell International Inc., acting through its Honeywell Safety Products business ("HSP"), a non-exclusive, royalty free license to use the trademarks, names, logos artwork and designs depicted above ("Artwork") to manufacture customized products for the Purchaser. Purchaser acknowledges and agrees that HSP may appoint third parties (foreign and domestic) to use the Artwork to manufacture such customized products on behalf of HSP.

Signer acknowledges that he/she has authority to approve Honeywell's use of this artwork, and that consent is hereby provided.

\_\_\_\_\_  
name  
\_\_\_\_\_  
title  
\_\_\_\_\_  
date

\_\_\_\_\_  
signature  
\_\_\_\_\_  
company  
\_\_\_\_\_  
address

## 4298 FIRST AID KIT

4298 first aid kit kit

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4298
--------------	----------------	--------------------	---------------

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4298-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

### Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	10 PACKET	9 g
Part 2	1 BOTTLE	30 mL
Part 3	10 PACKET	9 g
Part 4	10 POUCH	4 mL
Part 5	10 PACKET	9 g
Part 6	15 PACKET	21 mL

### Part 1 of 6

## HYDROCORTISONE

anti-itch cream

### Product Information

Item Code (Source)	NDC:0498-0801
--------------------	---------------

Route of Administration	TOPICAL
-------------------------	---------

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE ACETATE (UNII: 3X7931PO74) (HYDROCORTISONE - UNII:W4X0X7BPJ)	HYDROCORTISONE ACETATE	1 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
CETYL ALCOHOL (UNII: 936JST6JCN)	

<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0801-35	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/15/2019	

## Part 2 of 6

### EYESALINE EMERGENCY EYEWASH

purified water liquid

## Product Information

<b>Item Code (Source)</b>	NDC:0498-0100
<b>Route of Administration</b>	OPHTHALMIC

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>WATER</b> (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE</b> (UNII: 593YOG76RN)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>SODIUM PHOSPHATE, DIBASIC</b> (UNII: GR686LBA74)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	12/18/2018	

### Part 3 of 6

### NEOMYCIN

antibiotic ointment

### Product Information

Item Code (Source)	NDC:0498-0730
Route of Administration	TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0730-01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug		02/21/2010	

other		05/31/2010	
-------	--	------------	--

## Part 4 of 6

### STING RELIEF PAD

ethyl alcohol, lidocaine swab

#### Product Information

<b>Item Code (Source)</b>	NDC:0498-0733
<b>Route of Administration</b>	TOPICAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.5 mL in 1 mL
<b>LIDOCAINE HYDROCHLORIDE</b> (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 mL

#### Inactive Ingredients

Ingredient Name	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	
<b>WATER</b> (UNII: 059QF0KO0R)	

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0733-00	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

#### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/23/2017	

## Part 5 of 6

### HYDROCORTISONE

anti-itch cream ointment



## Product Information

Item Code (Source)	NDC:0498-0800
--------------------	---------------

Route of Administration	TOPICAL
-------------------------	---------

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>HYDROCORTISONE ACETATE</b> (UNII: 3X7931PO74) (HYDROCORTISONE - UNII:W4X0X7BPJ)	HYDROCORTISONE ACETATE	1 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>LIGHT MINERAL OIL</b> (UNII: N6K5787QVP)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0800-35	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/06/2013	10/15/2019

## Part 6 of 6

## ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

## Product Information

**Item Code (Source)** NDC:0498-0501

**Route of Administration** TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0501-00	1.4 mL in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/21/2017	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

**Labeler** - Honeywell Safety Products USA, INC (118768815)