

4157 FIRST AID KIT- 4157 first aid
Honeywell Safety Products USA, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

0498-4157: First Aid Kit (Burn Jel, HC cr, PVP wipes, sting relief, EW-SF00002397)

Burn Jel
Active ingredient

Lidocaine HCl 2.0%

Burn Jel
Purpose

External analgesic

Burn Jel
Uses

- temporarily relieves pain due to minor burns

Burn Jel
Warnings

For external use only

Do not use

- on large areas of the body, particularly over raw surfaces or blistered areas

When using this product

- avoid contact with eyes

Stop use and ask a doctor if

- the condition gets worse
- symptoms persist for more than 7 days
- condition clears up and recurs within a few days

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away.

Burn JEI
Directions

- adults and children 2 years of age and older; apply to affected area not more than 3

- to 4 times daily
- children under 2 years of age: ask a doctor
- you may report a serious reaction to this product to 800-430-5490

Burn Jel

Other information

- store at room temperature - do not use if opened or torn

Burn Jel

Inactive ingredients

carbopol 940, carbopol 1342, diazolidinyl urea, glycerin, melaleuca alternifolia (tea tree) leaf oil, methylparaben, octoxynol-9, propylene glycol, propylparaben, trolamine, water

Burn Jel

Questions

1-800-430-5490

Sting Relief

Active ingredient (in each wipe)

Ethyl alcohol 50.0%

Lidocaine HCl 2.0%

Sting Relief

Purposse

Antiseptic

Topical pain relief

Sting Relief

Uses

- prevent infection in minor scrapes, and temporary relief of itching of insect bites

Sting Relief

Warnings

For external use only

Flammable, keep away from open fire or flame

Do not use

- over large areas of the body

- in eyes
- over raw or blistered areas

Stop use and ask a doctor

- if conditions worsen or persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Sting Relief***Directions***

- adults and children 2 years and older: Apply to cleaned affected area not more than 3 times daily.
- children under 2 years of age: consult a doctor.

Sting Relief***Inactive ingredients***

benzalkonium chloride, menthol, and purified water

Sting Relief***Questions or Comments?***

1-800-430-5490

Eyewash***Active ingredient***

Sterile Water 99%

Eyewash***Purpose***

Eyewash

Eyewash***Uses***

- for flushing the eye to remove loose foreign material, air pollutants or chlorinated water

Eyewash***Warnings***

For external use only

- Obtain immediate medical treatment for all open wounds in or near eyes.
- To avoid contamination, do not touch tip of container to any surface.
- Do not reuse.
- Once opened, discard.

Do not use

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away.

Stop use and ask a doctor if

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Eyeash***Directions***

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

Eyewash***Inactive ingredients***

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

Eyeash***Questions***

Call 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI 02917

Hydrocortisone***Active ingredient (in each gram)***

Hydrocortisone acetate (equivalent to Hydrocortisone 1%)

Hydrocortisone***Purpose***

Anti-itch cream

Hydrocortisone

Uses

- for the temporary relief of itching associated with minor skin irritations and rashes

Hydrocortisone

Warnings

For external use only

Ask a doctor before use if

- you are using any other hydrocortisone product

When using the product

- avoid contact with eyes
- do not begin use of any other hydrocortisone product unless you have consulted a doctor
- do not use for the treatment of diaper rash

Stop use and ask a doctor if

- condition worsens
- condition persists for more than 7 days
- condition clears up and recurs within a few days

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Hydrocortisone

Directions

- adults and children 2 years and older:
- clean the affected area
- apply to the area not more than 3 to 4 times daily
- children under 2 years of age: consult a doctor

Hydrocortisone

Other information

- store at room temperature (do not freeze)

Hydrocortisone

Inactive ingredients

cetyl alcohol, citric acid, diazolidinyl urea, edetate disodium, glycerin, glyceryl

monostearate, methylparaben, mineral oil, polyethylene glycol, propylene glycol, propylparaben, purified water, stearic acid, trolamine

Hydrocortisone

Questions or Comments?

1-800-430-5490

PVP

Active ingredient

Povidone-iodine 10% (equivalent to 1% titratable iodine)

PVP

Purpose

First aid antiseptic

PVP

Uses

- first aid antiseptic to help prevent infection in minor cuts, scrapes and burns

PVP

Warnings

For external use only.

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition worsens or persists for more than 72 hours
- irritation and redness develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

PVP

Directions

- clean the affected area
- apply 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first

- discard wipe after single use

PVP

Other information

- do not use on individuals who are allergic or sensitive to iodine
- store at controlled temperature 59-86°F (15-30°C)
- do not use if pouch is open or torn

PVP

Inactive ingredients

nonoxynol 9, water

BZK

Active ingredient

Benzalkonium chloride 0.13% w/v

BZK

Purpose

First aid antiseptic

BZK

Uses

Antiseptic cleansing of face, hands, and body without soap and water

BZK

Warnings

For external use only

Do not use

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

Stop use and ask a doctor if

- if irritation, redness or other symptoms develop
- the condition persists or gets worse

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away.

BZK***Directions***

- tear open packet and use as a washcloth

BZK***Other information***

- store at room temperature 15 ° to 30 ° C (59 ° - 86 ° F)
- do not reuse towelette

BZK***Inactive ingredient***

water

4157**SF00002397 Kit Contents**

1 TRIANGULAR BDG, NON-STERILE
1 WIRE SPLINT 1 PER
1 BANDAGE COMP, 2" OFFSET, 4 PER
1 BANDAGE COMP, 4" OFFSET, 1 PER
1 ADHESIVE BDG, PLSTIC, 1"X3"16PER
1 1 OZ EYE WASH W/PADS & STRIPS
1 BURN JEL 1/8 OZ, 6 PER
1 HYDROCORTISON, 1.0%, 1/32 OZ, 10P
2 PVP IODINE WIPES 10 PER
1 BIOHAZARD BAG/SCRAPER BBP
1 ANTIMCRBL ANTSPCTC TWLETTS 6PER
1 NITRILE GLOVES 2PR BBP
1 CPR MICROSHIELD DOUBLE UNIT
LBL STOCK 6-3/8"X4"
1 LBL STOCK 3"x1-7/8"
1 KIT STL 16 UN (HORIZONTAL)
1 STING Relief WIPES 10

Burn Jel
Principal Display Panel

796353 Rev. E Unit Carton Printing Plate for "B" size cartor

Plate

Rev E
901850

02-10-20

Burn Jel®
Lidocaine HCl 2%
External Analgesic

6 Packets, Net Wt 1/8 oz (3.5 g) each

Distributed by
Honeywell Safety
Products USA, Inc.
Smithfield, RI 02917

PACKAGE NOT CHILD-RESISTANT

ANSI Z308.1-20

FRONT SIDE

15/16"

Rev E
901850

Burn Jel®

Drug Facts

Active ingredient
Lidocaine HCl 2%

Purpose
External analgesic

Uses
temporarily relieves pain due to minor burns

Warnings
For external use only
Do not use over large areas of the body, particularly over raw surfaces or blistered areas
When using this product avoid contact with eyes
Stop use and ask a doctor if
• the condition gets worse
• symptoms persist for more than 7 days
• condition clears up and recurs within a few days
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions
• adults and children 2 years of age and older: apply to affected area not more than 3 - 4 times daily
• children under 2 years of age: ask a doctor
• you may report a serious adverse reaction to this product to 800-430-5490

Other information
• store at room temperature 15 - 30°C (59-86°F) • do not use torn or open


Inactive ingredient
carbopol 940, carbopol 1342, diazolidinyl urea, glycerin, melaleuca alternifolia (t tree) leaf oil, methylparaben, octoxynol-9, propylene glycol, propylparaben, triolamine, water

Questions or comments?
1-800-430-5490

Plate

BACK SIDE

Sting Relief
Principal Display Panel



Eyewash
Principal Display Panel

Honeywell

TAMPER-EVIDENT CAP.
TAPA CON SELLO DE SEGURIDAD.
BOUCHON INDICATEUR D'INFRACTION.

eyesaline®

LAVAOJOS
EYESALINE

Solución
Isotónico Estéril

EYESALINE
EYEWASH

Sterile
Isotonic Solution

LAVAGE
OCULAIRE
EYESALINE

La Solution
Isotonique Stérile

16 fl. oz. (473 mL)

NPN: 80057528



Drug Facts (for USA only)

Active ingredient	Purpose
Sterile water 99%	Eyewash
Uses for flushing the eye to remove loose foreign material, air pollutants, or chlorinated water.	
Warnings For external use only - Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard. Do not use • if solution changes color or becomes cloudy • if you have open wounds in or near the eyes, get medical help right away Stop use and consult a doctor if: • you experience eye pain • changes in vision • continued redness or irritation of the eye • condition worsens or persists Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • remove contacts before using • twist top to remove • flush the affected area as needed • control rate of flow by pressure on the bottle • if necessary, continue flushing with emergency eyewash or shower	
Inactive ingredients sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic	
Questions? Call 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917	

LABEL 432-004510 Rev. J REORDER / NUEVO PEDIDO / RÉAPPROVISIONNEMENT 432-000454-0000

space for lot code and supplier part number

PEEL / PELAR / PELER


Datos de medicamento (Para EE.UU. solamente)

Ingrediente Activo	Propósito
Agua estéril 99%	Lavaojos
Usos para el lavado de ojo para quitar las partículas sueltas y extrañas, los contaminantes aeros, o agua de cloruro.	
Advertencias Para el uso externo sólo - Obtenga tratamiento médico inmediato para todas las heridas abiertas en o cerca de los ojos. Para evitar la contaminación, no toque la punta del envase con ninguna superficie. No vuelva a usar. Vez abierto, descarte. No se use • si la solución se enturbia o cambia de color • si tiene heridas abiertas en o cerca del ojo, obtenga ayuda médica de inmediato Deje de usar y consulte a un médico si: • experimenta dolor de ojo • cambio de visión • rojez continuo o irritación del ojo • la condición empeora o persiste Manténgase fuera del alcance de los niños. En caso de ingestión accidental, obtenga atención médica o llame a un Centro de control de envenenamiento inmediatamente.	
Instrucciones • quite los lentes de contacto antes de usar la solución • tuerza la tapa para quitar • enjuague el área afectada según se necesite • controle el chorro haciendo presión en la botella • si es necesario, sigue enjuagando con un lavaojos o ducha de emergencia	
Ingredientes inactivos cloruro de sodio, fosfato de sodio dibásico, fosfato de sodio monobásico	
¿Preguntas? Llame al 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917	



Information

Usages Pour le rinçage des yeux afin d'enlever un corps étranger, des polluants atmosphériques ou de l'eau chlorée.
Advertissements Pour usage externe seulement - Obtenir immédiatement des soins médicaux pour toutes les plaies ouvertes dans ou près des yeux. Pour éviter toute contamination, ne pas toucher la pointe du récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jetez-le. Ne pas utiliser • si la solution a changé de couleur ou si elle est brouillée • si vous avez des plaies ouvertes aux yeux ou à proximité, consultez immédiatement un médecin Cesser d'utiliser la solution et consulter un médecin • vous ressentez une douleur oculaire • si votre vision change • rougeur ou irritation persistante des yeux • condition empire ou persiste Garder hors de la portée des enfants. En cas d'ingestion, communiquer immédiatement avec un médecin ou avec un centre antipoison.
Mode d'emploi • enlever les verres de contact avant l'utilisation • dévisser le bouchon pour l'enlever • rincer la zone touchée selon les besoins • ajuster le débit d'écoulement de la solution en augmentant ou en réduisant la pression exercée sur le contenant • si nécessaire, continuer de rincer avec une solution de rinçage oculaire d'urgence ou une douche
Ingédients eau stérile, chlorure de sodium, phosphate dibasique de sodium, phosphate monobasique de sodium
Des questions? Faites le 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

Hydrocortisone
Principal Display Panel



PVP
Principal Display Panel



BZK
Principal Display Panel

47001083
Rev B

Antiseptic Towelettes

Honeywell

02-16-35MD

Antiseptic Towelettes

Benzalkonium chloride
First aid antiseptic

Six-Saturated Towelettes

Distributed by
Honeywell Safety
Products USA, Inc.
Smithfield, RI 02917

Antiseptic Towelettes

Honeywell

47001083
Rev B

Drug Facts

Active Ingredient

Benzalkonium chloride 0.133% w/v

Purpose

First aid antiseptic

Uses

- antiseptic cleaning of face, hands and body without soap and water.
- air dries in seconds

Warnings

For external use only

When using this product • do not use in the eyes or apply over large areas of the body

Ask a doctor before use • in case of deep or puncture wounds, animal bites, or serious burns

Stop use and consult a doctor if

- irritation, redness or other symptoms develop
- condition persists or gets worse

Do not use • longer than 1 week unless directed by doctor

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- tear open packet, unfold and use as washcloth

Other Information

- store at room temperature 15° -30° C (59° -86° F)
- do not reuse towelette

Inactive ingredient

water

Questions or comments

1-800-430-5490

4157 Kit Label
SF-00002397



FIRST AID KIT

Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

4157 FIRST AID KIT

4157 first aid kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4157
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4157-01	1 in 1 KIT	09/13/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	6 PACKET	21 g
Part 2	1 BOTTLE	30 mL
Part 3	10 POUCH	4 mL
Part 4	10 PACKET	9 g
Part 5	20 POUCH	6 mL
Part 6	6 PACKET	8.4 mL
Part 7	10 PACKET	9 g

Part 1 of 7

BURN JEL

gel for burns gel

Product Information

Item Code (Source) NDC:0498-0203

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
TEA TREE OIL (UNII: VIF565UC2G)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
TROLAMINE (UNII: 9O3K93S3TK)	
CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)	
CARBOMER HOMOPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: HHT01ZNK31)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
OCTOXYNOL-9 (UNII: 7JPC6Y25QS)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0203-00	3.5 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/19/2018	

Part 2 of 7

EYESALINE EMERGENCY EYEWASH

purified water liquid

Product Information

Item Code (Source) NDC:0498-0100

Route of Administration OPHTHALMIC

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	12/18/2018	

Part 3 of 7

STING RELIEF PAD

ethyl alcohol, lidocaine swab

Product Information

Item Code (Source) NDC:0498-0733

Route of Administration	TOPICAL
-------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 mL
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.5 mL in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
MENTHOL (UNII: L7T10EIP3A)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0733-00	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/23/2017	

Part 4 of 7**HYDROCORTISONE**

anti-itch cream ointment

Product Information

Item Code (Source)	NDC:0498-0800
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE ACETATE (UNII: 3X7931PO74) (HYDROCORTISONE - UNII:W4X0X7BPJ)	HYDROCORTISONE ACETATE	1 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
TROLAMINE (UNII: 9O3K93S3TK)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/06/2013	

Part 5 of 7
PVP IODINE WIPE povidone-iodine 10% swab

Product Information	
Item Code (Source)	NDC:0498-0121
Route of Administration	TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
NONOXYNOL-9 (UNII: 48Q180SH9T)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0121-00	0.3 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 6 of 7
ANTISEPTIC TOWELETTE benzalkonium chloride liquid

Product Information	
Item Code (Source)	NDC:0498-0501
Route of Administration	TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0501-	1.4 mL in 1 PACKET; Type 0: Not a Combination		

00	Product		
----	---------	--	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/22/2017	

Part 7 of 7

HYDROCORTISONE

anti-itch cream

Product Information

Item Code (Source)	NDC:0498-0801
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE ACETATE (UNII: 3X7931PO74) (HYDROCORTISONE - UNII:W4X0X7BPJ)	HYDROCORTISONE ACETATE	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
TROLAMINE (UNII: 9O3K93S3TK)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KOOR)	
GLYCERIN (UNII: PDC6A3C0OX)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	

Packaging

#	Item	Package Description	Marketing Start	Marketing End
---	------	---------------------	-----------------	---------------

#	Code	Package Description	Date	Date
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other			10/15/2019	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other			09/13/2018	

Labeler - Honeywell Safety Products USA, Inc. (118768815)