

4156 FIRST AID KIT- 4156 first aid kit
Honeywell Safety Products USA, INC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

0498-4156: First Aid Kit (BZK wipes, FABC, PVP wipe- SF00000670)

First Aid Burn Cream

Active ingredient

Benzalkonium chloride 0.13%

Lidocaine HCl 0.5%

First Aid Burn Cream

Purpose

First aid antiseptic

External analgesic

First Aid Burn Cream

Uses

- prevent skin infection
- for temporary relief of pain associated with minor burns

First Aid Burn Cream

Warnings

For external use only

Do not use

- in or near the eyes
- if you are allergic to any of the ingredients
- in large areas of the body, particularly over raw surfaces or blistered areas
- for more than 10 days

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition worsens

- symptoms persist for more than 7 days or clear up and occurs again within a few days

First Aid Burn Cream

Directions

- **adults and children 2 years of age and older:**
- clean the affected area
- apply a small amount of this product (equal to the surface area of the tip of a finger) onto affected area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: consult a doctor

First Aid Burn Cream

Other information

- tamper evident sealed packets
- do not use if packet is opened or torn

First Aid Burn Cream

Inactive ingredients

aloe barbadensis juice, cetyl alcohol, diazolidinyl urea, edetate disodium, glycerin, glyceryl stearate SE, methylparaben, mineral oil, PEG-100, propylene glycol, propylparaben, stearic acid, trolamine, water

First Aid Burn Cream

Questions

1-800-430-5490

BZK

Active ingredient

Benzalkonium chloride 0.13% w/v

BZK

Purpose

First aid antiseptic

BZK

Uses

Antiseptic cleansing of face, hands, and body without soap and water

BZK

Warnings

For external use only

Do not use

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if

- irritation, redness or other symptoms develop
- the condition persists or gets worse

BZK

Directions

- tear open packet and use as a washcloth

BZK

Other information

- store at room temperature 15 ° to 30 ° C (59 ° - 86 ° F)
- do not reuse towelette

BZK

Inactive ingredients

water

BZK

Questions

1-800-430-5490

PVP

Active ingredient

Povidone-iodine 10%

(equivalent to 1% titratable iodine)

PVP

Purpose

First aid antiseptic

PVP

Uses

- first aid antiseptic to help prevent infection in minor cuts, scrapes and burns

PVP

Warnings

For external use only.

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition worsens or persists for more than 72 hours
- irritation and redness develops

Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control Center right away.

PVP

Directions

- clean the affected area
- apply 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first
- discard wipe after single use

PVP

Other information

- do not use on individuals who are allergic or sensitive to iodine
- store at controlled temperature 59-86°F (15-30°C)
- do not use if pouch is open or torn

PVP

Inactive ingredients

nonoxynol 9, water


PVP
Questions

1-800-430-5490

4156
SF00000670 Kit Contents

1 FIRST AID BURN CREAM 6 PER
1 TRIANGULAR BDG, NON-STERILE
1 GAUZE PADS, 3" X 3", 4 PER
1 ADH TAPE, .5" X 2.5 YD, 2 PER
1 GAUZE COMP, 1 SQ YARD, 1 PER
1 INSTANT COLD PACK 4" X 6"
1 EYEWASH BOTTLES 1 OZ, UNITIZED 2/BX
3 ADHESIVE BDG, PLSTIC, 1" X 3" 16 PER
1 PVP IODINE WIPES 10 PER
1 NITRILE GLOVES 2PR BBP
1 ANTIMCRBL ANTSPCTC TWLETTS
1 F. A. INST CHART SM (INDIVIDUAL LBL)
1 BANDAGE COMP 4" W/TELFA PAD 1
LBL STOCK 6-3/8" X 4"
LBL STOCK 4" X 2-7/8"
1 LBL STOCK 3" X 1-7/8"
1 KIT, PP 16 UNIT FA

First Aid Burn Cream
Principal Display Panel



Principal Display Panel

47001083 Rev B	<div>Antiseptic Towelettes</div> <div>Honeywell</div> <div>02-16-35MD</div> <div>Antiseptic Towelettes</div> <div><i>Benzalkonium chloride</i> <i>First aid antiseptic</i></div> <div>Six-Saturated Towelettes</div> <div>Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917</div>
-------------------	--

47001083 Rev B	<div>Antiseptic Towelettes</div> <div>Honeywell</div> <table border="1"><tr><td colspan="2">Drug Facts</td></tr><tr><td>Active Ingredient Benzalkonium chloride 0.133% w/v</td><td>Purpose First aid antiseptic</td></tr><tr><td colspan="2">Uses • antiseptic cleaning of face, hands and body without soap and water. • air dries in seconds</td></tr><tr><td colspan="2">Warnings For external use only</td></tr><tr><td colspan="2">When using this product • do not use in the eyes or apply over large areas of the body</td></tr><tr><td colspan="2">Ask a doctor before use • in case of deep or puncture wounds, animal bites, or serious burns</td></tr><tr><td colspan="2">Stop use and consult a doctor if • irritation, redness or other symptoms develop • condition persists or gets worse</td></tr><tr><td colspan="2">Do not use • longer than 1 week unless directed by doctor</td></tr><tr><td colspan="2">Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</td></tr><tr><td colspan="2">Directions • tear open packet, unfold and use as washcloth</td></tr><tr><td colspan="2">Other Information • store at room temperature 15° -30° C (59° -86° F) • do not reuse towlette</td></tr><tr><td colspan="2">Inactive ingredient water</td></tr><tr><td colspan="2">Questions or comments 1-800-430-5490</td></tr></table>	Drug Facts		Active Ingredient Benzalkonium chloride 0.133% w/v	Purpose First aid antiseptic	Uses • antiseptic cleaning of face, hands and body without soap and water. • air dries in seconds		Warnings For external use only		When using this product • do not use in the eyes or apply over large areas of the body		Ask a doctor before use • in case of deep or puncture wounds, animal bites, or serious burns		Stop use and consult a doctor if • irritation, redness or other symptoms develop • condition persists or gets worse		Do not use • longer than 1 week unless directed by doctor		Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.		Directions • tear open packet, unfold and use as washcloth		Other Information • store at room temperature 15° -30° C (59° -86° F) • do not reuse towlette		Inactive ingredient water		Questions or comments 1-800-430-5490	
Drug Facts																											
Active Ingredient Benzalkonium chloride 0.133% w/v	Purpose First aid antiseptic																										
Uses • antiseptic cleaning of face, hands and body without soap and water. • air dries in seconds																											
Warnings For external use only																											
When using this product • do not use in the eyes or apply over large areas of the body																											
Ask a doctor before use • in case of deep or puncture wounds, animal bites, or serious burns																											
Stop use and consult a doctor if • irritation, redness or other symptoms develop • condition persists or gets worse																											
Do not use • longer than 1 week unless directed by doctor																											
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.																											
Directions • tear open packet, unfold and use as washcloth																											
Other Information • store at room temperature 15° -30° C (59° -86° F) • do not reuse towlette																											
Inactive ingredient water																											
Questions or comments 1-800-430-5490																											

PVP

Principal Display Panel



PVP Iodine Wipes

NORTH
by Harnapp

02-12-0
Rev. 1

Drug Facts (continued)

Ask a doctor before use

- in case of deep or puncture wounds, animal bites, or serious burns

Stop use and ask a doctor if

- condition persists or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area
- apply a small amount of the product on the area 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first

Other information

- do not use on individuals who are allergic or sensitive to iodine
- store at room temperature, 15-30° C (59-86° F)
- do not use if pouch is open or torn
- discard after each use.

Inactive ingredients
polyvinylpyrrolidone, water

Questions and comments? 1-800-430-4410

PVP Iodine Wipes

NORTH
by Harnapp



PVP Iodine Wipes Ter-Saturated Wip

02-12-0

Drug Facts

Active ingredient
Povidone-Iodine, 10% (equivalent to 1% Iodine to Iodine)

Use

Use first aid to help prevent the risk of infection in minor cuts, scrapes, and burns.

Warnings: For external use only.

When using this product

- do not use in the eyes or apply near large areas of the body
- do not use longer than 1 week unless directed by a doctor



Coach & Equipment

Built with Pride in Penn Yan, NY

General 16 Unit Kit, Plastic PART NO. 9132
To re-order call (800) 724-8464

Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

4156 FIRST AID KIT

4156 first aid kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4156
--------------	----------------	--------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4156-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	6 PACKET	5.4 g
Part 2	1 PACKET	1.4 mL
Part 3	10 POUCH	3 mL

Part 1 of 3

FIRST AID BURN

benzalkonium chloride, lidocaine hydrochloride cream

Product Information

Item Code (Source)	NDC:0498-0903
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII: 98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
TROLAMINE (UNII: 9O3K93S3TK)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/20/2017	

Part 2 of 3

ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

Product Information

Item Code (Source) NDC:0498-0501

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0501-00	1.4 mL in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 3 of 3

PVP IODINE WIPE

povidone-iodine 10% swab

Product Information

Item Code (Source) NDC:0498-0121

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
NONOXYNOL-9 (UNII: 48Q180SH9T)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0121-00	0.3 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

Labeler - Honeywell Safety Products USA, INC (118768815)

Revised: 1/2024

Honeywell Safety Products USA, INC