EPSOM SALT- magnesium sulfate granule, for solution Target Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Tamper Evident

Tamper Eviden Packaging:

Caution: this package has been sealed for your protection. Do not use if package is open, torn or mutilated

Active ingredient

Active ingredient

Magnesium sulfate USP (Heptahydrate) 100%

purpose

Purpose

Saline laxative

Soaking aid

Uses

Uses for Oral Laxative

- for relief of occasional constipation (irregularity)
- this product generally produces bowel movement in 1/2 to 6 hours

For Soaking

For external use as a soaking aid for minor sprains and bruises.

Warnings

2.2ex0em2.2ex0emWarnings for Soaking

CAUTION: If prompt relief is not obtained or there is evidence of infection, discontinue use and consult your physician. Hot or warm soaks should not be used by individuals with diabetes except on the advice of a physician. Keep out of reach of children.

Ask a Doctor before use

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- abdominal pail, nausea or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks
- already used a laxative for a period longer than 1 week.

Ask a doctor or pharmacist

Ask a doctor or pharmacist befoe use if you are taking any other drug. Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor

Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. these could be signs of a serious condition.

If pregnant or breast-feeding

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

directions

Directions

- do not exceed recommended daily dosage
- drink a full glass (8 ounces) of liquie with each dose
- may be taken as a single daily dose or in divided doses
- dissolve the dose in 8 ounces of water. Lemon juice may be added to improve the taste

adults and children 12 years and over - 2 to 6 level teaspoons (10 to 30 grams) daily children 6 to under 12 years - 1 to 2 level teaspoons (5 to 10 grams) daily children under 6 years - consult a doctor

Directions for Soaking

Directions: Dissolve 2 cupfuls of this product per gallon of water. Apply with bandages or towelling for 30 minutes up to three times a day, or use as a soak or in bath. Use warm water for best results.

Other information

Other information

• magnesium content 495 mg per teaspoon (5 grams)

Adverse reaction section

Questions? Call1-800-810-6874
Distributed by Target Corporation
2.2ex0em2.2ex0emMinneapolis, MN 55403
2.2ex0em2.2ex0emShop Target.com

Principal display panel

PUSH UP

HERE

TO OPEN

NDC 11673-602-07

Epsom Salt

magnesium sulfate USP

(heptahydrate)

soaking aid for minor sprains and burises

saline laxative for relief of occasional constipation

up + up

NET WT 4 LB (1.8 kg)



EPSOM SALT

magnesium sulfate granule, for solution

Product Information			
Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:11673-602
Route of Administration	ORAL, TOPICAL	DEA Schedule	

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM SULFATE (MAGNESIUM CATION)	MAGNESIUM SULFATE	1 g in 1 g

1	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-602-07	18 14 g in 1 CARTON		
2	NDC:11673-602-43	454 g in 1 CARTON		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part334	12/12/1996	

Labeler - Target Corporation (006961700)

Registrant - Vi-Jon (790752542)

Establishment				
Name	Address	ID/FEI	Business Operations	
Vi-Jon		790752542	manufacture(11673-602)	

Revised: 1/2013 Target Corporation