

4316 FIRST AID KIT- 4316 first aid kit
Honeywell Safety Products USA, INC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

0498-4316: First Aid Kit (Neomycin, EW, PVP wipes, alcohol wipes, Antiseptic Spray- SF00004530)

Eyesaline
Active ingredient

Sterile Water 99%

Eyesaline
Purpose

Eyewash

Eyesaline
Uses

- for flushing the eye to remove loose foreign material, air pollutants or chlorinated water

Eyesaline
Warnings

For external use only-

Obtain immediate medical treatment for all open wounds in or near eyes.

To avoid contamination, do not touch tip of container to any surface.

Do not reuse. Once opened, discard.

Do not use

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away.

Stop use and ask a doctor if

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Eyesaline

Directions

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

Eyesaline

Inactive ingredients

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

Eyesaline

Questions

1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI 02917

Povidone Iodine Swab

Active ingredient

Povidone-iodine solution USP, 10% (equivalent to 1% titratable iodine)

Povidone Iodine Swab

Purpose

First aid antiseptic

Povidone Iodine Swab

Uses

- first aid to help prevent the risk of infection in minor cuts, scrapes, and burns

Povidone Iodine Swab

Warnings

For external use only

Do not use

- over large areas of the body
- on individuals who are allergic or sensitive to iodine

Ask a doctor before use if you have

- deep or puncture wounds,
- animal bites
- serious burns

When using this product

- do not use longer than one week unless directed by a doctor

Stop use and ask a doctor if

- condition persists or gets worse
- irritation and redness develops

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

Povidone Iodine Swab***Directions***

Reverse cardboard sleeve, then crush at dot between thumb and forefinger. Allow solution to saturate tip and apply solution to injury.

- clean affected area
- apply to affected area 1 to 3 times daily
- may be covered with a sterile bandage
- discard swab after single use

Povidone Iodine Swab***Other information***

- store at room temperature away from light
- keep from freezing or excessive heat
- do not use if package is torn or open

Povidone Iodine Swab***Inactive ingredients***

citric acid, disodium phosphate, nonoxynol-9, sodium hydroxide, water

Povidone Iodine Swab***Questions and comments***

1-800-430-5490

Alcohol Wipe***Active ingredient***

Isopropyl alcohol 70%

Alcohol Wipe

Purpose

First aid antiseptic

Alcohol Wipe

Uses

- first aid to help prevent infection in minor cuts, scrapes, and burns

Alcohol Wipe

Warnings

For external use only

Do not use

- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burn

When using this product

- do not use longer than one week unless directed by a doctor

Stop use and consult a doctor

- if condition persists or gets worse

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away.

Alcohol Wipe

Directions

- clean the affected area
- apply wipe to affected area 1 to 3 times daily
- may be covered with a sterile bandage
- discard wipe after single use

Alcohol Wipe

Other information

store at room temperature 15 ° to 25 ° C (59 ° to 77 °F)

Alcohol Wipe
Inactive ingredient

water

Alcohol Wipe
Questions

1-800-430-5490

Neomycin
Active ingredient

Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)

Neomycin
Purpose

First aid antibiotic

Neomycin
Uses

- first aid to help prevent infection in - minor cuts - scrapes - burns

Do not use

- in the eyes
- over large areas of the body

Neomycin
Warnings

For external use only

Do not use

- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- a rash or other allergic reaction develops

- you need to use longer than 1 week

Stop use and ask a doctor if

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away

Neomycin***Direction***

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Neomycin***Other information***

store at 15 ° to 25 ° C (59 ° to 77 ° F)

Neomycin***Inactive ingredient***

petrolatum

Neomycin***Questions?***

1-800-430-5490

Antiseptic Spray***Purpose***

First aid antiseptic

Antiseptic Spray***Uses***

- first aid to help prevent infection in minor cuts, scrapes and burns

Antiseptic Spray***Warnings***

For external use only

Do not use

- in or near the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

When using this product

- do not use longer than one week unless directed by a doctor

Stop use and ask a doctor if

- the condition persists or gets worse

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away

Antiseptic Spray

Directions

- clean the affected area
- spray a small amount of this product on the area 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first

Antiseptic Spray

Other information

- shake well
- store at room temperature 15 °-30 ° C (59 ° -86 ° F)

Antiseptic Spray

Inactive ingredients

diazolidinyl urea, edetate disodium, glycerin, hypromellose, methylparaben, octoxynol 9, propylene glycol, propylparaben, trolamine, water

Antiseptic Spray

Questions

1-800-430-5490

Eyesaline

Principal Display Panel

Honeywell

TAMPER-EVIDENT CAP.
TAPA CON SELLO DE SEGURIDAD.
BOUCHON INDICATEUR D'INFRACTION.

eyesaline®

LAVAOJOS
EYESALINE

Solución
Isotónico Estéril

EYESALINE
EYEWASH

Sterile
Isotonic Solution

LAVAGE
OCULAIRE
EYESALINE

La Solution
Isotonique Stérile

16 fl. oz. (473 mL)

NPN: 80057528



Drug Facts (for USA only)

Active ingredient	Purpose
Sterile water 99%	Eyewash
Uses for flushing the eye to remove loose foreign material, air pollutants, or chlorinated water.	
Warnings For external use only - Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard. Do not use • if solution changes color or becomes cloudy • if you have open wounds in or near the eyes, get medical help right away Stop use and consult a doctor if: • you experience eye pain • changes in vision • continued redness or irritation of the eye • condition worsens or persists Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • remove contacts before using • twist top to remove • flush the affected area as needed • control rate of flow by pressure on the bottle • if necessary, continue flushing with emergency eyewash or shower	
Inactive ingredients sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic	
Questions? Call 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917	

LABEL 432-004510 Rev. J REORDER / NUEVO PEDIDO / RÉAPPROVISIONNEMENT 432-000454-0000

space for lot code and supplier part number

PEEL / PELAR / PELER


Datos de medicamento (Para EE.UU. solamente)

Ingrediente Activo	Propósito
Agua estéril 99%	Lavaojos
Usos para el lavado de ojo para quitar las partículas sueltas y extrañas, los contaminantes aéreos, o agua de cloruro.	
Advertencias Para el uso externo sólo - Obtenga tratamiento médico inmediato para todas las heridas abiertas en o cerca de los ojos. Para evitar la contaminación, no toque la punta del envase con ninguna superficie. No vuelva a usar. Vez abierto, descarte. No se use • si la solución se enturbia o cambia de color • si tiene heridas abiertas en o cerca del ojo, obtenga ayuda médica de inmediato Deje de usar y consulte a un médico si: • experimenta dolor de ojo • cambio de visión • rojez continuo o irritación del ojo • la condición empeora o persiste Manténgase fuera del alcance de los niños. En caso de ingestión accidental, obtenga atención médica o llame a un Centro de control de envenenamiento inmediatamente.	
Instrucciones • quítase los lentes de contacto antes de usar la solución • tuerza la tapa para quitar • enjuague el área afectada según se necesite • controle el chorro haciendo presión en la botella • si es necesario, sigue enjuagado con un lavaojos o ducha de emergencia	
Ingredientes inactivos cloruro de sodio, fosfato de sodio dibásico, fosfato de sodio monobásico	
¿Preguntas? Llame al 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917	

Information


Usages Pour le rinçage des yeux afin d'enlever un corps étranger, des polluants atmosphériques ou de l'eau chlorée.
Advertissements Pour usage externe seulement - Obtenir immédiatement des soins médicaux pour toutes les plaies ouvertes dans ou près des yeux. Pour éviter toute contamination, ne pas toucher la pointe du récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jetez-le. Ne pas utiliser • si la solution a changé de couleur ou si elle est brouillée • si vous avez des plaies ouvertes aux yeux ou à proximité, consultez immédiatement un médecin Cesser d'utiliser la solution et consulter un médecin • vous ressentez une douleur oculaire • si votre vision change • rougeur ou irritation persistante des yeux • condition empire ou persiste Garder hors de la portée des enfants. En cas d'ingestion, communiquer immédiatement avec un médecin ou avec un centre antipoison.
Mode d'emploi • enlever les verres de contact avant l'utilisation • dévisser le bouchon pour l'enlever • rincer la zone touchée selon les besoins • ajuster le débit d'écoulement de la solution en augmentant ou en réduisant la pression exercée sur le contenant • si nécessaire, continuer de rincer avec une solution de rinçage oculaire d'urgence ou une douche
Ingédients eau stérile, chlorure de sodium, phosphate dibasique de sodium, phosphate monobasique de sodium
Des questions? Faites le 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

Povidone Iodine Swab
Principal Display Panel




Alcohol Wipe Principal Display Panel

825362T Rev. A
white printed
Pms 072 blue, Pms 186 red,
Pms 7459 blue and black



Neomycin Principal Display Panel

796041-25 Rev A Unit Carton Printing Plate for "C" size carton.



Antiseptic Spray

Principal Display Panel

Honeywell ANTISEPTIC SPRAY <i>Benzalkonium chloride</i> First Aid Antiseptic Net contents 2 fl oz (59 mL) ANSI Z308.1-2003  8 21812 01498 2	032203 	Drug Facts																						
	<table><tr><td>Active ingredient Benzalkonium chloride 0.13%</td><td>Purpose First aid antiseptic</td></tr><tr><td colspan="2">Uses first aid to help prevent infection in minor cuts, scrapes and burns</td></tr><tr><td colspan="2">Warnings For external use only</td></tr><tr><td colspan="2">Do not use • in or near the eyes • over large areas of the body</td></tr><tr><td colspan="2">Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns</td></tr><tr><td colspan="2">When using this product do not use longer than one week unless directed by a doctor</td></tr><tr><td colspan="2">Stop use and ask a doctor if condition persists or gets worse</td></tr><tr><td colspan="2">Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.</td></tr><tr><td colspan="2">Directions • clean the affected area • spray a small amount of this product on the area 1 to 3 times daily • may be covered with a sterile bandage • if bandaged, let dry first</td></tr><tr><td colspan="2">Other information • shake well • store at room temperature, 15° to 30°C (59° to 86°F)</td></tr><tr><td colspan="2">Inactive ingredients diazolidinyl urea, edetate disodium, glycerin, hypromellose, methylparaben, octoxynol 9, propylene glycol, propylparaben, triethylamine, water</td></tr><tr><td colspan="2">Questions or comments? 1-800-430-5490</td></tr></table>	Active ingredient Benzalkonium chloride 0.13%	Purpose First aid antiseptic	Uses first aid to help prevent infection in minor cuts, scrapes and burns		Warnings For external use only		Do not use • in or near the eyes • over large areas of the body		Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns		When using this product do not use longer than one week unless directed by a doctor		Stop use and ask a doctor if condition persists or gets worse		Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.		Directions • clean the affected area • spray a small amount of this product on the area 1 to 3 times daily • may be covered with a sterile bandage • if bandaged, let dry first		Other information • shake well • store at room temperature, 15° to 30°C (59° to 86°F)		Inactive ingredients diazolidinyl urea, edetate disodium, glycerin, hypromellose, methylparaben, octoxynol 9, propylene glycol, propylparaben, triethylamine, water		Questions or comments? 1-800-430-5490
Active ingredient Benzalkonium chloride 0.13%	Purpose First aid antiseptic																							
Uses first aid to help prevent infection in minor cuts, scrapes and burns																								
Warnings For external use only																								
Do not use • in or near the eyes • over large areas of the body																								
Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns																								
When using this product do not use longer than one week unless directed by a doctor																								
Stop use and ask a doctor if condition persists or gets worse																								
Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.																								
Directions • clean the affected area • spray a small amount of this product on the area 1 to 3 times daily • may be covered with a sterile bandage • if bandaged, let dry first																								
Other information • shake well • store at room temperature, 15° to 30°C (59° to 86°F)																								
Inactive ingredients diazolidinyl urea, edetate disodium, glycerin, hypromellose, methylparaben, octoxynol 9, propylene glycol, propylparaben, triethylamine, water																								
Questions or comments? 1-800-430-5490																								
Mfg. for: Honeywell Safety Products USA, Inc. Smithfield, RI 02917 032203 Rev. G																								

4316 Kit Label
SF00004530



Distributed by Honeywell Safety Products USA, Inc Smithfield, RI 02917

4316 Kit Contnets
SF00004530

2 BLUE DETEC FNGERTP 8 WVN 25/B
1 BLUE DETEC KNUCKLE WVN 40/BX
2 BLUE DETEC PLASTIC 1X3 100/B

1 NEOMYCIN ANTIBIOTIC 10 PER
 1 EYE DRESS PKT W/4 ADH STRIPS
 2 ALCOHOL PREP PADS 10P
 4 PVP IODINE WIPES 10 PER
 1 ADHESIVE TAPE W/P 1/2"X 5 YD
 1 TWEEZER PLASTICS 4"
 1 ADH BAND PLSTC EX-LG 25 PER
 1 O/H PUMP ANTISEPTIC 2 OZ ID F
 1 FIRST AID GUIDE ASHI
 4 GAUZE CLEAN-WRAP BDGE N/S 2"
 4 GAUZE CLEAN-WRAP BDGE N/S 3"
 1 BLOODSTOPPER
 1 NON-ADHERENT PADS 2"X3" 10'S
 1 GZE PADS STERILE 2"X 2" 10'S
 1 GZE PADS STERILE 3"X 3" 25'S
 1 ELASTIC BANDAGE 3" X 4.5YD
 1 CPR FILTERSHIELD 77-100
 1 4OZ BFS EYEWASH TRILINGUAL BOTTLE
 1 SCISSOR BDGE 4" RED PLS HDL
 1 LBL STOCK 6-3/8"X4"
 1 LBL STOCK 4"X2-7/8"
 5 PR LRG NITRILE GLVES ZIP BAG
 1 KIT ST MED FA CABINET-SP SHELF
 1 TRI BNDG NON WOVEN 40"X40"X56"
 2 COLD PACK UNIT 4"X6" BULK

4316 FIRST AID KIT

4316 first aid kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4316
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:0498-4316-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	
----------	------------------	---	------------	--

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	118 mL
Part 2	20 POUCH	8 mL
Part 3	40 POUCH	12 mL
Part 4	1 BOTTLE, SPRAY	59 mL
Part 5	10 PACKET	9 g

Part 1 of 5

EYESALINE EMERGENCY EYEWASH

purified water liquid

Product Information

Item Code (Source)	NDC:0498-0100
Route of Administration	OPHTHALMIC

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-02	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	12/18/2018	

Part 2 of 5

ALCOHOL WIPE

isopropyl alcohol swab

Product Information

Item Code (Source) NDC:0498-0143

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	0.7 mL in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0143-04	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 3 of 5

PVP IODINE WIPE

povidone-iodine 10% swab

Product Information

Item Code (Source) NDC:0498-0121

Route of Administration	TOPICAL
-------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
NONOXYNOL-9 (UNII: 48Q180SH9T)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0121-00	0.3 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 4 of 5**ANTISEPTIC**

benzalkonium chloride spray

Product Information

Item Code (Source)	NDC:0498-0402
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

WATER (UNII: 059QF0KO0R)	
OCTOXYNOL 9 (UNII: 7JPC6Y25QS)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
TROLAMINE (UNII: 9O3K93S3TK)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0402-59	59 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 5 of 5

NEOMYCIN

antibiotic ointment

Product Information

Item Code (Source)	NDC:0498-0730
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0730-01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/31/2010	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

Labeler - Honeywell Safety Products USA, INC (118768815)

Revised: 1/2024

Honeywell Safety Products USA, INC