ENCORE- lactic acid solution ABS Global Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

Warning

Causes eye irritation.

Wash skin thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Read Safety Data Sheet (SDS) before using this product.

FOR EMERGENCY MEDICAL INFORMATION IN USA OR CANADA, CALL: 1-800-328-0026.

FOR EMERGENCY MEDICAL INFORMATION WORLDWIDE, CALL: 1-651-222-5352 (IN THE USA).

DIRECTIONS FOR USE

Mix Directions: Measure equal volumes of Encore Barrier & Encore Activator RTU (ready-to-use) into clean containers. Mix until color is uniform. Mix a significant quantity for one milking and then discard the remainder.

IMPORTANT: Do not add mixed Encore Barrier & Encore Activator RTU to any other teat dip or other product. If transferred from this container to any other, make sure the other container is thoroughly pre-cleaned and bears the proper container labeling for Encore Barrier & Encore Activator RTU.

Use of a complete udder health program including both pre- and post-dipping may aid reducing the spread of organisms which cause mastitis.

Pre-Milking: Prepare teats prior to milking with appropriate pre-dip or udder wash. Teats should then be dried thoroughly with a single-service towel before attaching the milking unit.

Post-Milking: Immediately after milking, use Encore Barrier & Encore Activator RTU at full strength. Apply product to teats 2/3 their length in Encore Barrier & Encore Activator RTU teat dip. Allow to air dry. Do not wipe. Always use fresh, full-strength Encore Barrier & Encore Activator RTU teat dip. If the product in the teat dip cup becomes visibly dirty, discard and replenish with fresh product. Do not reuse or return unused product to the original container. Do not turn cows into freezing weather until Encore Barrier & Encore Activator RTU teat dip is completely dry.

NOTE: In case of irritation or chapping, have the condition examined and, if necessary,

INERT INGREDIENTS97.36%

(contains PEG 75 lanolin, propylene glycol)

Total:100.00%

6300652

Net Contents:

56.8L (15 US GAL)

ENCORE[™]



Barrier

.. 97.36% 100.00%

Unique Barrier Teat Dip



Base - For use exclusively with Encore Activator An aid in reducing the spread of organisms which may cause mastitis.

ACTIVE INGREDIENT:	
Lactic acid	
INERT INGREDIENTS:	
(contains PEG 75 lanolin,	propylene glycol)

Base exclusiva para sellar pezones

Base - Para usarse exclusivamente con Encore Activator Una ayuda para reducir la diseminación de organismos que pueden causar mastitis.

INGREDIENTE ACTIVO: Acido Láctico	2.64%
INGREDIENTS INERTES:	
(contiene PEG 75 Ianolina, glicol propileno)	
TOTAL:	100,00%

6300652 56.8 L (15 US GAL)

> service science success

KEEP OUT OF REACH OF CHILDREN NOT FOR HUMAN USE

Warning

Causes eye irritation.

Wash skin thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Read Safety Data Sheet (SDS) before using this product. FOR EMERGENCY MEDICAL INFORMATION IN USA OR CANADA, CALL: 1-800-328-0026.

FOR EMERGENCY MEDICAL INFORMATION
WORLDWIDE, CALL: 1-651-222-5352 (IN THE USA).

WORLDWIDE, CALL: 1-651-222-5552 (IN THE USA). DIRECTIONS FOR USE

Mix Directions: Measure equal volumes of Encore
Barrier & Encore Advalor RTU (redy-to-use) into clean
containers. Mix until color is uniform. Mix a significant
quantity for one milking and then diseard the remainder,
IMPORTAME: Do not add mixed Encore Barrier & Encore
Acthator RTU only other test dip or other product. If
transferred from this container to any other, make sure
the proper container is binoughly per-cleaned and bears
the proper container is binoughly per-cleaned and bears
the proper container is being for Encore Barrier & Encore
18 of a completel guide health managem includings better

the prior doubline fabeling for Encore Barrier & Encore Achtator TRI.

Use of a complete udder health program including both per and post-dipping may air devolucing the spread of organisms which cause mastitis.

Pre-Milking; Pepper teats prior to milking with appropriate pre-dip or udder wash. Teats should then be dired thoroughly with a single-service tower before attaching the milking unit.

Prost-Milking; Immediately after milking, use Encore Activator TRI of this strength. Apply Braner & Concer Activator TRI of this strength. Apply Braner & Concer Activator TRI of this strength. Apply Braner & Concer Activator TRI list of the Strength apply and the strength and the strength apply and the strength and the strength apply and the strength and

MANTÉNGALO ALEJADO DEL ALCANCE DE LOS NIÑOS NO ES PARA USO HUMANO

Atención

Provoca irritación ocular.

Lave la piel minuciosamente después del manejo. No se mezele con el blanqueo o otros productos tratados con cloro - causará el gas de cloro. EN CASO DE CONTACTO CON LOS OLJOS. Enjuagar con aqua cuidadosamente durante varios minutos. Outar las lentes de contacto cuando esten presentes y pueda hacerse con facilidad Proseguir con el lavado. Si la irritación ocular persiste, consultar a un médico.

Lea la Ficha de Datos de Seguridad antes de usar el

PARA INFORMACION MEDICA DE EMERGENCIA EN LOS EE.UU. O CANADA, LLAME AL 1-800-328-0026. PARA INFORMACION MEDICA DE EMERGENCIA EN EL MUNDO ENTERO, LLAME AL 1-651-222-5352 (EN

INSTRUCCIONES DE USO

IOS ELUU).

INSTRUCCIONES DE USO

Marche: Midi dos cantidades iguales de Encore Barrier

Florore Advisor TITU (Listo para usarse) en unos

recipientes limpios. Marche hasta que el color se vea

uniforme. Marche ima cantidad apropiada para una

ordena y luego, tire el resto.

MPORTANET. No agregue Encore Barriar y Encore

Advisor RIU a ningún otro sellador de pezones o a

tortos productos. Si lo transferire de este recipiente a otro,

ventifue que el otro este minuciosamente limpio y que

tenga la eliquela de Encore Barrier y Encore Advisar RIU.

El uso de un programa completo para el cuidado de

utores incluyendo el per y possellado puede reducir la

diseminación de organismos que causan la mastitis.

Pre-Ordeta: Anties de ordeta, proper los pezones con

el pre-estado adecuado o con un lavado de utores. Arties

de colocar la unidad ordefadora, segue completemente

post-Ordeta: Inmeditamente después de la ordeta,

se Encore Barriar y Encore Advisor RIII sin diluir.

Aplique el producto sumergiendo las 2/3 partes de los

pezones en el sealador de pezones Encore Barriar & Encore Advisor

RIU cuando esta fresco y sin diluir. Si el producto en la

copa de sellado se se usico, firelo y vuelva a llenar con

producto fresco. No vuelva a usar el producto residual

il o desuelva al recipiente original. No saque las vacas

a la intempera helada hasta que el sellador de pezones

Encore Barria « Encore Abrator RIUI» la haya secado

completamente.

MIX: En caso de irritación o agrietamiento, consulte con

completamente.

NOTA: En caso de irritación o agrietamiento, consulte con un médico veterinario para que examine o trate el caso.

Distributed by: ABS Global, Inc. · P.O. Box 459 DeForest, Wisconsin USA 53532 www.absglobal.com

Manufactured by: Ecolab - 1 Ecolab Place -St. Paul MN 55102 USA -tel. 1 800 392 3392 © 2017 Ecolab USA - All rights reserved Made in USA www.ecolab.com - 753799/5301/0217 b.com - 753799/5301/0217

ENCORE

lactic acid solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:59282-106
--------------	-----------------	--------------------	---------------

TOPICAL Route of Administration

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LACTIC ACID (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)	LACTIC ACID	26.4 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PEG-75 LANOLIN (UNII: 091790X7TB)	

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59282-106-17	56780 mL in 1 DRUM		
2	NDC:59282-106-21	208200 mL in 1 DRUM		

Marketing Information			
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
	03/13/2000		
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date	

Labeler - ABS Global Inc. (835053570)

Revised: 10/2021 ABS Global Inc.