

TINACTIN- tolnaftate aerosol, powder
Bayer HealthCare LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Tinactin ®

Drug Facts

Active ingredient

Tolnaftate 1%

Purpose

Antifungal

Uses

- cures most jock itch
- for effective relief of itching, chafing and burning

Warnings

For external use only

Flammable: Do not use while smoking or near heat or flame

Do not use on children under 2 years of age unless directed by a doctor.

When using this product

- avoid contact with the eyes
- use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.

Stop use and ask a doctor if

- irritation occurs
- there is no improvement within 2 weeks

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- use daily for 2 weeks; if condition persists longer, ask a doctor
- this product is not effective on the scalp or nails

Other information

store between 20° to 25°C (68° to 77°F)

Inactive ingredients

butylated hydroxytoluene, isobutane, PPG-12-buteth-16, SD alcohol 40-B (11% v/v), talc

Questions?

1-866-360-3266

PRINCIPAL DISPLAY PANEL - 133g Can Label

NDC 11523-0072-5

TOUGH ACTIN' ®

Tinactin®

ANTIFUNGAL

tolnaftate

Cures most

jock itch

POWDER SPRAY

goes on dry

Relieves itching,

burning & chafing

NET WT 133g (4.6 oz)

TYPE LIMIT

Formulated to absorb perspiration in the groin area.

Drug Facts

Active Ingredient	Purpose
Tolnaftate 1%	Antifungal

Uses

- cures most jock itch
- for effective relief of itching, chafing and burning

Warnings

For external use only

Flammable: Do not use while smoking or near heat or flame

Do not use on children under 2 years of age unless directed by a doctor.

When using this product

- avoid contact with the eyes
- use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.

Stop use and ask a doctor if ■ irritation occurs ■ there is no improvement within 2 weeks

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- use daily for 2 weeks; if condition persists longer, ask a doctor
- this product is not effective on the scalp or nails
- in case of clogging, clean nozzle with a pin

Other information store between 20° to 25°C (68° to 77°F)

Inactive Ingredients butylated hydroxytoluene, isobutane, PPG-12-buteth-16, SD alcohol 40-B (11% v/v), talc

Questions? 1-866-360-3226

Visit us at www.tinactin.com

Bayer, the Bayer Cross, Tinactin, Tough Actin' and the Tinactin flame are registered trademarks of Bayer.

© 2015 Bayer.

Dist by: Bayer HealthCare LLC
Whippany, NJ 07981
Product of Ireland.



Bayer

26829-08



3 11017-410-07 3



TYPE LIMIT

TINACTIN

tolnaftate aerosol, powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11523-0072
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)				
ISOBUTANE (UNII: BXR49TP611)				
PPG-12-BUTETH-16 (UNII: 58CG7042J1)				
TALC (UNII: 7SEV7J4R1U)				
Product Characteristics				
Color	white (white to off-white)	Score		
Shape		Size		
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11523-0072-5	133 g in 1 CAN; Type 0: Not a Combination Product	09/23/1993	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part333C	09/23/1993		

Labeler - Bayer HealthCare LLC (112117283)

Revised: 9/2023

Bayer HealthCare LLC