COUGH DM CHILDRENS- dextromethorphan polistirex suspension Meijer Distribution Inc

Meijer Distribution, Inc. Children's Cough DM Drug Facts

Active ingredient (in each 5 mL)

Dextromethorphan polistirex equivalent to 30 mg dextromethorphan hydrobromide

Purpose

Cough suppressant

Uses

temporarily relieves

- cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- the impulse to cough to help you get to sleep

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Allergy Alert: Contains sodium metabisulfite, a sulfite that may cause allergic-type reactions.

Ask a doctor before use if you have

- chronic cough that lasts as occurs with smoking, asthma or emphysema
- cough that occurs with too much phlegm (mucus)

Stop use and ask a doctor if

- side effects occur. You may report side effects to FDA at 1-800-FDA-1088.
- cough lasts more than 7 days, cough comes back, or occurs with fever, rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away 1-800-222-1222.

Directions

- shake bottle well before use
- measure only with dosing cup provided. Do not use dosing cup with other products.
- dose as follows or as directed by a doctor
- mL = milliliter

| adults and children 12 years of | 10 mL every 12 hours, not to exceed 20 |
|---------------------------------|--|
| age | mL in 24 hours |
| and over | |
| children 6 to under 12 years of | 5 mL every 12 hours, not to exceed 10 |
| age | mL in 24 hours |
| children 4 to under 6 years of | 2.5 mL every 12 hours, not to exceed 5 |
| age | mL in 24 hours |
| children under 4 years of age | do not use |
| | |

Other information

- each 5 mL contains: **sodium 5 mg**
- store at 20° to 25°C (68° to 77°F)
- dosing cup provided

Inactive ingredients

D&C Red #30 aluminum lake, FD&C Blue #1, flavor, glycerin, high fructose corn syrup, methylparaben, polysorbate 80, polyvinyl acetate, povidone, propylparaben, purified water, sodium metabisulfite, sodium polystyrene sulfonate, sucrose, tartaric acid, tragacanth gum, triacetin, xanthan gum

Questions or comments?

call 1-800-719-9260

You may also report side effects to this phone number.

Package/Label Principal Display Panel

Compare to Children's Delsym[®] active ingredient

CHILDREN'S cough DM

Dextromethorphan Polistirex Extended-Release Oral Suspension Cough Suppressant

AGE 4+

12 HOUR Cough Relief

Grape-Flavored Liquid

Day or Night | Alcohol Free

For Children & Adults

Dosing Cup Included

Contains sodium metabisulfite, a sulfite that may cause allergic-type reactions 5 FL OZ (148 mL)



| COUGH DM CHILDRENS | | | | | | | |
|--|----------------|--------------------|---------------|--|--|--|--|
| dextromethorphan polistirex suspension | | | | | | | |
| | | | | | | | |
| Product Information | | | | | | | |
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:41250-899 | | | | |
| Route of Administration | ORAL | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Active Ingredient/Active Moiety | | | | | | | |

| Ingredient Name | | | Basis of Str | Basis of Strength S | | |
|---|---|--|----------------------|-------------------------------|----------|------------------|
| DEXTROMETHORPH (DEXTROMETHORPHA | | RO MIDE (UNII: 9 D2RTI9 KYH) X3ROTS) | | DEXTROMETHORP HYDROBROMIDE | HAN | 30 mg in 5 mL |
| Inactive Ingredie | ents | | | | | |
| | | Ingredient Name | | | Str | ength |
| D&C RED NO.30 (UN | III: 2S42T2808 | B) | | | | |
| FD&C BLUE NO.1 (U | NII: H3R47K3T | BD) | | | | |
| GLYCERIN (UNII: PDC | C6A3C0OX) | | | | | |
| HIGH FRUCTO SE CO | RN SYRUP (U | NII: XY6UN3QB6S) | | | | |
| METHYLPARABEN (U | JNII: A2I8C7HI | 9T) | | | | |
| POLYSORBATE 80 (U | UNII: 6 O Z P 39 Z | ZG8 H) | | | | |
| POLYVINYL ACETAT | FE (UNII: 32K4 | 97ZK2U) | | | | |
| POVIDONE (UNII: FZ9 | 89GH94E) | | | | | |
| PROPYLPARABEN (U | JNII: Z8IX2SC1 | .OH) | | | | |
| WATER (UNII: 059QF0 |)KO0R) | | | | | |
| SODIUM METABISUL | L FITE (UNII: 4) | VON5FNS3C) | | | | |
| SODIUM POLYSTYR | ENE SULFON | ATE (UNII: 1699G8679Z) | | | | |
| SUCROSE (UNII: C1511 | H8 M554) | | | | | |
| TARTARIC ACID (UN | II: W4888I119H | -1) | | | | |
| TRAGACANTH (UNII: | 2944357020) | | | | | |
| TRIACETIN (UNII: XH2 | X3C3X673) | | | | | |
| XANTHAN GUM (UNII | : TTV12P4NEE | .) | | | | |
| | | | | | | |
| Product Characte | eristics | | | | | |
| Color | | PURPLE | Score | | | |
| Shape | | | Size | | | |
| Flavor | | GRAPE | Imprint Coo | de | | |
| Contains | | | | | | |
| | | | | | | |
| Packaging | | | | | | |
| # Item Code | Package Description | | Marketing Start Date | Marketing | End Date | |
| 1 NDC:41250-899-28 | 1 in 1 CARTO | . . | | 0 3/25/20 15 | | |
| | 148 mL in 1 BOTTLE; Type 0: Not a Combination Product | | | | | |
| 1 | 110 1112 111 1 2 | | | | | |
| 1 | | | | | | |

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|---------------------|
| ANDA | ANDA091135 | 03/25/2015 | Marine ung Ena Date |

Labeler - Meijer Distribution Inc (006959555)