ANTI-DIARRHEAL- loperamide hydrochloride capsule Safeway

Safeway 44-375

Active ingredient (in each caplet)

Loperamide HCl 2 mg

Purpose

Antidiarrheal

Use

controls symptoms of diarrhea, including Travelers' Diarrhea

Warnings

Allergy alert: Do not use if you have ever had a rash or other allergic reactions to loperamide HCl.

Do not use

if you have bloody or black stool.

Ask a doctor before use if you have

- high fever
- mucus in the stool
- a history of liver disease

Ask a doctor or pharmacist before use if you are

taking antibiotics.

When using this product

tiredness, drowsiness, or dizziness may occur. Be careful when driving or operating machinery.

Stop use and ask a doctor if

- symptoms get worse
- diarrhea lasts for more than 2 days
- you get abdominal swelling or buldging. These may be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- drink plenty of clear fluids to help prevent dehydration caused by diarrhea
- find right dose on chat. If possible, use weight to dose; otherwise, use age.

adults and children 12 years and older	2 caplets after the first loose stool; 1 caplet after each subsequent loose stool; but no more than 4 caplets in 24 hours
children 9-11 years (60- 95 lbs)	1 caplet after first loose stool; 1/2 caplet after each subsequent loose stool; but no more than 3 caplets in 24 hours
children 6-8 years (48- 59 lbs)	1 caplet after the first loose stool; 1/2 caplet after each subsequent loose stool; but no more than 2 caplets in 24 hours
children under 6 years (up to 47 lbs)	ask a doctor

Other information

- do not use if carton or safety seal is broken or missing
- store at controlled room temperature 20°-25°C (68°-77°F)
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, D&C yellow # 10 aluminum lake, dicalcium phosphate dihydrate, FD&C blue #1 brilliant blue lake, magnesium stearate, microcrystalline cellulose, silica gel

Questions or comments?

Call 1-800-426-9391 8:30 AM-4:00 PM ET, Monday-Friday

Principal Display Panel

NDC 21130-375-46

Compare to Imodium® A-D active ingredient*

Anti-Diarrheal

Loperamide HCl, USP 2 mg

• Controls the Symptoms of Diarrhea


96 CAPLETS

$SAFEWAY_{TM}$

*This product is not manufactured or distributed by Pfizer Consumer Healthcare, distributors of Imodium® A-D.

50844 ORG121237546

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING



Safeway 44-375

ANTI-DIARRHEAL loperamide hcl capsule Product Information Product Type HUMAN OTC DRUG LABEL Item Code (Source) NDC:21130-375 Route of Administration ORAL DEA Schedule

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
LOPERAMIDE HYDRO CHLO RIDE (LOPERAMIDE)	LOPERAMIDE HYDROCHLORIDE	2 mg	

Inactive Ingredients	
Ingredient Name	Strength
MAGNESIUM STEARATE	
CELLULO SE, MICRO CRYSTALLINE	

Product Characteristics			
Color	BLUE	Score	no score
Shape	CAPSULE	Size	10 mm
Flavor		Imprint Code	44;375
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-375-22	1 in 1 CARTON		
1		48 in 1 BOTTLE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076497	05/03/2005	

Labeler - Safeway (009137209)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(21130-375)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(21130-375)

Revised: 4/2013 Safeway