ORTHO GUARD- sodium fluoride gel, dentifrice Massco Dental A Division of Dunagin Pharmaceuticals

ACTIVE INGREDIENT (IN EACH 10 ml)

SODIUM FLUORIDE 4.4 mg

Purpose

Anticavity

Inactive Ingredients: Deionized water, monosodium phosphate, phosphoric acid, sodium benzoate, sodium saccharin, artificial coloring, artificial flavoring.

Use

Aids in the prevention of dental decay

Warnings

- When using this product, do not swallow unless to do so by a dentist or physician.
- If more solution is accidentally swallowed than used for rinsing, get medical help or
- contact a Poison Control Center immediately.

KEEP OUT OF REACH OF CHILDREN

DIRECTIONS: Use As Directed

ADULTS AND CHILDREN 6 YEARS AND OLDER

USE ONCE A DAY AFTER BRUSHING YOUR TEETH WITH TOOTHPASTE. VIGOROUSLY SWISH 10 MILLILITERS (10 ml on CAP or 2 TEASPOONS) OF RINSE BETWEEN YOUR TEETH FOR 1 MINUTE THEN SPIT OUT. DO NOT EAT OR DRINK FOR 30 MINUTES AFTER RINSING. INSTRUCT CHILDREN UNDER 12 YEARS OF AGE IN GOOD RINSING HABITS TO AVOID SWALLOWING.

CHILDREN UNDER 6

CONSULT A DENTIST OR PHYSICIAN

OTHER INFORMATION

Store at room temperature.

QUESTIONS? COMMENTS?

CALL **1-479-787-5168** M-F 9 am TO 5pm CST

PACKAGE LABEL

ORTHOGUARD ANTI-CAVITY FLUORIDE RINSE 0.044% SODIUM FLUORIDE IN AN ACIDULATED PHOSPHATE TOPICAL SOLUTION. MANUFACTURED BY MASSCO DENTAL A DIVISION OF DUNAGIN PHARMACEUTICALS, GRAVETTE AR (479) 787-5168.

NDC 63783-401-16 ANTI-CAVITY FLUORIDE RINSE SR **GRAPE FLAVOR** 0.044% Sodium Fluoride

in an Acidulated Phosphate Topical Solution

Net Wt. 16 fl. oz. (473 mL)

| Drug Facts | | Directions: Use As Directed | | |
|--|--|--|---|--|
| Active Ingredient Purpose (in each 10 mL.) Sodium Fluoride 4.4 mg Anticavity Inactive Ingredients: Defenized water, monosodium phosphate, phosphoric acid, sodium benzoate, sodium saccharin, artificial coloring, artificial flavoring. Use Aids in the prevention of dental decay | | Adults & Children 6 Years and Older | Use once a day after brushing your teeth with toothpaste. Vigorously swish 10 milliliters (10 mL on cap or 2 teaspoons) of rinse between your teeth for 1 minute, ther spit out. Do not eat or drink for 30 minutes after rinsing. Instruct children under 12 years of af in good rinsing habits to avoid swallowing. | |
| Warnings | | | | |
| When using this product, do not swallow unless told to do so by a dentist or physician. | | Children Under 6 | Consult a dentist or physician | |
| Keep Out Of Reach Of Children. If more solution is accidentally swallowed than used for rinsing, get medical help or contact a Poison Control Center immediately. | | | formation: t room temperature | |

Questions? Comments? Call 1-479-787-5168 M-F 9am to 5pm CST

Manufactured By: MASSCO DENTAL

A Division of Dunagin Pharmaceuticals, Gravette, AR (479) 787-5168 • www.masscodental.net

| 1 | NDC 63783-400-16 |
|---|---|
| | ANTI-CAVITY FLUORIDE RINSE |
| | Ortho Guard™ |
| | 000000000000000000000000000000000000000 |
| | ICY COOL MINT FLAVOR |
| | 0.044% Sodium Fluoride in an Acidulated Phosphate Topical Solution |
| | |

| Drug Facts | | Directions: Use As Directed | | |
|--|--|--|---|--|
| Active Ingredient Purpose (In cach 10 mL.) Sodium Fluoride 4.4 mg Anticavity Inactive Ingredients: Deionized water, monocodium phosphate, phosphoric acid, sodium benzoate, sodium saccharin, artificial coloring, artificial flavoring. | | Adults & Children 6 Years and Older | Use once a day after brushing your teeth with toothpaste. Vigorously swish 10 milliliters (10 mL on cap or 2 traspoons) of rinse between your teeth for 1 minute, ther spit out. Do not eat or drink for 30 minutes after rinsing. Instruct children under 12 years of ag | |
| Use Alids in the prevention of dental decay | | | | |
| Warnings | | | in good rinsing habits to avoid awallowing. | |
| When using this product, do not swallow unless told to do so by a dentist or physician. Keep Out Of Reach Of Children. If more solution is accidentally swallowed than used for rinsing, get medical help or contact a Poison Control Center immediately. | | Children Under 6 | Consult a dentist or physician | |
| | | | formation: room temperature | |

Questions? Comments? Call 1-479-787-5168 M-F 9am to 5pm CST

Drug Facto

Manufactured By: MASSGO DENTAL A Division of Dunagin Pharmaceuticals, Gravette, AR (479) 787-5168 • www.masscodental.net

| | 4 8 | NDC 63783-403-16 |
|-------|---------|--|
| | AN | TI-CAVITY FLUORIDE RINSE |
| 00000 | Or | tho Guard™ |
| | | TRAWBERRY FLAVOR |
| | *. | A STATE OF THE STA |
| | in an A | 0.044% Sodium Fluoride cidulated Phosphate Topical Solution |

Net Wt. 16 fl. oz. (473 mL)

| Drug Facts | | Directions: Use As Directed | |
|---|------------------|--|--|
| Active Ingredient (in each 10 mL.) Sodium Fluoride 4.4 mg Inactive Ingredients: Deionized v phosphate, phosphoric acid, sodium saccharin, artificial coloring, artificia | benzoate, sodium | Adults & Children 6 Years and Older | Use once a day after brushing your teeth with toothpaste. Vigorously swish 10 milliliters (10 mt. on cap or 2 teaspoons) of rinse between your teeth for 1 minute, then splt out. Do not eat or drink for 30 minutes |
| Use · • Aids in the prevention of dental decay | | | after rinsing. • Instruct children under 12 years of age |
| Warnings | | | in good rinsing habits to avoid swallowing. |
| When using this product, do not swallow unless told to do so by a dentist or physician. Keep Out Of Reach Of Children. If more solution is accidentally swallowed than used for rinsing, get medical help or contact a Poison Control Center immediately. | | Children Under 6 | Consult a dentist or physician |
| | | | formation: room temperature |

Questions? Comments? Call 1-479-787-5168 M-F 9am to 5pm CST

Manufactured By: MASSCO DENTAL A Division of Dunagin Pharmaceuticals, Gravette, AR (479) 787-5168 • www.masscodental.net

ORTHO GUARD

sodium fluoride gel, dentifrice

| Product Information | | | | |
|-------------------------|----------------|--------------------|---------------|--|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:63783-400 | |
| Route of Administration | ORAL | | | |

| Active Ingredient/Active Moiety | | | |
|--|--------------------------|-----------------|--|
| Ingredient Name | Basis of Strength | Strength | |
| SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII: Q80VPU4080) | SODIUM FLUORIDE | 4.4 mg in 10 mL | |

| Inactive Ingredients | | | |
|---|----------|--|--|
| Ingredient Name | Strength | | |
| SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN) | | | |
| SODIUM BENZOATE (UNII: OJ245FE5EU) | | | |
| SACCHARIN SODIUM (UNII: SB8ZUX40TY) | | | |

| Product Characteristics | | | | |
|-------------------------|----------------------|--------------|--|--|
| Color | | Score | | |
| Shape | | Size | | |
| Flavor | MINT (ICY COOL MINT) | Imprint Code | | |
| Contains | | | | |

| P | Packaging | | | | |
|---|----------------------|---|-------------------------|-----------------------|--|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date | |
| | NDC:63783-400- 16 | 473 mL in 1 BOTTLE; Type 0: Not a Combination Product | 01/01/1989 | | |

| Marketing Information | | | |
|-----------------------|---|-------------------------|-----------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | M021 | 01/01/1989 | |
| | | | |

ORTHO GUARD

sodium fluoride gel, dentifrice

| Product Information | | | | |
|-------------------------|----------------|--------------------|---------------|--|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:63783-401 | |
| Route of Administration | ORAL | | | |

| Active Ingredient/Active Moiety | | | |
|---|--------------------------|-----------------|--|
| Ingredient Name | Basis of Strength | Strength | |
| SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU4080) | SODIUM FLUORIDE | 4.4 mg in 10 mL | |

| Inactive Ingredients | | | |
|---|----------|--|--|
| Ingredient Name | Strength | | |
| WATER (UNII: 059QF0KO0R) | | | |
| SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN) | | | |
| SODIUM BENZOATE (UNII: OJ245FE5EU) | | | |
| SACCHARIN SODIUM (UNII: SB8ZUX40TY) | | | |

| Product Characteristics | | | | |
|-------------------------|---------------|--------------|--|--|
| Color | | Score | | |
| Shape | | Size | | |
| Flavor | GRAPE (GRAPE) | Imprint Code | | |
| Contains | | | | |

| l | Packaging | | | | |
|---|-----------|-----------|---|-------------------------|-----------------------|
| | # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| | 1 | | 473 mL in 1 BOTTLE; Type 0: Not a Combination Product | 01/01/1989 | |

| Marketing Information | | | |
|-----------------------|---|-------------------------|-----------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | M021 | 01/01/1989 | |
| | | | |

ORTHO GUARD

sodium fluoride gel, dentifrice

| Product Information | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:63783-403 |
| Route of Administration | ORAL | | |
| | | | |

| Active Ingredient/Active Moiety | | | |
|--|--------------------------|-----------------|--|
| Ingredient Name | Basis of Strength | Strength | |
| SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII: Q80VPU4080) | SODIUM FLUORIDE | 4.4 mg in 10 mL | |

| Inactive Ingredients | | | | |
|---|----------|--|--|--|
| Ingredient Name | Strength | | | |
| WATER (UNII: 059QF0KO0R) | | | | |
| SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN) | | | | |
| SODIUM BENZOATE (UNII: OJ245FE5EU) | | | | |
| SACCHARIN SODIUM (UNII: SB8ZUX40TY) | | | | |

| Product Characteristics | | | | |
|-------------------------|-------------------------|--------------|--|--|
| Color | | Score | | |
| Shape | | Size | | |
| Flavor | STRAWBERRY (STRAWBERRY) | Imprint Code | | |
| Contains | | | | |

| l | P | Packaging | | | |
|---|---|----------------------|---|-------------------------|-----------------------|
| | # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| | 1 | NDC:63783-403- 16 | 473 mL in 1 BOTTLE; Type 0: Not a Combination Product | 01/01/1989 | |

| Marketing Information | | | |
|-----------------------|---|-------------------------|-----------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | M021 | 01/01/1989 | |
| | | | |

Labeler - Massco Dental A Division of Dunagin Pharmaceuticals (008081858)

Registrant - Massco Dental A Division of Dunagin Pharmaceuticals (008081858)

| Establishment | | | | |
|--|---------|-----------|--|--|
| Name | Address | | Business Operations | |
| Massco Dental A Division of Dunagin Pharmaceuticals | | 008081858 | manufacture(63783-400, 63783-401, 63783-403) | |

Revised: 12/2023 Massco Dental A Division of Dunagin Pharmaceuticals