

**STRONGER IODINE - iodine solution
MWI/Vet One**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

STRONGER IODINE 7%

Topical Antiseptic

For use as a counterirritant in chronic inflammatory conditions.

Keep out of reach of children.

For veterinary use only.

Restricted drug (California)-Use Only As Directed

POISON

ACTIVE INGREDIENTS

Iodine..... 7%
Potassium Iodide..... 5%
Isopropyl Alcohol (99%)..... 85%

INERT INGREDIENTS

Water..... q.s.

INDICATIONS

For topical application on the skin of cattle, horses, sheep, swine and dogs to disinfect superficial wounds, cuts, abrasions, insect bites and minor bruises.

DIRECTIONS FOR USE

If necessary, clip hair from area to be treated and cleanse with soap and water. Apply iodine with a swab.

CAUTION

Not for use in body cavities or deep wounds. Do not use on burns. Do not apply under bandage. Irritation may occur if used on tender skin area. Avoid contact with eyes and mucus membranes. In case of deep or puncture wounds or serious burns consult a veterinarian. If redness, irritation, or swelling persist or increases, discontinue use and consult veterinarian.

MAY BE FATAL IF SWALLOWED

In case of ingestion, call Poison Control 1-800-222-1222

WARNING FLAMMABLE

KEEP AWAY FROM HEAT AND OPEN FLAME.
KEEP CONTAINER CLOSED WHEN NOT IN USE.

STORAGE

STORE AT 10°-30°C (50°-86°).

Protect from light.

NDC 13985-040-80 1 Gallon


Stronger Iodine 7%

Topical

ACTIVE INGREDIENTS:
Isopropyl Alcohol (99%) 85%
Iodine 7%
Potassium Iodide 5%
Inert Ingredients:
Water 3%

INDICATIONS: For topical application on the skin of cattle, horses, sheep, swine and dogs to disinfect superficial wounds, cuts, abrasions, insect bites and minor bruises.

DIRECTIONS FOR USE: If necessary, clip hair from area to be treated and cleanse with soap and water. Apply iodine with a swab.

Rev. 05/14



3 13985 00262 5

Antiseptic

For use as a counterirritant in chronic inflammatory conditions.

Keep out of reach of children.
For veterinary use only.

Restricted Drug (California) - Use Only as Directed



POISON

V1 502038 Net Contents: 1 Gallon (3.785 L)

CAUTION: Not for use in body cavities or deep wounds. Do not use on burns. Do not apply under bandage. Irritation may occur if used on tender skin area. Avoid contact with eyes and mucous membranes. In case of deep or puncture wounds or serious burns consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult veterinarian.

MAY BE FATAL IF SWALLOWED

In case of Ingestion, call Poison Control 1-800-222-1222.

WARNING! FLAMMABLE!
KEEP AWAY FROM HEAT AND OPEN FLAME.
KEEP CONTAINER CLOSED WHEN NOT IN USE.

STORAGE: Store at 10°-30°C (50°-86°F). Protect from light.

Lot#: _____

Exp. Date: _____

TAKE TIME  OBSERVE LABEL DIRECTIONS

Distributed by: MVM
Boise, ID 83705
(888) 694-8381
www.VetOne.net



MADE IN USA

NDC 13985-040-80 1 Gallon


Stronger Iodine 7%

Topical

ACTIVE INGREDIENTS:
Isopropyl Alcohol (99%) 85%
Iodine 7%
Potassium Iodide 5%
Inert Ingredients:
Water 3%

INDICATIONS: For topical application on the skin of cattle, horses, sheep, swine and dogs to disinfect superficial wounds, cuts, abrasions, insect bites and minor bruises.

DIRECTIONS FOR USE: If necessary, clip hair from area to be treated and cleanse with soap and water. Apply iodine with a swab.

Rev. 05/14



3 13985 00262 5

Antiseptic

For use as a counterirritant in chronic inflammatory conditions.

Keep out of reach of children.
For veterinary use only.

Restricted Drug (California) - Use Only as Directed



POISON

V1 502038 Net Contents: 1 Gallon (3.785 L)

CAUTION: Not for use in body cavities or deep wounds. Do not use on burns. Do not apply under bandage. Irritation may occur if used on tender skin area. Avoid contact with eyes and mucous membranes. In case of deep or puncture wounds or serious burns consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult veterinarian.

MAY BE FATAL IF SWALLOWED

In case of Ingestion, call Poison Control 1-800-222-1222.

WARNING! FLAMMABLE!
KEEP AWAY FROM HEAT AND OPEN FLAME.
KEEP CONTAINER CLOSED WHEN NOT IN USE.

STORAGE: Store at 10°-30°C (50°-86°F). Protect from light.

Lot#: _____

Exp. Date: _____

TAKE TIME  OBSERVE LABEL DIRECTIONS

Distributed by: MVM
Boise, ID 83705
(888) 694-8381
www.VetOne.net



MADE IN USA

STRONGER IODINE

iodine solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:13985-040
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	70 mg in 1 mL
POTASSIUM IODIDE (UNII: 1C4QK22F9J) (IODIDE ION - UNII:09G4I6V86Q)	POTASSIUM IODIDE	50 mg in 1 mL
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	850 mg in 1 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13985-040-16	473 mL in 1 BOTTLE		
2	NDC:13985-040-80	3785 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		08/23/2012	

Labeler - MWI/Vet One (019926120)

Registrant - Centaur, Inc. (174239087)

Establishment

Name	Address	ID/FEI	Business Operations
Centaur, Inc.		174239087	api manufacture, manufacture

Revised: 8/2023

MWI/Vet One