### OXYGEN- oxygen gas Jayco Industrial Supply Inc

-----

#### Oxygen

OXYGEN, COMPRESSED USP. OXYGEN 2. UN 1072

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. WARNING: HIGH PRESSURE OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION. Keep oil, grease and combustibles away. Open valve slowly. Store and use with adequate ventilation. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Use a back flow preventive device in the piping. Close valve after each use and when empty. Cylinder temperature should not exceed 52 C (125 F). Use in accordance with the Material Safety Data Sheet (MSDS).

CAS: 7782-44-7
DO NOT REMOVE THIS PRODUCT LABEL.
JAYCO
GAS AND SUPPLY
2028 Natchez Dr
McComb, MS 39648
(601) 684-2154



REFRIGERATED LIQUID OXYGEN, REFRIGERATED LIQUID. OXYGEN 2. UN1073

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. DO NOT CHANGE OR FORCE FIT CONNECTIONS.

WARNING: EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE. Keep oil, grease and combustibles away. Use only with equipment cleaned for oxygen

service. Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Cylinder temperature should not exceed 52 C (125 F). Close valve after each use and when empty. Use a back flow preventive device in the piping. Use in accordance with the Material Safety Data Sheet (MSDS).

FIRST AID: IN CASE OF FROSTBITE, obtain medical treatment immediately. CAS: OXYGEN 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.

JAYCO GAS AND SUPPLY 2028 Natchez Dr McComb, MS 39648

# REFRIGERATED LIQUID

# OXYGEN, REFRIGERATED LIQUID



UN1073

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. 
 DO NOT CHANGE OR FORCE FIT CONNECTIONS.

WARNING: EXTREMELY COLD OXIDIZING LIQUID AND GAS

UNDER PRESSURE.

VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN

MAY EXPLODE ON IGNITION OR IMPACT.

CAN CAUSE SEVERE FROSTBITE.

Keep oil, grease and combustibles away.
Use only with equipment cleaned for oxygen service.
Store and use with adequate ventilation.
Do not get liquid in eyes, on skin or clothing.
For liquid withdrawal, wear face shield and gloves.
Do not drop. Use suitable hand truck for container movement.

Avoid spills. Do not walk on or roll equipment over spills. Cylinder temperature should not exceed 52C (125F). Close valve after each use and when empty. Use a back flow preventive device in the piping. Use in accordance with the Material Safety Data Sheet

(MSDS).

FIRST AID: IN CASE OF FROSTBITE, obtain medical treatment

immediately.

CAS: OXYGEN 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.



2028 Natchez Dr McComb, MS 39648 (601) 684-2154

45131 (B 12/04)

(601) 684-2154

## OXYGEN

oxygen gas

### **Product Information**

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:59378-001	
Route of Administration	RESPIRATORY (INHALATION)			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
<b>OXYGEN</b> (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	995 mL in 1 L	

Pa	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:59378- 001-01	198 L in 1 CYLINDER; Type 0: Not a Combination Product	07/01/2013		
2	NDC:59378- 001-02	425 L in 1 CYLINDER; Type 0: Not a Combination Product	07/01/2013		
3	NDC:59378- 001-03	708 L in 1 CYLINDER; Type 0: Not a Combination Product	07/01/2013		
4	NDC:59378- 001-04	3228 L in 1 CYLINDER; Type 0: Not a Combination Product	07/01/2013		
5	NDC:59378- 001-05	3540 L in 1 CYLINDER; Type 0: Not a Combination Product	07/01/2013		
6	NDC:59378- 001-06	6456 L in 1 CYLINDER; Type 0: Not a Combination Product	07/01/2013		
7	NDC:59378- 001-07	7108 L in 1 CYLINDER; Type 0: Not a Combination Product	07/01/2013		
8	NDC:59378- 001-08	7249 L in 1 CYLINDER; Type 0: Not a Combination Product	07/01/2013		
9	NDC:59378- 001-09	7957 L in 1 CYLINDER; Type 0: Not a Combination Product	07/01/2013		
10	NDC:59378- 001-10	8693 L in 1 CYLINDER; Type 0: Not a Combination Product	07/01/2013		
11	NDC:59378- 001-11	9543 L in 1 CYLINDER; Type 0: Not a Combination Product	07/01/2013		
12	NDC:59378- 001-12	180 L in 1 DEWAR; Type 0: Not a Combination Product	07/01/2013		
13	NDC:59378- 001-13	200 L in 1 DEWAR; Type 0: Not a Combination Product	07/01/2013		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205767	07/01/2013	

# **Labeler -** Jayco Industrial Supply Inc (177843679)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
Jayco Industrial Supply Inc		177843679	manufacture(59378-001)	

Revised: 10/2023 Jayco Industrial Supply Inc