

STOOL SOFTENER- docusate sodium capsule, liquid filled

Stephen L. LaFrance Pharmacy, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Select Brand 44-351

Active ingredient (in each liquid gel)

Docusate sodium 100 mg

Purpose

Stool softener laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

Warnings

Do not use

if you are presently taking mineral oil, unless told to do so by a doctor.

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take only by mouth. Doses may be taken as a single daily dose or in divided doses.
- take with a glass of water

adults and children 12 years and over	take 1 to 3 liquid gels daily
--	-------------------------------------

children 2 to under 12 years of age	take 1 liquid gel daily
children under 2 years of age	ask a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from excessive humidity
- use by expiration date on package

Inactive ingredients

D&C yellow #10, edible white ink, FD&C red #40, gelatin, glycerine, polyethylene glycol, propylene glycol, sorbitol

Questions or comments?

1-800-426-9391

Principal display panel

**select brand[®]
the lower price name brand**

NDC 15127-288-10

**Stool Softener
Docusate sodium 100 mg
Gentle
Effective
Stimulant Free
for comfortable relief**

***Compare to the Active Ingredient in Colace[®]**

100 Liquid Gels

*This product is not manufactured or distributed by Purdue Products L.P., owner of the registered trademark Colace[®].
50844 REV0712E35112 Product of Canada

SATISFACTION GUARANTEED

select brand[®]

Distributed by:
SELECT BRAND[®] DISTRIBUTORS
Pine Bluff, AR 71603 USA
AC (870) 535-3635

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

select brand NDC 15127-288-10
the lower price name brand

Stool Softener

Docusate sodium 100 mg
Gentle
Effective
Stimulant Free
for comfortable relief



*Compare to the Active Ingredient of Colace®

100 Liquid Gels

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts

Active ingredient (in each liquid gel)
Docusate sodium 100 mg laxative

Purpose
Stool softener

Uses

- relieves occasional constipation (irregularly)
- generally produces bowel movement in 12 to 72 hours

Warnings

- Do not use if you are presently taking mineral oil, unless told to do so by a doctor.
- Ask a doctor before use if you have**
- stomach pain
 - nausea
 - vomiting
 - noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a

*This product is not manufactured or distributed by Purdue Products L.P., owner of the registered trademark Colace®. 50844 REV0712E35112 Product of Canada



Distributed by
SELECT BRAND® DISTRIBUTORS
Pine Bluff, AR 71603 USA
AC (870) 535-3635

PROOF OF PURCHASE



0 15127 10090 1 0

PEEL HERE FOR MORE DRUG FACTS

Drug Facts (continued)
bowel movement after use of a laxative. These could be signs of a serious condition.
■ you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

take only by mouth. Doses may be taken as a single daily dose or in divided doses.

- take with a glass of water

adults and children 12 years and over	take 1 to 3 liquid gels daily
children 2 to under 12 years of age	take 1 liquid gel daily
children under 2 years of age	ask a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from excessive humidity
- use by expiration date on package

Inactive ingredients

D&C yellow #10, edible white ink, FD&C red #40, gelatin, glycerine, polyethylene glycol, propylene glycol, sorbitol

Questions or comments?
1-800-426-9391

STOP PEELING

Select Brand 44-351

STOOL SOFTENER			
docusate sodium capsule, liquid filled			
Product Information			
Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:15127-288
Route of Administration	ORAL	DEA Schedule	
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DOCUSATE SODIUM (DOCUSATE)	DOCUSATE SODIUM	100 mg	
Inactive Ingredients			
Ingredient Name	Strength		
D&C YELLOW NO. 10			
FD&C RED NO. 40			
GLYCERIN			
GELATIN			
PROPYLENE GLYCOL			
SORBITOL			
POLYETHYLENE GLYCOLS			

Product Characteristics

Color	ORANGE (clear)	Score	no score
Shape	CAPSULE	Size	13mm
Flavor		Imprint Code	A92
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:15127-288-10	100 in 1 BOTTLE; Combination Product Type = C112160		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part334	09/12/1995	

Labeler - Stephen L. LaFrance Pharmacy, Inc. (043562370)

Establishment

Name	Address	ID/FEI	Business Operations
Accucaps Industries, Ltd.		248441727	MANUFACTURE(15127-288)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(15127-288)

Revised: 12/2014

Stephen L. LaFrance Pharmacy, Inc.