

**SLEEP AID- diphenhydramine hcl solution**  
**Amerisource Bergen**

-----  
**Good Neighbor Pharmacy 44-002A**

***Active ingredient (in each 30 mL)***

Diphenhydramine HCl 50 mg

***Purpose***

Nighttime sleep-aid

***Uses***

- for relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

***Warnings***

**Do not use**

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

avoid alcoholic beverages.

**Stop use and ask a doctor if**

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

***Directions***

- **do not take more than directed**
- mL = milliliter
- only use the dose cup provided
- take only one dose per day (24 hours)
- adults and children 12 years and over: take 30 mL at bedtime if needed or as directed by a doctor
- children under 12 years: do not use

***Other information***

- **each 30 mL contains:** sodium 17 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

***Inactive ingredients***

anhydrous citric acid, FD&C blue #1, FD&C red #40, flavor, glycerin, high fructose corn syrup, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate dihydrate, sucralose, sucrose, xanthan gum

***Questions or comments?***

**1-800-426-9391 8:30 AM - 4:00 PM ET Monday - Friday**

***Principal display panel***

**NDC 46122-754-29**

**GOOD  
NEIGHBOR  
PHARMACY®**

**Compare to the active  
ingredient in  
Vicks® ZzzQuil® Nighttime  
Sleep-Aid\***

**Nighttime**

**Sleep Aid  
DIPHENHYDRAMINE HCl  
50 mg per 30 mL  
NIGHTTIME SLEEP AID**

***Non - habit forming***

**Berry flavor**

**Ages 12 & over**

12 FL OZ (355 mL)

NOT FOR COLDS OR FOR PAIN

TAMPER EVIDENT:

DO NOT USE IF PRINTED NECK WRAP IS BROKEN OR MISSING

**\*This product is not manufactured or distributed by The Procter & Gamble Company, owner of the registered trademark Vicks® ZzzQuil® Nighttime Sleep-Aid. 50844 ORG022300202 Rev: 05/23**

Distributed By  
AmerisourceBergen  
1 West First Avenue  
Conshohocken, PA 19428  
Questions or Concerns?  
www.mygnp.com

**Drug Facts (continued)**

**Other information**

- each 30 mL contains: sodium 17 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

**Inactive ingredients** anhydrous citric acid, FD&C blue #1, FD&C red #40, flavor, glycerin, high fructose corn syrup, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate dihydrate, sucralose, sucrose, xanthan gum

**Questions or comments?**  
1-800-426-9391 8:30 AM - 4:00 PM ET Monday - Friday

\*This product is not manufactured or distributed by The Procter & Gamble Company, owner of the registered trademark Vicks® ZzzQuil® Nighttime Sleep-Aid. 50844 ORG022300202 Rev: 05/23

NDC 46122-754-29

**GOOD NEIGHBOR PHARMACY®**

**Compare to the active ingredient in Vicks® ZzzQuil® Nighttime Sleep-Aid\***

**Drug Facts**

Active ingredient (in each 30 mL)	Purpose
Diphenhydramine HCl 50 mg	Nighttime sleep-aid

**Uses**

- for relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

**Warnings**

**Do not use**

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.**

**When using this product avoid alcoholic beverages.**

**Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.**

**If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.**

**Directions**

- do not take more than directed
- mL = milliliter
- only use the dose cup provided
- take only one dose per day (24 hours)
- adults and children 12 years and over: take 30 mL at bedtime if needed or as directed by a doctor
- children under 12 years: do not use

**No Print / No Varnish Area Lot # and Exp. Info EXP YYYY/MMM**

ABC#: 10278153

3 46122 75429 3

**SATISFACTION GUARANTEED**

Distributed By  
AmerisourceBergen  
1 West First Avenue  
Conshohocken, PA 19428  
Questions or Concerns?  
www.mygnp.com

**Sleep Aid**  
DIPHENHYDRAMINE HCl  
50 mg per 30 mL  
NIGHTTIME SLEEP AID

**Non - habit forming**

Berry flavor  
Ages 12 & over  
12 FL OZ (355 mL)

**NOT FOR COLDS OR FOR PAIN**

**TAMPER EVIDENT:  
DO NOT USE IF PRINTED NECK WRAP IS BROKEN OR MISSING**

Good Neighbor Pharmacy 44-002A

## SLEEP AID

diphenhydramine hcl solution

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46122-754
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg in 30 mL

Inactive Ingredients	
Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>HIGH FRUCTOSE CORN SYRUP</b> (UNII: XY6UN3QB6S)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>TRISODIUM CITRATE DIHYDRATE</b> (UNII: B22547B95K)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

Product Characteristics			
Color	purple	Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-754-29	355 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/14/2023	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M010	09/14/2023	

**Labeler** - Amerisource Bergen (007914906)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	manufacture(46122-754) , pack(46122-754)

