VITA-JEC B12 3000- cyanocobalamin injection Aspen Veterinary Resources, Ltd

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

VITAMIN B12 INJECTION 3000 mcg

3000 mcg Injection

For Animal Use Only

Keep Out Of Reach Of Children

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

INDICATIONS

For use as a supplemental nutritive source of vitamin B_{12} in cattle, horses, swine, sheep, dogs and cats.

DOSAGE AND ADMINISTRATION

Inject subcutaneously or intramuscularly. May be injected intravenously at the discretion of the veterinarian.

Cattle, Horses, Swine and **Sheep--**1 to 2 mL.

Dogs and Cats--0.25 to 0.5 mL.

Suggested dosage may be repeated at 1 to 2 week intervals, as indicated by condition and response.

TAKE TIME OBSERVE LABEL DIRECTIONS

COMPOSITION

Each mL of sterile aqueous solution contains:

Cyanocobalamin (B_{12}) 3000 mcg with sodium chloride 0.22% w/v, ammonium sulfate 0.1% w/v, citric acid 0.01% w/v, sodium citrate 0.008% w/v, and banzyl alchohol 1.0% v/v (preservative).

STORAGE

Store between 15° and 30°C (59° - 86°F).

Avoid exposure to light.

INDICATIONS: For use as a supplemental nutritive source of vitamin B_{12} in cattle, horses, swine, sheep, dogs and cats.

DOSAGE AND ADMINISTRATION: Inject subcutaneously or intramuscularly. May be injected intravenously at the discretion of the veterinarian. Cattle, Horses, Swine and Sheep - 1 to 2 mL Dogs and Cats - 0.25 to 0.5 mL

Suggested dosage may be repeated at 1 to 2 week intervals, as indicated by condition and response.







Vita-Jec B₁₂

3000 mcg Injection

3933777

For Animal Use Only Keep Out Of Reach Of Children

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

NET CONTENTS: 3.38 fl oz (100 mL) **COMPOSITION:** Each mL of sterile aqueous solution contains:

STORAGE: Store between 15° and 30°C (59°-86°F). Avoid exposure to light.

Manufactured for:

Aspen Veterinary Resources,® Ltd. Liberty, MO 64068 www.aspenveterinaryresources.com A299S V-0426-04 Rev. 07-17

LOT NO.: EXP. DATE:

INDICATIONS: For use as a supplemental nutritive source of vitamin B_{12} in cattle, horses, swine, sheep, dogs and cats.

DOSAGE AND ADMINISTRATION: Inject subcutaneously or intramuscularly. May be injected intravenously at the discretion of the veterinarian. Cattle, Horses, Swine and Sheep - 1 to 2 mL Dogs and Cats - 0.25 to 0.5 mL

Suggested dosage may be repeated at 1 to 2 week intervals, as indicated by condition and response.







3000 mcg injection

For Animal Use Only Keep Out Of Reach Of Children

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

NET CONTENTS: 3.38 fl oz (100 mL) **COMPOSITION:** Each mL of sterile aqueous solution contains:

STORAGE: Store between 15° and 30°C (59°-86°F). Avoid exposure to light.

Manufactured for:

Aspen Veterinary Resources,[®] Ltd. Liberty, MO 64068 www.aspenveterinaryresources.com A299S V-0426-04 Rev. 07-17

LOT NO.: EXP. DATE:

VITA-JEC B12 3000

cyanocobalamin injection

Product Information

2 NDC:46066-226-05

Product TypePRESCRIPTION ANIMAL DRUGItem Code (Source)NDC:46066-226

Route of AdministrationINTRAMUSCULAR, SUBCUTANEOUS, INTRAVENOUS

250 mL in 1 VIAL

Active Ingredient/Active Moiety

Ingredient NameBasis of StrengthStrengthCYANO COBALAMIN (UNII: P6 YC3EG204) (CYANOCOBALAMIN - UNII:P6 YC3EG204)CYANOCOBALAMIN3000 ug in 1 mL

Packaging#Item CodePackage DescriptionMarketing Start DateMarketing End Date1NDC:46066-226-04100 mL in 1 VIAL

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		0 2/0 1/20 12	

Labeler - Aspen Veterinary Resources, Ltd (627265361)

Revised: 2/2018 Aspen Veterinary Resources, Ltd