

OXYGEN - oxygen gas

Air Liquide America Specialty Gases LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

OXYGEN USP COMPRESSED

OXYGEN USP COMPRESSED

Enter section text here

ACTUAL SIZE

WARNING: DO NOT HANDLE CYLINDER OR USE CONTENTS UNTIL: 1) YOU HAVE READ AND UNDERSTAND THE MATERIAL SAFETY DATA SHEET FOR THIS PRODUCT. CALL 1-800-231-1366 FOR MORE COPIES. 2) YOU ARE TRAINED TO USE CYLINDER AND CONTENTS, INCLUDING EMERGENCY PROCEDURES.

**OXYGEN,
COMPRESSED
USP**

UN 1072 R ONLY



WARNING: HIGH PRESSURE, OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION. Secure cylinder and provide adequate ventilation in storage and use. Keep oil and grease away. No smoking in cylinder area. Do not use or store near heat or open flame. Keep out of reach of children. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Cylinder temperature should not exceed 125°F (52°C). Open valve slowly. Close valve after each use and when empty. Return with at least 25 PSIG pressure. Use in accordance with Material Safety Data Sheet.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, R ONLY. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. **CAUTION:** Federal law prohibits dispensing without prescription. Federal law requires that this container be refilled with Oxygen USP only by establishments registered as a drug producer in accordance with the Federal Food, Drug, and Cosmetic Act. **Produced by Air Liquefaction.**

CAUTION: USE NO OIL ON VALVE OR CONNECTIONS. TRANSFERRING OF THIS GAS IS PROHIBITED.

DO NOT REMOVE THIS PRODUCT LABEL.

 **AIR LIQUIDE** AIR LIQUIDE AMERICA
SPECIALTY GASES LLC
P.O. BOX 460228
Houston, TX 77056

M62S-1 G08

 BLACK

 D.O.T.
YELLOW

 D.O.T.
RED

 AL BLUE

JOB # _____? FOR _____
PROOF NO. _____? DATE SENT _____

READ THIS PROOF CAREFULLY
MARK CORRECTIONS AND ALTERATIONS CLEARLY


Proof OK as is OK with corrections
 New Proof Wanted

Signed _____ Date _____

Downey Decal & Graphics, Inc.
3022 N. Van Buren St., Enid, OK 73701
(580) 237-3434 • Fax (580) 237-6383
West Coast Office: (951) 672-6192 • Fax (951) 672-6194

#08-10977 AIR LIQUIDE AMERICA S.G. LLC, M62S-1; 07-14-08 jmg

ACTUAL SIZE



#08-10927 AIR LIQUIDE AMERICA SPECIALTY GASES LLC, M61-3, 06-16-08

jmg

JOB # _____	? FOR _____
PROOF NO. _____	? DATE SENT _____
READ THIS PROOF CAREFULLY	
MARK CORRECTIONS AND ALTERATIONS CLEARLY	
<input type="checkbox"/> Proof OK as is	<input type="checkbox"/> OK with corrections
<input type="checkbox"/> New Proof Wanted	
Signed _____	Date _____
Downey Decal & Graphics, Inc.	
3022 N. Van Buren St., Enid, OK 73701	
(580) 237-3434 • Fax (580) 237-6385	
West Coast Office: (951) 672-6192 • Fax (951) 672-6194	

Enter section text here

WARNING: DO NOT HANDLE CYLINDER OR USE CONTENTS UNTIL: 1) YOU HAVE READ AND UNDERSTAND THE MATERIAL SAFETY DATA SHEET FOR THIS PRODUCT. CALL 1-800-231-1366 FOR MORE COPIES. 2) YOU ARE TRAINED TO USE CYLINDER AND CONTENTS, INCLUDING EMERGENCY PROCEDURES.

WARNING: HIGH PRESSURE, OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION. Secure cylinder and provide adequate ventilation in storage and use. Keep oil and grease away. No smoking in cylinder area. Do not use or store near heat or open flame. Keep out of reach of children. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Cylinder temperatures should not exceed 125°F (52°C). Open valve slowly. Close valve after each use and when empty. Return with at least 25 PSIG pressure. Use in accordance with Material Safety Data Sheet.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx ONLY. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing unless used in conjunction with

resuscitative equipment.

CAUTION: Federal law prohibits dispensing without prescription. Federal law requires that this container be refilled with Oxygen USP only by establishments registered as a drug producer in accordance with the Federal Food, Drug, and Cosmetic Act. Produced by Air Liquefaction.

CAUTION: USE NO OIL ON VALVE OR CONNECTIONS. TRANSFILLING OF THIS GAS IS PROHIBITED.

DO NOT REMOVE THIS PRODUCT LABEL.

OXYGEN				
oxygen gas				
Product Information				
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:42411-010	
Route of Administration	RESPIRATORY (INHALATION)			
Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	Oxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)	Oxygen	99 L in 100 L	
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:42411-010-03	425 L in 1 CYLINDER		
2	NDC:42411-010-01	198 L in 1 CYLINDER		
3	NDC:42411-010-02	255 L in 1 CYLINDER		
4	NDC:42411-010-04	708 L in 1 CYLINDER		
5	NDC:42411-010-08	1558 L in 1 CYLINDER		
6	NDC:42411-010-12	3540 L in 1 CYLINDER		
7	NDC:42411-010-13	4390 L in 1 CYLINDER		
8	NDC:42411-010-20	6514 L in 1 CYLINDER		
9	NDC:42411-010-21	7108 L in 1 CYLINDER		
10	NDC:42411-010-22	37212 L in 1 CYLINDER		
11	NDC:42411-010-23	42650 L in 1 CYLINDER		
12	NDC:42411-010-25	8609 L in 1 CYLINDER		
13	NDC:42411-010-26	9544 L in 1 CYLINDER		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved medical gas		01/01/1960		

Labeler - Air Liquide America Specialty Gases LLC (808434711)

Establishment			
Name	Address	ID/FEI	Business Operations
Air Liquide America Specialty Gases LLC		104147434	manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
Air Liquide America Specialty Gases LLC		146549886	manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
Air Liquide America Specialty Gases LLC		802802587	manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
Air Liquide America Specialty Gases LLC		079354007	manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
Air Liquide America Specialty Gases LLC		103748765	manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
Air Liquide America Specialty Gases LLC		803778844	manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
Air Liquide America Specialty Gases LLC		134382332	manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
Air Liquide America Specialty Gases LLC		049087562	manufacture